### Side-by-Side & ATV Product Spec Book

2024

Vehicle Specifications, Accessories and Parts & Maintenance

# TABLE OF CONTENTS

CAN-AM DEFENDER	
Model Packages Comparative Chart Accessories	06 21 26
<b>CAN-AM MAVERICK R</b> Model Packages Comparative Chart Accessories	70 76 77
<b>CAN-AM MAVERICK X3</b> Model Packages Comparative Chart Accessories	98 105 106
CAN-AM COMMANDER Model Packages Comparative Chart Accessories	142 146 147
CAN-AM ATVS Model Packages Comparative Chart Accessories	186 194 195
SSV PARTS ATV PARTS	234 245
LUBRICANT, OIL CHANGE KIT, MAINTENANCE & CARE PRODUCTS	253

### CANAMOFFROAD.COM

© 2023 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. In the USA, products are distributed by BRP US Inc. †All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment. Without incurring obligation. Some models shown may include optional equipment. Products performance may vary depending on external factors. BRP recommends that all SXs drivers take a training course. See your dealer. SXS can be hazardous to operate. Never exceed the SXS's passenger capacity. All SXS models are meant to be used by drivers of aged 16 and older. Read the operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. SXS are for off-road use only, never ride on paved surfaces or public roads. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding and alcohol/drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorized BRP dealer for details and visit https://can-am.brp.com/.



## IF WE SELL IT, WE STAND BY IT.

### **BRP Limited Warranty**<sup>\*</sup> for new Parts & Accessories.

### 12 month limited warranty\*

 Genuine BRP Parts and Accessories installed by you or your authorized BRP dealer.

### GET ALL THE DETAILS FROM YOUR CAN-AM OFF-ROAD DEALER

-

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty. See the complete limited warranty applicable to your product, or contact your authorized Can-Am Off-Road dealer. Applicable only to BRP products purchased at authorized BRP dealers or distributors. This limited warranty may not apply to factory-installed parts and accessories. Always refer to the product-specific limited warranty. Some states and provinces do not allow for some disclaimers, limitations and exclusions and, as a result, you have other specific rights.

# CUSTOMISING MADE EASY

Select the model.

Select the package. Customise colour, engine, and accessories (or accessory bundles) for your vehicle.



Click "Save" or "Send to dealer."





If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above. BUILD Yours Now



# CAN-AM DEFENDER

### **MODEL PACKAGES**

Can-Am Defender DPS HD7	08
Can-Am Defender DPS HD7 Competitive Chart	09
Can-Am Defender XU HD9 / HD10	10
Can-Am Defender XU HD9 Competitive Chart	11
Can-Am Defender XT HD10	12
Can-Am Defender XT HD10 Competitive Chart	13
Can-Am Defender X mr HD10	14
Can-Am Defender Limited HD10	15
Can-Am Defender Pro (Pick-Up) DPS HD10	16
Can-Am Defender MAX DPS HD9	17
Can-Am Defender MAX XT HD10	18
Can-Am Defender MAX Limited HD10	19
Can-Am Defender 6x6 DPS HD10	20

21

### **COMPARATIVE CHART**

Can-Am Defender Lineup

### **ACCESSORIES**

Utility Kit	27
Roofs	28
Cabs	28
Windshields & Mirrors	29
Rear Wind Protection	32
Doors	32
Seat Accessories	34
Aluminum Skid Plates	35
Bumpers & Guards	36
LinQ: Easy On, Easy Off Cargo	39
Cargo & Storage	44
Racks & Holders	47
Lights	50
Audio & Communication Systems	53
Electronic Accessories	54
Winches & Hitches	56
Performance	59
Apache Track Systems	61
ProMount Plows	64
Covers & Add-Ons	68





### **2024 CAN-AM DEFENDER DPS HD7**



### PACKAGE HIGHLIGHTS

- Extremely fuel efficient 650 cc single cylinder Rotax<sup>®</sup> Engine
- 27 in. 8 ply XPS Trail Force tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS<sup>™</sup>)
  14 in. cast-aluminium wheels

Tundra Green

ENGINE	HD7	
Туре	52 hp/42 lb-ft, Rotax <sup>®</sup> ACE (Advanced Combustion Efficience 650 cc single cylinder, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† QE auto-locking front differential	
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS Front Suspension	Double A-arm/10 in. (25.4 cm) travel	
Front Shocks	Twin tube gas-charged shocks	
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel	
Rear Shocks	Twin tube gas-charged shocks	
TYRES & WHEELS		
Front Tyres	XPS Trail Force 27 x 9 x 14 in.	
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	
BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	

Profiled cage, ROPS approved
1,471 lb (667 kg)
121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)
83 in. (211.5 cm)
11 in. (28 cm)
38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
1,000 lb (454 kg)
250 lb (113.4 kg)
Total: 10.4 gal (39.5 L)
2,500 lb (1,134 kg)
1,500 lb (680 kg)
10.6 gal (40 L)
3
4.5 in. wide digital display
12 V (18 amp/h)
650 W
DC outlet (10-A)
Front lighting output 140 W LED tail lights
N/A
N/A
VERSA-PRO bench seat with passenger seats flipping up Underside hooks
VERSA-PRO bench seat with passenger seats flipping up
VERSA-PRO bench seat with passenger seats flipping up Underside hooks
VERSA-PRO bench seat with passenger seats flipping up Underside hooks Adjustable tilt steering Integrated front steel bumper
VERSA-PRO bench seat with passenger seats flipping up Underside hooks Adjustable tilt steering Integrated front steel bumper HMWPE central skid plate

		2024 Can-Am Defender DPS HD7	Polaris Ranger 570 HD EPS PPC	Kawasaki Mule Pro MX	Yamaha Wolverine X2 Utility
Engine Size (cc)		650 cc	567 cc	695 cc	847 cc
No of Cylinders		1	1	1	2
Horsepower		52 hp	44 hp	45 hp	Not Listed
Transmission	+	pDrive primary CVT with engine braking	Automatic PVT	Dual Range (high/low) CVT with reverse	Ultramatic V Belt
Front Diff. Type	+	Selectable Turf Mode/2WD/4WD with Visco Lok†auto locking front differential	On Demand True AWD/2WD	2WD/4WD Dual mode differential	On demand 2WD/4WD/4WD with Diff Lock
Turf Mode		Yes	Yes	Yes	No
Power Steering	=	Dynamic Power Steering (DPS™)	Electronic Power Steering	Electronic Power Steering	Electric Power Steering
Hill Descent Assistance	=	Electric Descent Control	Active Descent Control	Engine Braking	Engine Braking
Seating Capacity	+	3	2	2	2
Front Suspension	=	Double A-Arm	MacPherson Strut	Double Wishbone	Independent Double Wishbone
Rear Suspension	+	TTA with external sway bar	Dual A-arm IRS	Double Wishbone	Independent Double Wishbone
Wheel Size	+	14"	12"	12"	12"
Wheel Material	=	Cast Aluminium	Aluminium	Steel	Aluminium
Tyre Size	=	27"	25"	25"	27"
Tyre Ply rating		6 ply	6 ply	4 ply	Not Listed
Towing Capacity	+	1,134 kg	680.4 kg	680 kg	907 kg
Cargo bed capacity	+	454 kg	226.8 kg	317 kg	272 kg
Total Payload	+	880 kg	453.6 kg	544 kg	
Ground Clearance		28 cm	25.4 cm	27 cm	29.3 cm
Overall Length		307.1 cm	279 cm	279.5 cm	315 cm
Overall Width		157.5 cm	147 cm	152.5 cm	158 cm
Vehicle Dry Weight		667 kg	499 kg	728 kg (kerb)	796 kg (wet)
Fuel Capacity	+	40 L	34.1 L	36 L	35 L
Winch		N/A	No	No	No
Speed Limiting Device		Optional	No	No	40 kph key
Anti Theft Device		Optional	No	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2yr Unlimited km	3yr Unlimited km	3yr Unlimited km

<sup>†</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH.

### **2024 CAN-AM DEFENDER XU HD9 / HD10**



Yellow / HD9 Timeless Blac

Timeless Black / HD9 Tundra Green / HD9 / HD10

ENGINES	HD9	HD10	
Туре	65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	
Fuel Delivery System	Intelligent Throttle Control (iT with Electronic Fuel Injection		
Transmission	PRO-TORQ CVT with Quick Re high-airflow ventilation, and El Extra L/H/N/R/P		
Drive Train	Selectable Turf Mode/2WD/4 with Visco-Lok <sup>†</sup> auto-locking fi		
Driving Assistance	Electronic Hill Descent Contro ECO™/ECO™ Off/Work mode		
Power Steering	Dynamic Power Steering (DPS	STM)	
SUSPENSIONS			
Front Suspension	Double A-arm/ 10 in. (25.4 cm) travel	Arched double A-arm/ 11 in. (27.9 cm) travel	
Front Shocks	Twin tube gas-charged shocks	3	
Rear Suspension	TTA with external sway bar/ 10 in. (25.4 cm) travel	Arched TTA with external sway bar/11 in. (27.9 cm) travel	
Rear Shocks	Twin tube gas-charged shocks		
TYRES & WHEELS			
Front Tyres	XPS Trail Force 27 x 9 x 14 in.	XPS Trail King 27 x 9 x 14 in.	
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.	XPS Trail King 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum		
BRAKES			
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers		
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers		
	Brake holding mechanism		

### PACKAGE HIGHLIGHTS

- Full Hard Roof
- Brake Hold Mechanism
- Rotax<sup>®</sup> 976 cc V-Twin Engine
   27 in Sply XDS Troil Force /Troil King t
- 27 in. 8ply XPS Trail Force/Trail King tyres
  1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power steering (DPS<sup>™</sup>)
- 14 in. cast-aluminium wheels

DIMENSIONS & CAPACITIES	HD9	HD10
Cage	Profiled cage, ROPS approved	
Estimated Dry Weight	1,553 lb (706 kg)	1,573 lb (715 kg)
L×W×H	121 x 62 x 76 in. (307.1 x 157.5 x 193 cm)	121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)
Wheelbase	83 in. (211.5 cm)	
Ground Clearance	11 in. (27.9 cm)	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x	x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)	
Tailgate Load Capacity	250 lb (113.4 kg)	
Storage Capacity	Total: 10.4 gal (39.5 L)	
Towing Capacity	2,500 lb (1,134 kg)	
Payload Capacity	1,500 lb (680 kg)	
Fuel Capacity	10.6 gal (40 L)	
Person Capacity	3	
FEATURES Gauge	4.5 in. wide digital display	
Battery	12 V (18 amp/h)	
Magneto	650 W	
Instrumentation	DC outlet (10-A)	
Lighting	Front lighting output 140 W LED tail lights	
Winch	N/A	
Seat	VERSA-PRO bench seat with p Underside hooks	assenger seats flipping up
Steering Wheel	Adjustable tilt steering	
Protection	Integrated front steel bumper HMWPE central skid plate Full hard roof	
Hitch Type	2 in. hitch receiver	
WARRANTY		
Factory Warranty	3-year unlimited km powertrain 1-year warranty & unlimited km	

		Can-Am Defender XU HD9	Polaris Ranger 1000 EPS	Honda Pioneer 700-2	Kawasaki Mule Pro-FX
Engine Size (cc)		976 cc	999 cc	675 cc	813 cc
No of Cylinders		2	2	1	3
Horsepower	+	65 hp	61 hp	36.1 hp	47 hp
Transmission	+	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential	Automatic PVT (CVT)	3 speed with reverse; manual and automatic modes	Dual range (high/low) CVT with reverse
Front Diff. Type	+	Dynamic Power Steering (DPS™)	AWD/2WD/Versatrac turf mode	2WD, 4WD, 4WD Lock	2WD/4WD dual mode differential
Turf Mode	I	Yes	Yes	No	Yes
Power Steering	=	Dynamic Power Steering	Electronic Power Steering	Electric Power Steering	Speed sensitive Electric Power Steering
Hill Descent Assistance	=	Electric hill descent control	No engine braking	Engine braking	Engine braking
Seating Capacity	II	3	3	2	3
Front Suspension	=	Double A-arm	Dual A-arm	Independent Double-wishbone	Double wishbone
Rear Suspension	+	Torsional trailing arm with external sway bar	Dual A-arm	Independent Double-wishbone	Double wishbone
Wheel Size	+	14"	12"	12"	12"
Wheel Material	+	Aluminium	Steel	Steel	Steel
Tyre Ply Rating	+	8 ply	4 ply	4 ply	4 ply
Towing Capacity	=	1,134 kg	1,134 kg	680 kg	907 kg
Cargo Bed Capacity	=	454 kg	454 kg	408 kg	453 kg
Total Payload	=	680 kg	680 kg	604 kg	733 kg
Ground Clearance		28 cm	30.5 cm	27 cm	26.5 cm
Overall Length		307.1 cm	305 cm	291 cm	338.5 cm
Overall Width		157.5 cm	158 cm	152.5 cm	162.5 cm
Vehicle Dry Weight		706 kg	674 kg	583 kg	824 kg - kerb
Fuel Capacity		40 L	43 L	30 L	30 L
Winch		No	No	No	No
Speed Limiting Device	+	23 kph drivers seatbelt limiter, plus optional speed limiting safety keys (40 kph, 70 kph, and open)	Drivers seatbelt limiter 25 kph	Drivers seatbelt limiter 25 kph	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km	3 years unlimited km

 $^{\dagger}\mbox{Visco-Lok}$  is a trademark of GKN Viscodrive GmbH.

### **2024 CAN-AM DEFENDER XT HD10**



### Timeless Black

HD10

ENGINE

#### Туре 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled Fuel Delivery System Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection Extra-L/H/N/R/P Transmission Drive Train Selectable Turf Mode/2WD/4WD with Visco-Lok<sup>†</sup> auto-locking front differential Electronic Hill Descent Control ECO™/ECO™ Off/Work modes Driving Assistance Power Steering Dynamic Power Steering (DPS™) SUSPENSIONS Front Suspension Arched double A-arm/11 in. (27.9 cm) travel Front Shocks Twin tube gas-charged shocks Rear Suspension Arched TTA with external sway bar/11 in. (27.9 cm) travel Rear Shocks Twin tube gas-charged shocks **TYRES & WHEELS**

Front Tyres	XPS Trail King 27 x 9 x 14 in.	_
Rear Tyres	XPS Trail King 27 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

#### BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers
	Brake holding mechanism

### PACKAGE HIGHLIGHTS

- 4,500 lb. (2,041 kg) winch
- XT Front bumper
- HMWPE full skid plate
- VERSA-PRO bolster bench seat with reinforced XT seat skin and adjustable drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- 976 cc V-Twin Rotax\* Engine
- 27 in. 8ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- 14 in. cast-aluminium wheels
- Dynamic Power Steering (DPS<sup>™</sup>)

#### DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,623 lb (736 kg)
LxWxH	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.2 gal (61.3 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

#### FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A) USB Port (10-A) x 2
Lighting	Front lighting output 140 W LED tail lights
Winch	4,500-lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced XT Seat skin
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper HMWPE full skid plate Full hard roof
Hitch Type	2 in. hitch receiver
WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

	•	Can-Am Defender XT HD10	Polaris Ranger XP 1000 HD EPS ADC	Honda Pioneer 1000-3
Engine Size (cc)		976 cc	999 cc	999 cc
No of Cylinders	=	2	2	2
Horsepower	=	82 hp	82 hp	72 hp
Transmission	+	PRO-TORQ CVT Transmission with Quick Response System (QRS)	Automatic PVC	Automatic dual clutch transmission
Front Diff. Type		Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>†</sup> auto-locking front differential	High Performance On-Demand True AWD/2WD/Versatrac turf mode	2WD/4WD/4WD Lock
Turf Mode	=	Yes	Yes	Yes
Power Steering	+	Dynamic Power Steering (DPS™)	Electronic Power Steering	Electric Power Steering
Hill Descent Assistance		Electric Hill descent control	Active Decent Control	Engine braking
Seating Capacity	=	3	3	3
Front Suspension	+	Arched Double A-arm	Dual A-arm	Independent Double-wishbone
Rear Suspension	+	Arched torsional trailing arm with external sway bar	Dual A-arm, IRS	Independent Double-wishbone
Wheel Size	=	14"	14"	12"
Wheel Material	=	Aluminium	Aluminium	Steel
Tyre Ply Rating	=	8 ply	8 ply	6 ply
Tyre Size	=	27"	27"	27"
Towing Capacity	=	1,134 kg	1,133.9 kg	1,134 kg
Cargo Bed Capacity	=	454 kg	454 kg	454 kg
Total Payload		680 kg	871 kg	748 kg
Ground Clearance		33 cm	33 cm	34.5 cm
Overall Length	+	319.4 cm	305 cm	296.6 cm
Overall Width	+	162.5 cm	158 cm	159.9 cm
Vehicle Dry Weight		736 kg	723 kg	703 kg - Kerb
Fuel Capacity		40 L	43.5 L	30 L
Winch	+	Yes - 2,041 kg with roller fairlead	No	No
Speed Limiting Device	+	23 kph drivers seatbelt limiter, plus optional D.E.S.S.™ speed limiting safety keys (40 kph, 70 kph, and open)	24 kph drivers seatbelt limiter	24 kph drivers seatbelt limiter
Anti Theft Device	+	Optional vehicle specific D.E.S.S.™ keys - vehicle can not be hot wired	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km
Display	+	4.5" wide digital display	4" LCD	Multi-function LCD dash display

 $^{\dagger}\mbox{Visco-Lok}$  is a trademark of GKN Viscodrive GmbH.

### **2024 CAN-AM DEFENDER X MR HD10**



### Wildland Camo

# ENGINE HD10 Type 82 hp/69 lb-ft, Rotax\* 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake Fuel Delivery System Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) Transmission PRO-TORQ CVT with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio and high-airflow ventilation with strategically positioned CVT air intake and exhaust Extra-L/H/N/R/P Drive Train Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok\* technology Driving Assistance Electronic Hill Descent Control ECO™ 0ff/Work modes

### Power Steering

Front Suspension	Arched double A-arm with sway bar/12 in. (30.5 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/12 in. (30.5 cm) travel
Rear Shocks	Twin tube gas-charged shocks

Dynamic Power Steering (DPS™)

#### **TYRES & WHEELS**

Front Tyres	XPS Swamp Force 30 x 9 x 14 in.	
Rear Tyres	XPS Swamp Force 30 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	
	Brake holding mechanism	

### PACKAGE HIGHLIGHTS

- Smart-Lok\* front differential
- Strategically positioned engine air intake and CVT inlet/outlet
- Brake holding mechanism
- VERSA-PRO bolster bench seat, reinforced seat skin featuring X package trims and adjustable driver seat
- 7.6 in. digital display with keypad
- 64 in. wide with high clearance arched A-arms
- LED signature lights
- 30 in. XPS Swamp Force tyres
- 4,500 lb (2,041 kg) high mount winch
- Heavy-duty front steel bumper
- Aluminum rock sliders
- HMWPE full skid plate
- · Under passenger seat waterproof removable storage box

#### DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,746 lb (792 kg)
LxWxH	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	15 in. (38.1 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.2 gal (61.3 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

#### FEATURES

Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A) USB Port (10-A) x 2
Lighting	Front lighting output 140 W LED signature lights LED tail lights
Winch	High mount 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced seat skin featuring X package trims
Steering Wheel	Adjustable tilt steering
Protection	Heavy-duty front steel bumper HMWPE full skid plate Aluminum rock sliders Mudguards
Hitch Type	2 in. hitch receiver
WARRANTY	
Factory Warranty	3-year unlimited km nowertrain & Rotax® engine warranty and

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

### **2024 CAN-AM DEFENDER LIMITED HD10**



### Stone Gray

HD10

ENGINE

### PACKAGE HIGHLIGHTS

- Auto heating and air conditioning (HVAC) climate system Full hard roof with liner and interior dome light
- Full colour match doors with electric opening windows 3-position full glass tilt up windshield with wiper/washer kit
- Rear glass window
- Brake holding mechanism
- Panoramic mirror
- VERSA-PRO bolster bench seat with reinforced Limited seat skin and adjustable driver seat
- 7.6 in. digital display with keypad
- Extra wide stable footprint
- LED signature lights
- 30 in. XPS Trac Force tyres
- 4,500-lb (2,041 kg) winch
- XT front bumper
- HMWPE full skid plate

Туре	82 hp/69 lb-ft, Rotax <sup>®</sup> 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with exclusive Smart-Lok*
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)
SUSPENSIONS Front Suspension	Arched double A-arm with sway bar/12 in. (30.5 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/12 in. (30.5 cm) travel
Rear Shocks	Twin tube gas-charged shocks
TYRES & WHEELS	
Front Tyres	XPS Trac Force 30 x 9 x 14 in.
Front Tyres Rear Tyres	XPS Trac Force 30 x 9 x 14 in. XPS Trac Force 30 x 10 x 14 in.

### DDAVES

BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers	
	Brake holding mechanism	

#### **DIMENSIONS & CAPACITIES**

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,976 lb (896 kg)
LxWxH	126 x 65 x 81 in. (319 x 165.1 x 252 cm)
Wheelbase	83 in. (211.5 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 12.7 gal (48.1 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,200 lb (544 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

#### FEATURES

Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	850 W
Instrumentation	DC outlet (10-A) USB Port (10-A) x 2
Lighting	Front lighting output 140 W LED signature lights LED tail lights
Winch	4,500-lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seat with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced seat skin featuring Limited package trims
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper HMWPE full skid plate Full hard roof with liner and interior dome light Full color-match doors with electric opening windows 3-position full glass tilt-up windshield with wiper/washer kit Rear glass window
Hitch Type	2 in. hitch receiver
	Panoramic mirror Auto heating and airconditioning (HVAC) climate system Noise suppression carpet and seals, inc. roof lining
WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax <sup>®</sup> engine warranty and 1-year warranty & unlimited km on the rest of the unit

### **2024 CAN-AM DEFENDER PRO (PICK-UP) DPS HD10**



Yellow

#### ENGINE HD10 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled Туре Fuel Delivery System Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection Transmission Extra L/H/N/R/P Drive Train Selectable Turf Mode/2WD/4WD with Visco-Lok<sup>†</sup> auto-locking front differential Electronic Hill Descent Control ECO™/ECO™ Off/Work modes Driving Assistance Power Steering Dynamic Power Steering (DPS) SUSPENSIONS Front Suspension Arched double A-arm/11 in. (27.9 cm) travel Front Shocks Twin tube gas-charged shocks Rear Suspension Arched TTA with external sway bar/11 in. (27.9 cm) travel Rear Shocks Twin tube gas-charged shocks **TYRES & WHEELS** Front Tyres XPS Trail King 27 x 9 x 14 in. Rear Tyres XPS Trail King 27 x 11 x 14 in. Wheels 14 in. cast-aluminum

#### BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers

### PACKAGE HIGHLIGHTS

- 712 kg. payload capability
- 6 ft. long tray
- Removable sides turning the tray into a flatbed
- 316.5 L undertray dust and water resistant storage locker
   Ultrasmooth ride thanks to longer chassis
- One of the quietest SXS on the market
- Rotax<sup>®</sup> 976 cc V-twin Engine
- 27 in. 8 ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- 14 in. cast-aluminium wheels

Cage	Profiled cage, ROPS approved	
Estimated Dry Weight	1,815 lb (823 kg)	
LxWxH	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)	
Wheelbase	115.5 in. (294 cm)	
Ground Clearance	13 in. (33 cm)	
Cargo Box Dimensions	72 x 54.5 x 10 in. (180.3 x 138.4 x 25.4 cm)	
Cargo Box Capacity	1,000 lb (454 kg)	
Tailgate Load Capacity	250 lb (113.4 kg)	
Storage Capacity	Total: 94 gal (356 L)	
Towing Capacity	2,500 lb (1,134 kg)	
Payload Capacity	1,570 lb (712 kg)	
Fuel Capacity	10.6 gal (40 L)	
Person Capacity	3	

### FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE central skid plate
Hitch Type	2 in. hitch receiver

#### WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

### **2024 CAN-AM DEFENDER MAX DPS HD9**



### PACKAGE HIGHLIGHTS • Rotax\* 976 cc V-twin engine

- 6 seat capacity
- · Longer wheelbase providing smoother ride over rough ground
- 27 in. 8 ply XPS Trail Force tyres
- 771 kg payload/1,134 kg towing capacity/454 kg tray capacity
- Rear differential with Turf Mode
- Dynamic Power Steering (DPS™)
- · 14 in. cast-aluminium wheels

**DIMENSIONS & CAPACITIES** 

### Tundra Green

ENGINE	HD9
Туре	65 hp/59 lb-ft , Rotax* 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>†</sup> auto-locking front differential
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)
SUSPENSIONS Front Suspension	Double A-arm/10 in. (25.4 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	TTA with external sway bar/10 in. (25.4 cm) travel
Rear Shocks	Twin tube gas-charged shocks
TYRES & WHEELS	
Front Tyres	XPS Trail Force 27 x 9 x 14 in.
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum
BRAKES	

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers

#### Cage Profiled cage, ROPS approved Estimated Dry Weight 1,771 lb (803 kg) 153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm) LxWxH Wheelbase 115.5 in. (294 cm) Ground Clearance 11 in. (28 cm) Cargo Box Dimensions 38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm) Cargo Box Capacity 1,000 lb (454 kg) Tailgate Load Capacity 250 lb (113.4 kg) Total: 11.1 gal (42.1 L) Storage Capacity Towing Capacity 2,500 lb (1,134 kg) 1,700 lb (771 kg) Payload Capacity Fuel Capacity 10.6 gal (40 L) Person Capacity 6 FEATURES Gauge 4.5 in. wide digital display Battery 12 V (18 amp/h) Magneto 650 W Instrumentation DC outlet (10-A)

modulinemation	Bo outlot (1071)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seat with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE full skid plate
Hitch Type	2 in. hitch receiver

### WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

### **2024 CAN-AM DEFENDER MAX XT HD10**



Stone Gray

#### ENGINE HD10 Туре 82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled Fuel Delivery System Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection Extra-L/H/N/R/P Transmission Drive Train Selectable Turf Mode/2WD/4WD with Visco-Lok<sup>†</sup> auto-locking front differential Electronic Hill Descent Control ECO™/ECO™ Off/Work modes Driving Assistance Power Steering Dynamic Power Steering (DPS™) SUSPENSIONS Front Suspension Arched double A-arm/11 in. (27.9 cm) travel Front Shocks Twin tube gas-charged shocks Rear Suspension Arched TTA with external sway bar/11 in. (27.9 cm) travel Rear Shocks Twin tube gas-charged shocks **TYRES & WHEELS** Front Tyres XPS Trail King 27 x 9 x 14 in.

Rear Tyres	XPS Trail King 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum

BRAKES		
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers	
	Brake holding mechanism	

### PACKAGE HIGHLIGHTS

- 6 seat capacity
  4.500 lb. (2.041 kg) winch
- XT Front bumper
- HMWPE full skid plate
- · VERSA-PRO bolster bench seats with reinforced XT seat skin and adjustable
- drivers seat
- Under passenger seat waterproof removable storage box
- Full Hard Roof
- Brake Hold Mechanism
- Rotax® 976 cc V-twin Engine
- 27 in. 8ply XPS Trail King tyres
- 1,134 kg Towing Capacity
- Rear differential with Turf Mode
  Dynamic Power steering (DPS<sup>TM</sup>)
- 14 in. cast-aluminium wheels
- 14 III. Cast-alul IIII ulli Wileels

#### DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,928 lb (875 kg)
LxWxH	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.9 gal (63.9 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,700 lb (771 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

#### FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (30 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A) USB Port (10-A) x 2
Lighting	Front lighting output 140 W LED tail lights
Winch	4,500-lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced XT seat skin
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper HMWPE full skid plate 2-piece full hard roof
Hitch Type	2 in. hitch receiver
WARRANTY	

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

### **2024 CAN-AM DEFENDER MAX LIMITED HD10**



### Stone Gray

HD10

ENGINE

### PACKAGE HIGHLIGHTS • Auto heating and air conditioning (HVAC) climate system

- 6 seat capacity
- Full hard roof with liner and interior dome light
- · Full colour-match doors with electric opening windows in front
- 3-position full glass tilt-up windshield with wiper/washer kit
- Rear glass window
- Brake holding mechanism
   Panoramic mirror
- Panoramic mirror
- VERSA-PRO bolster bench seats with reinforced XT seat skin and adjustable drivers seat
- 7.6 in. digital display with keypad
- Extra wide stable footprint
- Longer wheel base provides smoother ride over rough ground
- LED signature lights
- 30 in. XPS Trac Force tyres
- 4,500 lb (2,041 kg) winch
- XT front bumper
- HMWPE full skid plate

Туре	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protectior Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with exclusive Smart-Lok*
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS™)
SUSPENSIONS	
	Arched double A-arm with sway bar/12 in (30.5 cm) travel
Front Suspension	Arched double A-arm with sway bar/12 in. (30.5 cm) travel
Front Suspension Front Shocks Rear Suspension	Arched double A-arm with sway bar/12 in. (30.5 cm) travel Twin tube gas-charged shocks Arched TTA with external sway bar/12 in. (30.5 cm) travel

#### **TYRES & WHEELS**

Front Tyres	XPS Trac Force 30 x 9 x 14 in.
Rear Tyres	XPS Trac Force 30 x 10 x 14 in.
Wheels	14 in. cast-aluminum

#### BRAKES

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers
	Brake holding mechanism

#### DIMENSIONS & CAPACITIES

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	2,466 lb (1,119 kg)
LxWxH	158.3 x 65 x 81 in. (402 x 165.1 x 226 cm)
Wheelbase	115.5 in. (294 cm)
Ground Clearance	14 in. (35.6 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 12.7 gal (48.1 L)
Towing Capacity	2,500 lb (1,134 kg)
Payload Capacity	1,225 lb (555 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	6

### FEATURES

,	
Gauge	7.6 in. wide digital display with keypad
Battery	12 V (30 amp/h)
Magneto	850 W
Instrumentation	DC outlet (10 A) USB port (10 A) x 2
Lighting	Front lighting output 140 W LED signature lights LED tail lights
Winch	4,500-lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seats with passenger seats flipping up Adjustable driver seat Underside hooks Reinforced seat skin featuring Limited package trims
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper HMWPE full skid plate Full hard roof with liner and interior dome light Full color-match doors with electric opening windows in front 3-position full glass tilt-up windshield with wiper/washer kit Rear glass window
Hitch Type	2 in. hitch receiver
	Panoramic Mirror
	Auto heating and airconditioning (HVAC) climate system Noise suppression carpet and seals, inc. roof lining
WARRANTY	
Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit

### **2024 CAN-AM DEFENDER 6X6 DPS HD10**



### Tundra Green

ENGINE	HD10
Туре	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation and Electronic Drive Belt Protection Extra L/H/N/R/P
Drive Train	Selectable 4WD/6WD with Visco-Lok <sup>†</sup> auto-locking front differential
Driving Assistance	Electronic Hill Descent Control ECO™/ECO™ Off/Work modes
Power Steering	Dynamic Power Steering (DPS)
SUSPENSIONS Front Suspension	Arched double A-arm/11 in. (27.9 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with external sway bar/11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas-charged shocks
TYRES & WHEELS	
Front Tyres	XPS Trail King 27 x 9 x 14 in.
Rear Tyres	XPS Trail King 27 x 11 x 14 in.
Wheels	14 in. cast-aluminum
BRAKES	

Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers

### PACKAGE HIGHLIGHTS

- Unmatched uphill and down hill stability
- Incredible traction and soft ground performance
- Selectable 4WD/6WD
- The industries longest SSV tray (6ft)
- Largest payload of any SXS (771kg)
- Dynamic Power Steering (DPS<sup>™</sup>)
- 64 in. wide with arched A-arm
- 14 in. cast-aluminum wheels27 in. XPS Trail King tyres

### **DIMENSIONS & CAPACITIES**

Cage	Profiled cage, ROPS approved
Estimated Dry Weight	1,953 lb (885.9 kg)
LxWxH	154.1 x 64 x 78 in. (391.5 x 162.5 x 198.1 cm)
Wheelbase	115.5 in. (293.4 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	72 x 54.5 x 10 in. (182.9 x 138.4 x 25.4 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 10.4 gal (39.4 L)
Towing Capacity	3,000 lb (1360.8 kg)
Payload Capacity	1,700 lb (771.1 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

### FEATURES

Gauge	4.5 in. wide digital display
Battery	12 V (18 amp/h)
Magneto	650 W
Instrumentation	DC outlet (10-A)
Lighting	Front lighting output 140 W LED tail lights
Winch	N/A
Seat	VERSA-PRO bench seats with passenger seats flipping up Underside hooks
Steering Wheel	Adjustable tilt steering
Protection	Integrated front steel bumper HMWPE central skid plate
Hitch Type	2 in. hitch receiver
WARRANTY	

### WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

	DEFENDER	DPS***	xu	***					
со	LOUR OPTIONS	Tundra Green	Yellow / Timeless Black	Tundra Green					
		HD7	HD9	HD10					
	Туре	52 hp/42 lb-ft, Rotax <sup>®</sup> ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled	65 hp/59 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax® 976 cc, V-twin, liquid-cooled					
ő	Fuel Delivery System	Intellig	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)						
ENGINES	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection, L/H/N/R/P	high-airflow ventilation, and E	k Response System (QRS), lectronic Drive Belt Protection, H/N/R/P					
	Drive Train	Selectable Tu	rf Mode/2WD/4WD with Visco-Lok <sup>†</sup> QE auto-locking fro	ont differential					
	Driving Assistance	Elec	ctronic Hill Descent Control, ECO™/ECO™ Off/Work mo	des					
	Power Steering		Dynamic Power Steering (DPS™)						
s	Front Suspension	Double		Arched double A-arm/					
NOI	Front Shocks	10 in. (25.4	· · · · · · · · · · · · · · · · · · ·	11 in. (27.9 cm) travel					
SUSPENSIONS		TTA with exte	Twin tube gas-charged shocks	Arched TTA with external sway bar/					
SUSP	Rear Suspension	10 in. (25.4		11 in. (27.9 cm) travel					
	Rear Shocks		Twin tube gas-charged shocks	1					
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 2 14 in. cast		XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminium					
	Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers							
BRAKES	Rear	Dual 220 mm disc brakes with hydraulic single-piston calipers							
BF	Brake holding mechanism	N/A	dard						
	Cage		Profiled cage, ROPS approved						
	Estimated Dry Weight	1,471 lb. (667 kg)	1,553 lb (706 kg)	1,573 lb (715 lb)					
	LxWxH	121 x 62 (307.1 x 157	2 x 76 in. .5 x 193 cm)	121 x 64 x 78 in. (307.1 x 162.5 x 198.1 cm)					
IES	Wheelbase		83 in. (211.5 cm)						
ACIT	Ground Clearance	11 in. (	28 cm)	13 in. (33 cm)					
CAP	Cargo Box Dimensions		38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)						
NS	Cargo Box Capacity		1,000 lb (454 kg)						
MENSIONS / CAPACITIES	Tailgate Load Capacity	250 lb (113.4 kg)							
DIME	Storage Capacity		Total: 10.4 gal (39.5 L)						
	Towing Capacity		2,500 lb (1,134 kg)						
	Payload Capacity		1,500 lb (680 kg)						
	Fuel Capacity	10.6 gal (40 L)							
	Person Capacity		3						
	Gauge		4.5 in. wide digital display						
	Battery		12 V (18 amp/h)						
	Magneto	650 W							
s	Instrumentation	DC outlet (10-A)							
URE	Lighting		Front lighting output 140 W, LED tail lights						
FEATURES	Winch Seat		N/A PRO bench seat with passenger seat flipping up, undersi	de books					
		VERSA-P	· · · · · · · · · · · · · · · · · · ·	UE HUUKS					
	Steering Wheel	Integrated front steel bumper,	Adjustable tilt steering						
	Protection	HMWPE central skid plate		VPE central skid plate, full hard roof					
	Hitch Type		2 in. hitch receiver						

<sup>1</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH. \*\*\*3-year unlimited km powertrain & Rotax<sup>®</sup> engine warranty and 1-year warranty & unlimited km on the rest of the unit.

	DEFENDER	XT***	Limited***	X mr***
co	LOUR OPTIONS	Timeless Black	Stone Gray	Wildland Camo
	Toma	HD10	HD10	HD10
	Туре	82 hp/69 lb-ft, Rotax® 97	6 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax <sup>®</sup> 976 cc, V-twin, liquid-cooled with strategically positioned engine air intake
	Fuel Delivery System	Intellige	ent Throttle Control (iTC™) with Electronic Fuel Injecti	ion (EFI)
ENGINES	Transmission	high-airflow ventilation, and E	k Response System (QRS), lectronic Drive Belt Protection, H/N/R/P	PRO-TORQ CVT with Quick Response System (QRS), Electronic Drive Belt Protection, lower gearing ratio, and high-airflow ventilation with strategically positioned CVT air intake, and exhaust, Extra L/H/N/R/P
	Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>†</sup> auto-locking front differential	Selectable Turf Mode/2WD/4WD with exclusive Smart-Lok*	Selectable Turf Mode/2WD/4WD TRAIL/4WD MUD with exclusive Smart-Lok* technology
	Driving Assistance	Elect	tronic Hill Descent Control, ECO™/ECO™ Off/Work m	odes
	Power Steering		Dynamic Power Steering (DPS™)	
s	Front Suspension	Arched double A-arm/ 11 in. (27.9 cm) travel	Arched double A-a 12 in. (30.5	arm with sway bar/ 5 cm) travel
SION	Front Shocks		Twin tube gas-charged shocks	
SUSPENSIONS	Rear Suspension	Arched TTA with external sway bar/ 11 in. (27.9 cm) travel	Arched TTA with	external sway bar/ 5 cm) travel
SUS	Rear Shocks	1 1 In. (27.9 cm) travel	T2 IN: (30.5 Twin tube gas-charged shocks	o cm) travel
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trac Force 30 x 9/10 x 14 in. 14 in. cast-aluminum	XPS Swamp Force 30 x 9/11 x 14 in. 14 in. cast-aluminum
<u>⊢≥</u>	Front		al 220 mm disc brakes with hydraulic twin-piston calip	
KES	Rear		I 220 mm disc brakes with hydraulic twir-piston cali	
BRAKES	Brake holding mechanism		Standard	
	Cage		Profiled cage, ROPS approved	
	Estimated Dry Weight	1,623 lb (736 kg)	1,976 lb (896 kg)	1,746 lb (792 kg)
	LxWxH	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)	126 x 65 x 81 in. (319 x 165.1 x 252 cm)	129.4 x 64 x 82 in. (328.6 x 162.6 x 208.3 cm)
B	Wheelbase		83 in. (211.5 cm)	
ED	Ground Clearance	13 in. (33 cm)	14 in. (35.6 cm)	15 in. (38.1 cm)
ENSIONS / CAPACITIES	Cargo Box Dimensions		38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)	
SNS	Cargo Box Capacity		1,000 lb (454 kg)	
ENSIG	Tailgate Load Capacity		250 lb (113.4 kg)	
DIMID	Storage Capacity	Total: 16.2 gal (61.3 L)	Total: 12.7 gal (48.1 L)	Total: 16.2 gal (61.3 L)
	Towing Capacity		2,500 lb (1,134 kg)	
	Payload Capacity	1,500 lb (680 kg)	1,200 lb (544 kg)	1,500 lb (680 kg)
	Fuel Capacity		10.6 gal (40 L)	
	Person Capacity		3	
	Gauge	4.5 in. wide digital display	7.6 in. wide digital	display with keypad
	Battery		12 V (30 amp/h)	
	Magneto	650 W	850 W	650 W
	Instrumentation		DC outlet (10-A), USB Port (10-A) x 2	
	Lighting	Front lighting output 140 W, LED tail lights	Front lighting output 140 W, LEI	D signature lights, LED tail lights
RES	Winch	4,500 lb (2,041 kg) wir	nch with roller fairlead	Relocated 4,500 lb (2,041 kg) winch with synthetic rope and roller fairlead
FEATURES	Seat	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trim	VERSA-PRO bolster bench seat with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring X package trims
	Steering Wheel		Adjustable tilt steering	
	Protection	XT front bumper, HMWPE full skid plate, full hard roof	XT front bumper, HMWPE full skid plate, full hard roof with liner and interior dome light, full colour match doors with electric opening windows, 3-position full glass tilt-up windshield with wiper/washer kit, rear glass window	Heavy-duty front steel bumper, HMWPE full skid plate, aluminum rock sliders, mudguards
	Hitch Type		2 in. hitch receiver	
	Additional Features	N/A	Panoramic mirror, auto heating and air conditioning (HVAC) climate system, noise supression carpet and seals	N/A

<sup>1</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH. \*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry. \*\*\*3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit

	DEFENDER	MAX DPS***	MAX XT***	MAX Limited***				
CO	LOUR OPTIONS	Tundra Green	Stone Gray	Stone Gray				
	Туре	HD9	HD10	HD10				
		65 hp/59 lb-ft , Rotax® 976 cc, V-twin, liquid-cooled	82 hp/69 lb-ft, Rotax® 97	6 cc, V-twin, liquid-cooled				
~	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)						
ENGINES	Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L						
ENG	Drive Train	Selectable Turf Mode/2WD/4WD with	Selectable Turf Mode/2WD/4WD with exclusive Smart-Lok*					
	Driving Assistance	Electronic Hill Descent Control, ECO™/ECO™ Off/Work modes						
	Power Steering		Dynamic Power Steering (DPS™)					
~	Front Suspension	Double A-arm/	Arched double A-arm/	Arched double A-arm with sway bar/				
SUSPENSIONS	Front Shocks	10 in. (25.4 cm) travel	11 in. (27.9 cm) travel	12 in. (30.5 cm) travel				
ENS		TTA with external sway bar/	Twin tube gas-charged shocks Arched TTA with external sway bar/	Arched double A-arm with sway bar/				
USP	Rear Suspension	10 in. (25.4 cm) travel	11 in. (27.9 cm) travel	12 in. (30.5 cm) travel				
	Rear Shocks		Twin tube gas-charged shocks					
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trac Force 30 x 9/10 x 14 in. 14 in. cast aluminium				
	Front	Dua	al 220 mm disc brakes with hydraulic twin-piston cali	Ders				
BRAKES	Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers						
BR	Brake holding	N/A	Star	ndard				
	mechanism Cage	· ·	Profiled cage, ROPS approved					
	Estimated Dry							
	Weight	1,771 lb (803 kg)	1,928 lb (875 kg)	2466 lb (1,119 kg)				
	LxWxH	153.4 x 63.5 x 76 in. (389.6 x 161.2 x 193 cm)	158.3 x 64 x 79.5 in. (402 x 162.5 x 202 cm)	158.3 x 65 x 81 in. (402 x 165.1 x 226 cm)				
s	Wheelbase		115.5 in. (294 cm)	1				
Ë	Ground	11 in. (28 cm)	13 in. (33 cm)	14 in. (35.6 cm)				
APAC	Clearance Cargo Box	· · ·	38 x 54.5 x 12 in.					
0	Dimensions		(96.5 x 138.4 x 30.5 cm)					
SNO	Cargo Box Capacity		1,000 lb (454 kg)					
DIMENSIONS / CAPACITIES	Tailgate Load		250 lb (113.4 kg)					
DIM	Capacity Storage Capacity	Total: 11.1 gal (42.1 L)	Total: 16.9 gal (63.9 L)	Total: 12.7 gal (48.1 L)				
	Towing Capacity		2,500 lb (1,134 kg)					
	Payload Capacity	1 700 lb	(771 kg)	1,225 lb (555 kg)				
	Fuel Capacity		10.6 gal (40 L)					
	Person Capacity		6					
	Gauge	4.5 in. wide c	ligital display	7.6 in. wide digital display with keypad				
	Battery	12 V (18 amp/h)	12 V (30	) amp/h)				
	Magneto	650	D W	850 W				
	Instrumentation	DC outlet (10-A)	DC outlet (10-A), I	JSB Port (10-A) x 2				
	Lighting	Front lighting output	140 W, LED tail lights	Front lighting output 140 W, LED signature lights, LED tail lights				
ES	Winch	N/A	4,500 lb (2,041 kg) wi	nch with roller fairlead				
FEATURES	Seat	VERSA-PRO bench seats with passenger seats flipping up, underside hooks	VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced XT seat skin	VERSA-PRO bolster bench seats with passenger seats flipping up. Adjustable driver seat, underside hooks, reinforced seat skin featuring Limited package trims				
	Steering Wheel		Adjustable tilt steering	· · · · · · · · · · · · · · · · · · ·				
	Protection	Integrated front steel bumper, HMWPE full skid plate	XT front bumper, HMWPE full skid plate, 2-piece full hard roof	XT front bumper, HMWPE full skid plate, full hard roof with liner and interior dome light, full color- match doors with electric opening windows in front, 3-position full glass tilt-up windshield with wiper/washer kit, rear glass window				
	Hitch Type		2 in. hitch receiver					
	Additional Features	N	/A	Panoramic mirror, auto heating and air conditioning (HVAC) climate system, noise supression carpet and seals				

<sup>1</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH. \*\*\*3-year unlimited km powertrain & Rotax<sup>®</sup> engine warranty and 1-year warranty & unlimited km on the rest of the unit

	DEFENDER	PRO (PICK-UP) DPS***	6x6 DPS***				
со	LOUR OPTIONS	Yellow	Tundra Green				
	Tuno	HD10	HD10				
	Туре	82 hp/69 lb-ft, Rotax® 976	cc, V-twin, liquid-cooled				
	Fuel Delivery System	Intelligent Throttle Control (iTC™) v	with Electronic Fuel Injection (EFI)				
ENGINES	Transmission	PRO-TORQ CVT with Quick Response System (QRS), high-airflow ventilation, and Electronic Drive Belt Protection, Extra L/H/N/R/P					
ENG	Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† auto-locking front differential	Selectable 4WD/6WD with Visco-Lok <sup>1</sup> auto-locking front differential				
	Driving Assistance	Electronic Hill Descent Control,	ECO™/ECO™ Off/Work modes				
	Power Steering	Dynamic Power S	Steering (DPS™)				
SN	Front Suspension	Arched double A-arm/	'11 in. (27.9 cm) travel				
NSIC	Front Shocks	Twin tube gas-c	harged shocks				
SUSPENSIONS	Rear Suspension	Arched TTA with external swa	ay bar/11 in. (27.9 cm) travel				
	Rear Shocks	Twin tube gas-c	harged shocks				
I TKES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Trail King 27 x 9/11 x 14 in. 14 in. cast-aluminum				
'n	Front	Dual 220 mm disc brakes with	hydraulic twin-piston calipers				
BRAKES	Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers					
BR	Brake holding mechanism	N/A					
	Cage	Profiled cage, R	OPS approved				
	Estimated Dry Weight	1,815 lb (823 kg)	1,953 lb (885.9 kg)				
	LxWxH	154.1 x 64 x 78 in. (391	.5 x 162.5 x 198.1 cm)				
~	Wheelbase	115.5 in. (	(294 cm)				
Ë	Ground Clearance	13 in. (3	33 cm)				
CAPAC	Cargo Box Dimensions	72 x 54.5 x 10 in. (180	.3 x 138.4 x 25.4 cm)				
DIMENSIONS / CAPACITIES	Cargo Box Capacity	1,000 lb l	(454 kg)				
ENS	Tailgate Load Capacity	250 lb (1	13.4 kg)				
ΔIM	Storage Capacity	Total: 94 gal (356 L)	Total: 10.4 gal (39.5 L)				
	Towing Capacity	2,500 lb (1,134 kg)	3,000 lb (1,360.8 kg)				
	Payload Capacity	1,570 lb (712 kg)	1,700 lb (771 kg)				
	Fuel Capacity	10.6 ga	i (40 L)				
	Person Capacity	3					
	Gauge	4.5 in. wide di	igital display				
	Battery	12 V (18	amp/h)				
	Magneto	650	W				
s	Instrumentation	DC outle	et (10-A)				
URE	Lighting	Front lighting output 140 W, LED tail lights					
FEATURES	Winch	N/	A				
-	Seat	VERSA-PRO bench seat with passeng	er seats flipping up, underside hooks				
	Steering Wheel	Adjustable t	tilt steering				
	Protection	Integrated front steel bumpe	r, HMWPE central skid plate				
	Hitch Type	2 in. hitch	receiver				

<sup>1</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH. \*\*\*3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit

# EVERY FARMER SHOULD OWN A CAN-AM.

0

### TOM HAWKINS

Australian Farmer. Geelong Cats Champion. Can-Am Owner.

DEFENDER



### UNLOCK THE POWER OF YOUR DEFENDER WITH THE UTILITY KIT:

lip Glass Windshield wit	h Wiper & Washer Kit	Defender	715002441
	the elements while allowir • Flip windshield can be set • Ideal for muddy conditions	clarity ge and protects rider and passeng ig for controlled air flow fully open according to your prefe tion and pivots on 2 hinges located	rence
Roof Power Cable		Defender	715003094
Viper And Power Window	ws Cable	Defender	710004462
A	and/or Windshield Wiper a	ors with Power Windows (7150063 and Washer Kit (715001638). uild your own cab enclosure from	
Rear Glass Window		Defender	715007079
	<ul> <li>Quick and easy installation</li> <li>Sport Roof (715002430 or</li> </ul>	raft of dust and/or rain in harsh con n. 715003038) required for installatio Illation Seal Kit (715006705) requin	

### **ROOFS**

		Defender	715002430
Sport Roof		Defender MAX	715003038
	Robust injection-molded po     Provides added protection f	l lypropylene construction. for rider and passenger from the elements.	
Deluxe Sport Roof		Defender	715002511
	and also diminishes noise v	to the seal kit and the liners included.	Includes - Sport Roof - Sport Roof Seal Kit - Front Roof Liner - Rear Roof Liner
Sport Roof Seal Kit		Defender	715003126
Not illustrated)		Defender MAX	715003583
	<ul> <li>Necessary when installing in or when installing the Front</li> </ul>	individual cab components with Sport Roof and Rear Roof Liners.	
		Defender (not compatible for use with soft and rigid full doors)	<b>715003418</b> · Black
Bimini Roof with Sun Visor		Defender MAX	<b>715003030</b> · Black
Front Roof Liner		Defender, Defender MAX	715008226
	•	roof-mounted lights and audio systems. of Windshield Wiper and Washer Kit.	
		Defender <sup>†</sup>	715006334
Rear Roof Liner		Defender MAX <sup>‡</sup> (Not illustrated)	715006391
	<ul> <li>Seal Kit necessary when ins</li> <li>Not compatible with: 71500</li> <li><i>†Needs to be installed with Sport</i></li> </ul>	other accessories installed on the roof. stalling with Sport Roof. 12920, 715006680, 715003249, 715002852. <i>Roof (715002430)</i> .	
CABS Hard Cabs	<i>‡Needs to be installed with Sport</i>	1	715007000
Clear Rigid Cab		Defender (all model years) (except X mr models) Defender MAX 2022 & up (except X mr models)	715007269 715007270
	<ul> <li>Includes:</li> <li>Front Clear Rigid Doors</li> <li>Sport Roof</li> <li>Flip Glass Windshield</li> </ul>		

- Sport Roof Seal Kit

0

Premium Rigid Cab Enclosure		Defender (except X mr models)	715008607 715006330 Rear Glass Window with Sliding Panel
	<ul> <li>Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.</li> </ul>	Includes:     Deluxe Sport Roof Kit     Flip Glass Windshield     Window     with Wiper and Washer     Rear Gl	ors with Power - Wiper and Powered
		Defender (all model years) (except X mr mode	ls) 715007417
Deluxe Cab Enclosure		Defender MAX 2022 & up (models produce after January 18, 2021) (except X mr models	
	Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	- Flip Glass Windshield and Col with Wiper and Washer require Kit separat	ely) ass Window with
Soft Cabs			
		Defender (all model years)	715008063
Soft Cab Enclosure		Defender MAX 2018 & prior, Defender MAX 2022 & up (models produced after January 18, 2021)	715008064

Included:

- Sport Roof

Full Windshield
 Hardcoated

- Soft Doors

- Rear Polycarbonate Window

### Cab Kits - Reference Chart

	Deluxe Cab Enclosure	Deluxe Cab Enclosure MAX	Clear Rigid Cab	Clear Rigid Cab MAX	Premium Rigid Cab Enclosure	Premium Rigid Cab Enclosure (Rear Glass Window with sliding panel)	Soft Cab Enclosure	Soft Cab Enclosure MAX
Kit	715007417	715007425	715007269	715007270	715008607	715006330	715008063	715008064
Windshield	715002441	715002441	715002942	715002942	715002441	715002441	715002432	715002432
Rear Window	715007080	715007080	715007081	715007081	715007079	715007080	715007081	715007081
Roof	715002430	715003038	715002430	715003038	715002430	715002430	715002430	715003038
Front Doors	715005214	715005214	715006261	715006261	715006331	715006331	715008059	715008059
Rear Doors	-	715005215	-	715006262	_	-	-	715006318
Others	715004462	715004462	715003126	715003583	710004462	710004462	_	-
	715003094	715003094			715003094	715003094		
	715003126	715003583			715003126	715008226		
	715008226	715008226			715008226	715006334		
	715006334	715006391			715006334	715003126		

### WINDSHIELDS & MIRRORS

### Windshields

Powerflip Windshield		Defender, Defender MAX		715003885
	<ul> <li>The PowerFlip Windshield is cylinders that allow the rider opening at the touch of a but</li> <li>Windshield is made of hardc rubber seal contour and a tir</li> </ul>	to adjust the windshield tton. coated polycarbonate with a	fully closed for and in betwe	opened for optimal visibility and ventilation, or maximum protection from the elements, en, you have an infinite number of opening depending on protection, visibility and air ices.
	<ul> <li>Allows you to quickly adapt t adjusting the windshield as y</li> </ul>		<ul> <li>Compatible washer kit.</li> <li>Not EC compared to the second second</li></ul>	vith Can-Am roofs and windshield wiper and

Flip Glass Windshield		Defender, Defender MAX		715002942
	<ul> <li>Curved and laminated glas in metal frame.</li> <li>Provides excellent optical of Seals firmly against the cag passenger from the element controlled air flow.</li> <li>3-position flip can be set at fu</li> </ul>	clarity. ge and protects rider and	located at the • Ideal for mud • Can be used	with Windshield her Kit (715001638).
Flip Glass Windshield With Wi	per & Washer Kit	Defender, Defender MAX		715002441
	<ul> <li>Curved and laminated glas frame.</li> <li>Provides excellent optical of Seals firmly against the cag passenger from the element controlled airflow.</li> <li>Flip windshield can be set to according to your preference</li> </ul>	clarity. ge and protects rider and nts while allowing for fully closed or fully open	located at the • Single-speed • Requires Wip Sport Roof, Por required. If ed	sisted operation and pivots on 2 hinges top of the windshield. wiper with washer fluid dispenser. er and Power Cables: If equipped with the ower Cables 710004462 & 715003094 are quipped with the Audio Roof, Power Cables 715003094 are required.
- Flip Windshield – Hardcoated		Defender, Defender MAX		715002442
	<ul> <li>High-impact-resistant Mak polycarbonate full windshid</li> <li>Provides excellent optical or resistance.</li> <li>Seals firmly against the cag passenger from the element controlled air flow.</li> </ul>	eld in metal frame. clarity and better abrasion ge and protects rider and	or fully open.	o can be set at fully closed, ¼ open, ssisted operation. dy conditions.
Glass Windshield		Defender, Defender MAX		715001303
	<ul> <li>Curved and laminated glas frame.</li> <li>Seals firmly against the cag passenger from the elemen optical clarity.</li> </ul>			
Full Windshield - Hardcoated		Defender, Defender MAX		715002432
	•	•		
Full Windshield		Defender, Defender MAX		715002431
	<ul> <li>High-impact-resistant dura full windshield.</li> <li>Formulated to be non-yello non-cracking with excellen optical clarity.</li> <li>Protects driver and passen</li> <li>Quick and easy tool-less in:</li> </ul>	wing, non-crazing, It UV resistance and ger from the elements.		
Half Windshield		Defender, Defender MAX		715002433
	<ul> <li>High-impact-resistant dura half windshield.</li> <li>Formulated to be non-yello non-cracking with excellen optical clarity.</li> </ul>	owing, non-crazing,	<ul> <li>Features reve</li> <li>Quick and ea</li> </ul>	er and passenger from the elements. erse angle lip to deflect air flow. sy tool-less installation or removal. ole with Soft Doors.
ProVent Windshield		Defender, Defender MAX		715005276
	<ul> <li>High-impact-resistant Qua polycarbonate full windshi</li> <li>Optimal performance with</li> <li>Controllable vents to mana</li> <li>Channels air into the cabin closes to eliminate air flow</li> </ul>	eld. Full Cab Enclosure. nge air flow. n, defogs windshield, fully	<ul> <li>Provides excernsistance.</li> <li>Protects drive</li> <li>Quick and ea</li> </ul>	a and one upper vent (pre-filter installed). ellent optical clarity and better abrasion er and passenger from the elements. sy tool-less installation or removal. ole with wiper kits.

	er Kit	,		
	while riding through muc Includes single-speed w windshields frame moun	iper, washer fluid dispenser and t. lass Windshield (715001303) or 15002942) or Powerflip	Sport Roof, required. If	<i>l</i> iper and Power Cables: If equipped with the Power Cables 710004462 & 715003094 are equipped with the Audio Roof, Power Cables & 715003094 are required. Not EC complian
Niper & Power Window Ca	ble	Defender, Defender MAX		715008781
		udio Roof (715005206 or 71500687		lowing accessories: Flip Glass Windshield wi 1638), Front Full Doors with Power Windows
Viper & Power Windows C	able	Defender, Defender MAX		710004462
		oors with Power Windows (715006 build your own cab enclosure fron		/ /indshield Wiper & Washer Kit (715001638). nponents.
NEW Manual Wiper Kit		Defender, Defender MAX		715008755
	<ul> <li>Easy to install system that</li> <li>Large ergonomic handle</li> </ul>	t can be used to clear windshield o at requires no electrical hookup. provides a good grip over the enty nd hardcoated windshields that use	re sweeping s	
ide Wind Deflectors		Defender, Defender MAX		715005081
-+	<ul> <li>Not compatible with Full</li> <li>Sold in pairs.</li> </ul>	Doors.	is installed: 1. Outside (	: deflection to reduce cabin air flow
<b>Mirrors</b>	Compatible with all wind	shields.		
	Compatible with all wind	bields.	2. Inside de	ulence. ›flection to increase air flow in the cabin.
	<ul> <li>Rugged black nylon 6/6 cast-aluminum mount.</li> <li>Dual adjustment (horizon any rider.</li> <li>Convex optics deliver op</li> </ul>	Defender, Defender MAX construction with coated ntal and vertical) will suit	2. Inside de 3. Windshie	ulence. effection to increase air flow in the cabin. eld ventilation to reduce fog. 715008100 · Black d without doors and half doors.
Side Mirrors	<ul> <li>Rugged black nylon 6/6 cast-aluminum mount.</li> <li>Dual adjustment (horizon any rider.</li> <li>Convex optics deliver op</li> </ul>	Defender, Defender MAX construction with coated ntal and vertical) will suit timal field of view (FOV).	2. Inside de 3. Windshie • Fit with and • Sold in pair	ulence. effection to increase air flow in the cabin. eld ventilation to reduce fog. 715008100 · Black d without doors and half doors. 's. 715008101*
Side Mirrors	<ul> <li>Rugged black nylon 6/6 cast-aluminum mount.</li> <li>Dual adjustment (horizon any rider.</li> <li>Convex optics deliver op</li> <li>Spring-loaded pivots let</li> </ul>	Defender, Defender MAX construction with coated ntal and vertical) will suit timal field of view (FOV). mirrors fold back completely. Defender, Defender MAX (202: Defender, Defender MAX (202:	<ul> <li>2. Inside de</li> <li>3. Windshie</li> <li>Fit with and</li> <li>Sold in pair</li> <li>2 &amp; up)</li> <li>1 &amp; prior)</li> </ul>	ulence. effection to increase air flow in the cabin. eld ventilation to reduce fog. 715008100 · Black d without doors and half doors. 's. 715008101* 715008101*
	<ul> <li>Rugged black nylon 6/6 cast-aluminum mount.</li> <li>Dual adjustment (horizon any rider.</li> <li>Convex optics deliver op</li> <li>Spring-loaded pivots let</li> <li>Molded heavy-duty alum</li> </ul>	Defender, Defender MAX construction with coated ntal and vertical) will suit timal field of view (FOV). mirrors fold back completely. Defender, Defender MAX (2022) Defender, Defender MAX (2022)	<ul> <li>2. Inside de</li> <li>3. Windshie</li> <li>Fit with and</li> <li>Sold in pair</li> <li>2. &amp; up)</li> <li>1. &amp; prior)</li> <li>Not for road</li> </ul>	ulence. effection to increase air flow in the cabin. eld ventilation to reduce fog. 715008100 · Black d without doors and half doors. 's. 715008101* 715002459 d use.
Side Mirrors	<ul> <li>Rugged black nylon 6/6 cast-aluminum mount.</li> <li>Dual adjustment (horizon any rider.</li> <li>Convex optics deliver op</li> <li>Spring-loaded pivots let</li> <li>Molded heavy-duty alum</li> <li>Stays in place on rough t</li> </ul>	Defender, Defender MAX construction with coated ntal and vertical) will suit timal field of view (FOV). mirrors fold back completely. Defender, Defender MAX (202: Defender, Defender MAX (202: inum mirror. rails. dy multi-angle adjustment and	<ul> <li>2. Inside de</li> <li>3. Windshie</li> <li>Fit with and</li> <li>Sold in pair</li> <li>Sold in pair</li> <li>2. &amp; up)</li> <li>1. &amp; prior)</li> <li>Not for roat</li> <li>Fits either s</li> <li>Sold individ</li> </ul>	ulence. effection to increase air flow in the cabin. eld ventilation to reduce fog. 715008100 · Black d without doors and half doors. 's. 715008101* 715002459 d use. side.
Side Mirrors	<ul> <li>Rugged black nylon 6/6 cast-aluminum mount.</li> <li>Dual adjustment (horizon any rider.</li> <li>Convex optics deliver op</li> <li>Spring-loaded pivots let</li> <li>Molded heavy-duty alum</li> <li>Stays in place on rough t</li> <li>Ball-joint design for stear outstanding vision.</li> <li>Use with or without any to</li> </ul>	Defender, Defender MAX construction with coated ntal and vertical) will suit timal field of view (FOV). mirrors fold back completely. Defender, Defender MAX (202: Defender, Defender MAX (202: inum mirror. rails. dy multi-angle adjustment and	<ul> <li>2. Inside de</li> <li>3. Windshie</li> <li>Fit with and</li> <li>Sold in pair</li> <li>Sold in pair</li> <li>2. &amp; up)</li> <li>1. &amp; prior)</li> <li>Not for roat</li> <li>Fits either s</li> <li>Sold individ</li> </ul>	ulence. effection to increase air flow in the cabin. eld ventilation to reduce fog. 715008100 · Black d without doors and half doors. 's. 715008101* 715002459 d use. side. dually.
Side Mirrors	Rugged black nylon 6/6 cast-aluminum mount.     Dual adjustment (horizon any rider.     Convex optics deliver op Spring-loaded pivots let     Stays in place on rough t Ball-joint design for stear outstanding vision.     Use with or without any the Ball-joint design for stear outstanding vision.     Use with or without any the See exactly what you ner-	Defender, Defender MAX         construction with coated         ntal and vertical) will suit         timal field of view (FOV).         mirrors fold back completely.         Defender, Defender MAX (2022)         Defender, Defender MAX (2022)         num mirror.         rails.         dy multi-angle adjustment and         roof, windshield or doors.         Defender, Defender MAX         v mirror and monitor kit.         ed to see with the multiple camera	<ul> <li>2. Inside de</li> <li>3. Windshie</li> <li>Fit with and</li> <li>Sold in pair</li> <li>Sold in pair</li> <li>Sold in pair</li> <li>Not for road</li> <li>Fits either s</li> <li>Sold individ</li> <li>*Not compatib</li> </ul>	ulence. effection to increase air flow in the cabin. eld ventilation to reduce fog. 715008100 · Black d without doors and half doors. 's. 715008101* 715008401* 715002459 d use. side. dually. He with the Half Doors (715006314 & 715006316).
Mirrors Side Mirrors Control Side Mirror Side Mirror Rear View Mirror & Camera Control & Camera Control & Camera	Rugged black nylon 6/6 cast-aluminum mount.     Dual adjustment (horizon any rider.     Convex optics deliver op Spring-loaded pivots let     Stays in place on rough t Ball-joint design for stear outstanding vision.     Use with or without any the Ball-joint design for stear outstanding vision.     Use with or without any the See exactly what you ner-	Defender, Defender MAX         construction with coated         ntal and vertical) will suit         timal field of view (FOV).         mirrors fold back completely.         Defender, Defender MAX (2022)         Defender, Defender MAX (2022)         num mirror.         rails.         dy multi-angle adjustment and         roof, windshield or doors.         Defender, Defender MAX         v mirror and monitor kit.         ed to see with the multiple camera         ock rearview mirror (the screen is in	<ul> <li>2. Inside de</li> <li>3. Windshie</li> <li>Fit with and</li> <li>Sold in pair</li> <li>Sold in pair</li> <li>Sold in pair</li> <li>Not for road</li> <li>Fits either s</li> <li>Sold individ</li> <li>*Not compatib</li> </ul>	ulence. effection to increase air flow in the cabin. eld ventilation to reduce fog.  715008100 · Black d without doors and half doors. 's.  715008101* 715002459 d use. side. tually. le with the Half Doors (715006314 & 715006316).  715009410 e rear view camera.

### **REAR WIND PROTECTION**

Rear Glass Window with Slidi	ng Panel	Defender, Defender MAX (except X mr models)		715007080
	<ul> <li>Made of high-strength temp</li> <li>Ideal for preventing backdra environments.</li> <li>Sliding panel for enhanced</li> <li>Quick and easy installation.</li> </ul>	aft of dust or rain in harsh ventilation.	t of dust or rain in harsh for installation. • Not compatible with Snorkel Kit.	
ear Glass Window		Defender, Defender MAX (except X mr models)		715007079
	<ul> <li>Made of high-strength temp</li> <li>Ideal for preventing backdra environments.</li> <li>Quick and easy installation.</li> </ul>	aft of dust or rain in harsh	installation.	715002430 or 715003038) required for ble with Snorkel Kit.
ear Polycarbonate Window		Defender, Defender MAX (except X mr models)		715007081
	<ul> <li>High-impact-resistant polyc</li> <li>Ideal for preventing backdra in harsh environments.</li> <li>Quick and easy installation.</li> </ul>	aft of dust or rain	for installation	715002430 or 715003038) required on. ble with Snorkel Kit.
ear Wind Screen		Defender, Defender MAX		715002851
ECA	<ul> <li>Full rear mesh screen reduc added cabin comfort.</li> <li>Installs quick and easily on</li> <li>White Can-Am logo at top, t</li> </ul>	roll cage.		
oft Rear Window		Defender, Defender MAX		715003249
RA	<ul> <li>Clear, flexible window made</li> <li>Resists cold cracking to -4°I</li> <li>Blocks windshield backdraf entering, for added cabin co</li> </ul>	F (-20°C). t or dust and rain from		, k and easily on roll cage. m logo at top, to help maintain clear view.
DOORS				
ront Deluxe Full Doors		Defender (all model years) (e. models), Defender MAX (all r (except X mr models)	xcept X mr nodel years)	715005214
	<ul> <li>Premium doors made from</li> <li>Offer excellent protection from</li> <li>Easy to remove on hot and</li> <li>Convenient integrated stora</li> <li>Doors' curved design provition</li> <li>Rear-hinge wide opening for in the cockpit.</li> </ul>	rom the elements. sunny days. age areas. des even more room. or ease of ingress/egress	<ul> <li>Require Wip Roof Power</li> <li>Color Door 1</li> </ul>	with all BRP windshields. er & Power Windows Cable (710004462), Cable (715003094) and Seal Kit (715003126 Frims are required (sold separately). nistall the Door Trim is included.

· Power window delivers added ventilation.

Rear Deluxe Full Doors		Defender MAX 2022 & up (m after January 18, 2021) (exce		715005215	
	<ul> <li>Premium doors made from</li> <li>Offer excellent protection fr</li> <li>Easy to remove on hot and s</li> <li>Convenient integrated stora</li> <li>Curved design provides even</li> <li>Rear hinge opens wide for even in the cockpit.</li> </ul>	rom the elements. sunny days. age areas. en more room. • Require Fro Window Ca and Sport R • Color Door • Hardware to		Mindow delivers added ventilation. Int Doors (715005214), Wiper and Power bles (710004462), Power Cable (715003094) toof Seal Kit (715003583). Trims are required (sold separately). o install the Door Trim is included.	
Front Deluxe Half Doors		Defender (all model years), Defender MAX 2022 & up		715007201	
	polyethylene. • Color accent			exterior handles. t panels are required (sold separately). install the Door Trim is included.	
Rear Deluxe Half Doors		Defender MAX 2022 & up		715007202	
	<ul> <li>Premium color matching doors made from robust polyethylene.</li> <li>Premium fit and finish.</li> <li>Slim with interior pockets.</li> <li>Rear hinge wide opening for ease of ingress/egress in the cockpit.</li> <li>Interior and exterior handles.</li> <li>Color accent panels are required (sold separatel Hardware to install the Door Trim is included.</li> </ul>			t panels are required (sold separately).	
Front Trims	Front Deluxe Full Doors & Front Deluxe Half Doors				
	<ul> <li>Customize your Defender by adding color-matched door panels.</li> <li>Front Deluxe Full Doors (715005214) or Front Deluxe Half Doors (715007201) are required.</li> </ul>				
	Front Left Door Trim		Front Right Do	por Trim	
	<ul> <li>705800818 · Liquid Titaniu</li> <li>705800784 · Stone Grey</li> <li>705800810 · Oxford Blue</li> <li>705800814 · Tundra Greer</li> <li>705800812 · Timeless Blac</li> <li>705801118 · Wildland Can</li> <li>705801114 · Fiery Red Net</li> </ul>	sk no <b>NEW</b>	705800785 705800811 705800815 705800813 705800813		
Rear Trims		Rear Deluxe Full Doors & Rea	r Deluxe Half Door	'S	
	<ul> <li>Customize your Defender by adding color-matched door panels.</li> <li>Rear Deluxe Full Doors (715005215) or Rear Deluxe Half Doors (715007202) are required.</li> </ul>				
	Rear Left Door Trim		Rear Right Do		
	<ul> <li>705800832 · Liquid Titaniu</li> <li>705800820 · Stone Grey</li> <li>705800822 · Oxford Blue</li> <li>705800826 · Tundra Green</li> <li>705800824 · Timeless Blac</li> <li>705801120 · Wildland Cam</li> <li>705801116 · Fiery Red NE</li> </ul>	sk 10 <b>NEW</b>	<ul> <li>705800821</li> <li>705800823</li> <li>705800827</li> <li>705800825</li> <li>705800825</li> <li>705801121</li> </ul>	2	
Front Clear Rigid Doors		Defender (all model years) (exc Defender MAX 2022 & up (exc	ept X mr models), ept X mr models)	715006261	
	<ul> <li>Sturdy and compact steel-fropen field of view.</li> <li>Lower hardcoated polycarb maximizes visibility around</li> <li>Upper portion composed of windows for unmatched air</li> </ul>	ame doors for a robust yet onate transparent panel your unit. ' two tempered-glass sliding	<ul> <li>EC- and ROF you to removing cabin space.</li> <li>Sealed contoning in all weather</li> </ul>	our allows for improved rider comfort	

Rear Clear Rigid Doors		Defender (all model years) (except X models), Defender MAX 2022 & up ( X mr models)	(mr (except	715006262
	open field of view. <ul> <li>Lower hardcoated polycar maximizes visibility around</li> <li>Upper portion composed</li> </ul>	yo bonate transparent panel d your unit. Se of two tempered-glass sliding	ou to remove abin space. ealed contou eather.	/A-compliant for optimal safety, allowing e the stock side protection bar for increased ur allows for improved rider comfort in all rs for peace of mind.
Front Full Doors with Power	<sup>.</sup> Windows	Defender & Defender MAX produced January 18, 2021	before	715006331
	Doors' curved-design prov	from the elements. Coc I sunny days. Re enient integrated storage areas. vides even more roominess.	ompatible w equires Wip ith the Sport 5003094 ar quipped with	v delivers added ventilation. ith all BRP windshields. er & Power Cables and Seal Kit: If equipped t Roof, Power Cables 710004462 & nd Seal Kit 715003126 are required. If n the Audio Roof, Power Cables 715008781 and Seal Kit 715003126 are required.
		Defender (2 doors)		715006314
Half Doors		Defender MAX (4 doors)		715006316
	Rear hinge wide opening f ingress/egress in the cock     Interior pockets and liners	kpit.		
		Defender, Defender MAX (all model	years)	715008059 · 2 front doors
Saft Deare		Defender MAX 2018 & prior,		
Soft Doors		Defender MAX 2022 & up (models p after January 18, 2021)	produced	715006318 · 2 rear doors
	<ul> <li>Bestop designed soft door</li> <li>Weather-resistant soft door offer good protection from</li> <li>Made of heavy-duty UV-reresistance to tear and abra</li> <li>Rear hinge wide opening for the soft of the soft opening for the soft o</li></ul>	Defender MAX 2022 & up (models p after January 18, 2021) rs for Can-Am Defender. Zin ors reinforced with steel frame the elements. Ea sistant canvas for excellent asion. So for ease of ingress/egress. refer	p-down win aterial for ac asily remova ompatible w oft Door Inst	dows made of laminated polished vinyl dded ventilation. ble on hot sunny days. ith roofs and mirrors. allation Kit (715006238/2X for MAX) is istallation of 2019 & prior doors, on 2020
SEAT ACCES	<ul> <li>Weather-resistant soft doc offer good protection from</li> <li>Made of heavy-duty UV-resistance to tear and abra</li> <li>Rear hinge wide opening f</li> </ul>	Defender MAX 2022 & up (models p after January 18, 2021) rs for Can-Am Defender. Zip ma the elements. Easistant canvas for excellent asion. So for ease of ingress/egress. De	p-down win aterial for ac asily remova ompatible w oft Door Inst quired for ir	dows made of laminated polished vinyl dded ventilation. ble on hot sunny days. ith roofs and mirrors. allation Kit (715006238/2X for MAX) is istallation of 2019 & prior doors, on 2020 dels.
	<ul> <li>Weather-resistant soft doc offer good protection from</li> <li>Made of heavy-duty UV-resistance to tear and abra</li> <li>Rear hinge wide opening f</li> </ul>	Defender MAX 2022 & up (models p after January 18, 2021) rs for Can-Am Defender. Zin ors reinforced with steel frame the elements. Ea sistant canvas for excellent asion. So for ease of ingress/egress. refer	p-down win aterial for ac asily remova ompatible w oft Door Inst quired for ir	dows made of laminated polished vinyl dded ventilation. ble on hot sunny days. ith roofs and mirrors. allation Kit (715006238/2X for MAX) is istallation of 2019 & prior doors, on 2020

- Headrests are required for all passengers on some regulated trails.
- Not EC compliant.

Headrests are required for all passengers on some regulated trails.

### Front Headrests

Additional headrest for all three front-seating positions on MAX models.

Defender MAX

Central Headrest is available separately for rear-center-seating positions on MAX models.


715005164

- Headrests are required for all passengers on some regulated trails.
- Not EC compliant.

8

Headrests are required for all passengers on some regulated trails.

### **ALUMINUM SKID PLATES**



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum ¾" (4.5 mm) thick.

Ultimate durability

High strength

### **DEFENDER, DEFENDER MAX**

	2019 & prior		2020 & up			
Offer your Defender the full protection kit or get parts individually	Base, DPS, XT, XT-P, XT Cab 2017 & prior & Hunting Edition	XT Cab 2018-2019, Lone Star Edition & X mr	62" Base, DPS (HD5, HD7, HD8 & HD9), XT (HD7, HD8 & HD9) & PRO (HD8)	64" 6x6 (DPS & XT) or Pro ( DPS, XT), XT PRO, DPS (HD10), XT (HD10) & XT-P	67" XT Cab, Hunting Edition, Lone Star Edition, Limited, & X mr	
Full Protection Kit						
Aluminum Skid Plate Protection Kit	715003711 (except MAX)	<b>715006977</b> (3-up)	715006694 (except MAX)	<b>715006696</b> (3-up & 6x6)	<b>715006979</b> (3-up 2020 to 2021 only)	
Aluminum Skid Plate Protection Kit	715003712 (MAX only)	<b>715006978</b> (MAX)	<b>715006695</b> (MAX only)	<b>715006697</b> (MAX & PRO)	<b>715006980</b> (MAX 2020 to 2021 only)	
Individual Aluminum Skid Plates						
<ol> <li>Front A-Arm Protectors</li> <li>Extra underside protection for your vehicle's steering mechanism and suspension (A-arm).</li> <li>Sold in pairs.</li> <li>Not compatible with Apache Track Systems.</li> </ol>	715008274	715006975	715008274	715008275	<b>715008275</b> (2022 & up) <b>715006975</b> (2020 to 2021 only)	
<ul> <li>Front Skid Plate</li> <li>Protects the front underside of your vehicle when riding in rough terrain conditions.</li> <li>Adds style to the front of your vehicle.</li> </ul>	715002447	715002447	715002447	715002447	715002447	
<ul> <li>Central Skid Plate</li> <li>Central Skid Plate Kit includes central and lateral skid plates.</li> <li>Ultra-durable protection for the underside of your vehicle.</li> <li>Makes work easy in more demanding terrain.</li> <li>Must be used with Underbelly Skid Plate Kit.</li> </ul>	<b>715003467</b> (MAX only)	<b>715003467</b> (MAX only)	<b>715003467</b> (MAX only)	<b>715003467</b> (MAX only)	<b>715003467</b> (MAX only)	
Underbelly Skid Plate Kit     Ultra-durable protection for the underside of your vehicle.     Makes work easy in more demanding terrain.     Kit includes central, lateral and rear skid plates.	715002446	715002446	715007982	715007982	715007982	
<ul> <li>For the second second</li></ul>	715002445	715006976	715002445	715004388	<b>715004388</b> (2022 & up) <b>715006976</b> (2020 to 2021 only)	

### **BUMPERS & GUARDS**

### Bumpers

		Defender, Defender MAX (201	9 & prior)	715002418	
Front Bumper		Defender, Defender MAX (202	0 & up)	715005754	
	construction. <ul> <li>Provides enhanced protection</li> </ul>	es enhanced protection. Rack and the Front Corner Protectors. and outside anti-corrosion coating with durable			
		Defender, Defender MAX (201	9 & prior)†	715003005	
Xtreme Front Bumper Plates		Defender, Defender MAX (202	0 & up)‡	715005777	
	<ul> <li>Made of high-strength heavy-gauge steel with rubber pads for increased protection.</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> <li>Provide additional front-end protection.</li> </ul>				
	+Require Front Bumper (7150024 ‡Require Front Bumper (7150057				
		Defender, Defender MAX (2019 & prior)†		715002833	
Front Corner Protectors		Defender, Defender MAX (202	0 & up)‡	715005774	
00	<ul> <li>Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction.</li> <li>Provide enhanced protection for front corners.</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> <li>Sold in pairs.</li> </ul>				
	* Food in parts.         * Require Front Bumper (715002418) for installation         * Require Front Bumper (715005754) for installation.				
Rancher Front Bumper		Defender, Defender MAX		715005410	
	your vehicle within cattle herds and guard the safety of Improved approach a			with front rack, snow plows,	
XT Front Bumper		Defender, Defender MAX (2019 & prior)		715004407	
	Provides light-duty protection.     Not compati		n XT and XT Cab models 2018 and 2019. tible with Xtreme Front Bumper Plates, Fron tectors or LinQ Front Rack.		
X mr Front Bumper		Defender, Defender MAX		<b>715006143</b> · Black	
	Heavy-duty 1.5" (3.8 cm) diameter steel-tube     Includes a front tow hook.				
🔍 🕐 Tgi	<ul> <li>construction.</li> <li>Inside and outside anti-corrosion coating with durable finish.</li> <li>Standard on X mr models.</li> <li>Winch sold separately.</li> </ul>				
	Provides additional front body protection.				
	<ul> <li>Integrated winch support plate for winch relocation at a higher position for easier access in muddy conditions or for auxiliary lights.</li> </ul>				

Cargo Bed Protectors & Tie F	lails	Defender 6x6 & PRO models		715005415
	<ul> <li>Heavy-duty 1.5" (3.8 cm) dia construction.</li> <li>Reliable cargo box protectic point to secure large loads.</li> </ul>			on coating with durable powder coat finish. stay in place when cargo bed side walls are
Rear Bumper		Defender, Defender MAX		715008109
	<ul> <li>Heavy-duty 1.5" (3.8 cm) dia integrated tubular design.</li> <li>Increased protection of rear while allowing normal tailga</li> </ul>	r box and lower box corner	powder-coat	utside anti-corrosion coating with durable finish. install Rear Body Side Protector (715003055).
Rear Bumper Adapter (Not illustrated)		Defender 6x6& PRO models		715006060
	Required to install the Rear	Bumper on Defender models v	vith the long box	
Rear Body Side Protectors		Defender, Defender MAX (exc	ept 6x6 & PRO)	715003055
	<ul> <li>Heavy-duty 1.5" (3.8 cm) dia construction.</li> <li>Reliable cargo box protectic</li> <li>Inside and outside anti-corr powder coat finish.</li> </ul>	on.	Integrated bi	with fender flares. rush and low-lying branch deflector. r Bumper for installation.

## **Body Side Protectors**

Lan

Front Body Side Protectors		Defender, Defender MAX		715003450
1	<ul> <li>Heavy-duty 1.25" (3.2 cm) di construction.</li> <li>Front side protection for farr applications.</li> <li>Offer complete front body pi</li> <li>Inside and outside anti-corre powder coat finish.</li> </ul>	n, ranch and forestry rotection.	Front Corner	nt Bumper (715002418 or 715005754) with Protectors (715002833 or 715005774) and 715002569 or 715003040 for MAX models)

Front Rancher Body Side Prot	tectors	Defender, Defender MAX		715003617
100	<ul> <li>Heavy-duty 1.25" (3.2 cm) di construction.</li> <li>Front side protection for fari applications.</li> <li>Offer complete front body p</li> </ul>	m, ranch and forestry	powder coat • Sold in pairs.	

### **Fender Flares**

	Defender (except 6x6 & PRO), Defender MAX	715006821
	Defender 6x6	715005409
Fender Flares	Defender PRO	715006001

 Robust injection-molded polypropylene construction. Perfect for keeping mud and debris outside the vehicle.



 Include front and rear extension, and all mounting hardware. · Ideal for track equipped vehicles.

Sport Fender Flares		Defender (except 6x6 & PRO), Defender MAX	715003898
	Sleek fender flares just the r	ight size to reduce mud and debris kick-up from	) your tyres.

- Robust injection-molded polypropylene construction.
- Include front and rear extension, and all mounting hardware.

### **Rock Sliders**

		Defender	<b>715006671</b> · Black		
Rock Sliders		Defender MAX, Defender PRO	<b>715006721</b> · Black		
	<ul> <li>with an integrated step for a</li> <li>Protect vehicle's sides and</li> <li>Lodge tight up against vehi</li> <li>Not compatible with other a</li> <li>Sold in pairs.</li> </ul>	<ul> <li>Heavy-duty rock sliders made of painted ¾6" (5 mm) aluminum with an integrated step for elevated cargo box access.</li> <li>Protect vehicle's sides and undercarriage against large obstacles.</li> <li>Lodge tight up against vehicle body for better clearance from obstacles.</li> <li>Not compatible with other rock sliders.</li> <li>Sold in pairs.</li> <li>Standard on Defender X mr, Defender MAX X mr and Defender XT-P models.</li> </ul>			
		Defender, Defender 6x6	715002569		
Rock Sliders		Defender MAX, Defender PRO	715003040		
	Made of heavy-duty 1.5" (3.	rosion coating with durable powder coat	finish.		

arg

Sold in pairs.

### Mud Flaps

Mud Flaps		Defender, Defender MAX	715003041
	<ul> <li>Keep mud and debris out of or vehicles behind you.</li> <li>Add aesthetic appeal to you</li> <li>Made of EPDM rubber.</li> <li>Require Rear Bumper for ins</li> <li>Sold in pairs.</li> </ul>		

# LINQ: EASY ON, EASY OFF CARGO

## **DEFENDER'S LINQ ACCESSORIES**

### Mounting location and requirements

<ul> <li>No tools needed: Quickly install and remove accessories by hand</li> <li>Equip your Can-Am for specialized tasks in no time</li> <li>Sturdy mounting system that holds up to the roughest terrain</li> </ul>	Cargo Bed (long box bed LinQ)	LinQ Cargo Rack <b>715006140</b>	Adventure Roof Rack 715003870 / 715004391	
LinQ Accessories with 16" Base	<ul> <li>Lower loading capacity that</li> </ul>	inches apart, center-to-center. In the LinQ with 36" base acce TV and SxS vehicles, Can-Am S i-Doo snowmobiles.	ssories.	
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black		LinQ Base Installation Kit <b>715008125</b>	No compatibility	
LinQ Tool Kit 715006829				
LinQ Tool Box 715008111				
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit <b>715008125</b>		No further requirements	
LinQ 4.5 Gal (17 L) Sport Bag 860202447		No further requirements		
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)				
LinQ Roll-Top Bag 715008110			No compatibility	
LinQ Accessories with 36" Base	<ul> <li>Mount on LinQ racks often</li> <li>Higher loading capacity th</li> <li>Usage is limited to Can-An</li> </ul>	used by Can-Am ORV vehicles an the LinQ with 16" base acce o ORV vehicles.	s. essories.	
LinQ 12 Gal (45 L) Cargo Box 715003879				
LinQ 23 Gal (86 L) Trunk Box 715004923			No further requirements	
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018		No further requirements		
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Grey				
	No compatibility	No further requirements	No compatibility	
LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 • Black	No compatibility	No further requirements	No compatibility	
LinQ Premium Storage Bag by OGIO <sup>†</sup>	No compatibility	No further requirements	No compatibility	
LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 • Black LinQ Heavy Duty Basket	No compatibility	No further requirements		
LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 • Black LinQ Heavy Duty Basket 715001215 LinQ Low Profile Basket	No compatibility	No further requirements		
LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 • Black LinQ Heavy Duty Basket 715001215 LinQ Low Profile Basket 715004282	No compatibility	No further requirements		

LinQ Modular Box		Defender, Defender MAX		715005494 · 715007112 · 715006830 ·	(20 L)
<b>F</b>	<ul> <li>Allows stacking of other mo</li> <li>Always have the right box s</li> <li>Can be installed on any Lini</li> <li>See table for installation loc</li> </ul>	Q base with a 16" width.	right gear acces	sible.	
Thermal Insert for LinQ Mod	ular Box (10 L)	Defender, Defender MAX		219401110	
	<ul> <li>Insulated liner.</li> <li>Fits very well in the LinQ Me</li> <li>Can contain seven 355 ml c</li> <li>Keeps ice cold for one day.</li> <li>Interior dimensions: 9" L x 1</li> </ul>	ans.			
LinQ Tool Box		Defender, Defender MAX		715008111	
	<ul> <li>5 gal (19 L) maximum capad</li> <li>Weather-resistant, sealed a</li> <li>Easy one-second on/off too</li> <li>All the benefits of LinQ—sin</li> <li>See table for installation loc</li> </ul>	nd lockable cover. Il-less system. mple, fast and secure.			
LinQ Tool Kit		Defender, Defender MAX		715006829	
	<ul> <li>Includes:</li> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location (belt not included)</li> </ul>	<ul> <li>Long-socket 19 mm %" drive - 6 pts</li> <li>Socket 18 mm %" drive</li> <li>Long-socket 17 mm %" drive - 6 pts</li> <li>Socket 15 mm %" drive</li> <li>Socket 13 mm %" drive</li> <li>Socket 10 mm %" drive</li> <li>Socket 8 mm %" drive</li> </ul>	<ul> <li>Combined w</li> <li>Combined w</li> <li>Combined w</li> <li>Combined w</li> <li>Combined w</li> <li>Combined w</li> </ul>	rrench 18mm rrench 15mm rrench 13mm rrench 10mm	<ul> <li>Socket Torx<sup>1</sup> T40 %" drive</li> <li>Socket Torx T30 %" drive</li> <li>Socket Torx T20 %" drive</li> <li>Breaker bar %" drive</li> <li>See table for installation location and requirements.</li> </ul>
-inQ 4.2 Gal (16 L) Cooler		Defender, Defender MAX		21940096 29510069	
S.A	<ul> <li>All the benefits of LinQ—sir</li> <li>Rotomolded construction for and durability.</li> <li>Premium-quality foam insul ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US)</li> </ul>	mple, fast and secure. or exceptional rigidity lation for optimal	<ul> <li>Easy one-sec</li> <li>Can contain t</li> <li>Keeps ice col</li> <li>Exterior dime</li> <li>Interior dime</li> <li>See table for</li> </ul>	wenty 355 ml c d for three days nsions: 13" L x nsions: 9" L x 1	cans. s. 20" W x 10" H.
inQ SR 5.5 Gal (21 L) Bag		Defender, Defender MAX		860202449	
	<ul> <li>Semi-rigid expandable bag.</li> <li>5.5 gal (21 L) capacity.</li> <li>See table for installation loc</li> </ul>				

LinQ 4.5 Gal (17 L) Sport Bag		Defender, Defender MAX	860202447
	<ul> <li>4.5 gal (17 L) capacity.</li> </ul>		
	<ul> <li>Rigid bottom, semi-rigid top</li> </ul>		
	• • • • • • • • • • •	and the second sec	

See table for installation location and requirements.

LinQ Roll-Top Bag		Defender, Defender MAX		715008110
une	<ul> <li>LinQ mounted using heavy-</li> <li>High capacity storage solut</li> <li>Bottom foam liner for additional structure</li> </ul>	ion (40 L). onal equipment protection. ransportation on/off the vehicle ( adjustable H.		nent.
LinQ Explorer Bag		Defender, Defender MAX		295101016
and the second s	<ul> <li>26 gal (100 L) of watertight</li> <li>Installs in seconds with too</li> <li>Dedicated essentials complicense, insurance and more</li> <li>Exclusive D.E.S.S. key storage</li> <li>External quick-access pock and wallets.</li> </ul>	lless LinQ accessory system. artment for registration, e. ge.	<ul> <li>Collapsible if</li> <li>Requires Lin</li> </ul>	backback when you get off your machine. f not fully packed with straps on both sides Q Multi Cargo Rack for installation. 26" L x 18" W x 14" H.
LinQ Accessories wit	h 36" Base			
LinQ 12 Gal (45 L) Cargo Box		Defender, Defender MAX		715003879
	Holds cargo safely and sect     See table for installation loc			
LinQ 23 Gal (86 L) Trunk Box		Defender, Defender MAX		715004923
	Lockable and weather-resis     Holds cargo safely and secu     See table for installation loc	urely while riding.		
LinQ 11.5 Gal (43 L) Audio Ca	rgo Box	Defender, Defender MAX		715003018
	The rear installation does n • Mounts on/off easily to hold • The Bluetooth enabled rece	protects your battery by turning t for night riding.	ows easy listenii y. s are smartly co	ng at an average speed. ncealed and integrated in the cover.
LinQ 8 Gal (30 L) Cooler Box		Defender, Defender MAX		■ 715004698 · Grey ■ 715004778 · Black
		rovides exceptional rigidity and ation for optimal ice retention. compartment protects food. the cover tightly closed.	durability.	
LinQ Premium Storage Bag by	OGIO	Defender, Defender MAX		<b>715002923</b> · Black
		al bag organization.		

LinQ Heavy-Duty Basket		Defender, Defender MAX	715001215
and the second sec	Made of high-strength, lov     See table for installation lo	-	
LinQ Low Profile Basket		Defender, Defender MAX	715004282
	<ul> <li>Low profile, open basket ir</li> <li>Perfect for easy access to</li> <li>Multiple bungee cord and</li> <li>Made of impact-resistant i</li> <li>See table for installation log</li> </ul>	tools, rope, winch and plow accessories. tie-down anchor points. njected polypropylene.	
		Defender, Defender MAX (except 6x6 and PRO models)	715002464
LinQ Tailgate Extension		Defender 6x6 & PRO	715005412
	<ul><li>bed wall as a mini headach</li><li>Anti-corrosion coating with</li></ul>	y and offers additional cab area protection since he rack. n durable powder coat finish. rear windows on Defender MAX produced befor	
LinQ Tyre Holder		Defender (except 6x6 & PRO models), Defender MAX	715003448
	<ul> <li>Mounts on top of the bed v</li> <li>Compatible with Bed Wall</li> <li>Uses BRP standard wheel</li> <li>Accommodates BRP tyres</li> </ul>	tion. rrosion coating with durable powder coat finish. walls using the easy, tool-less LinQ system.	
LinQ Cargo Rack		Defender, Defender MAX	715006140
	<ul> <li>Allows the installation of L</li> <li>2 racks can be installed at</li> </ul>	the same time. on cargo bed, accommodates 5 gal (19 L) bucke r in place. tie-down anchor points. se in the cargo box.	ət.
LinQ Front Rack		Defender, Defender MAX	715006064
	<ul> <li>Heavy-duty 1.25" (3.2 cm)</li> <li>Inside and outside anti-coi</li> <li>Flip-up configuration provi</li> <li>Allows the installation of L</li> <li>Kit includes LinQ Base.</li> <li>Multiple bungee cord and</li> <li>Requires Rancher Bumper</li> </ul>	mounts on top of vehicle hood and provides add diameter steel-tube construction. rosion coating with durable powder coat finish. des easy access to service area. inQ accessories (especially for use with LinQ Lo tie-down anchor points. (715005410) or Front Bumper (715002418 or 7 s while working in the field.	ow Profile Basket [715004282]).

- A great place to store tools while working in the field.Allows the installation of LinQ Low Profile Basket.

LinQ Tool Holder		Defender, Defender MAX	715007358
]]	<ul> <li>Suitable for installation onto Loadout Rack.</li> </ul>	ows tools to be stored in any orientation. o the cargo walls, Deluxe Headache Rack, E leadache Rack or the Bed Wall Extender, Li	and Wall Extender, Adventure Roof Rack and Lind
LinQ Gear Grips		Defender, Defender MAX	715005340
ŶŶ	<ul> <li>Heavy-duty design for carry</li> <li>Quick-release button opens</li> <li>Heavy-duty base system but</li> </ul>	provide a custom fit for a variety of items fro ving bows, fishing poles, rakes, farm tools a s grip quickly for easy access to gear. and for the toughest adventures. Is a snap by combining the Gear Grips with	nd more.
LinQ Mounting		Defender, Defender MAX	715003058
LinQ Lock	<ul> <li>Allows the installation of th Adventure roof rack or the l</li> <li>Sold in pack of 4.</li> </ul>	e LinQ Tool Holder to the Bed Wall Extende Deluxe Headache Rack.	r, 860201968
	<ul> <li>Simple way to securely lock i</li> <li>Lock cover protects lock from</li> <li>Corrosion resistant.</li> <li>Pack of 1, includes 2 keys.</li> <li>Not compatible with LinQ 4.2</li> </ul>		ool Holder or LinQ Gear Grips.
LinQ Base Installation Kit		Defender, Defender MAX	715008125
20	Unique mounting fastener     Included: 2 LinQ Cargo Bas	usable on any LinQ system accessory. ses and hardware.	
LinQ Replacement Part		Defender, Defender MAX	715001707
	<ul> <li>Unique mounting fastener</li> <li>Tool-less installation and re</li> <li>Sold in pairs.</li> </ul>	usable on any LinQ system accessory. Imoval.	

# **CARGO & STORAGE**

Loadout Rack		Defender, Defender MAX	715005447
	<ul> <li>Adjustable height that goes</li> <li>Modular basket adapts to d</li> <li>Multiple hooks and holes to</li> <li>Basket accommodates mul</li> <li>Combine with cargo net to</li> </ul>	t that creates a second level of storage. from mid cab height to roof line. ifferent cargo with folding front and rear pane o hang items both inside and outside the rack. tiple LinQ positions. create a hanging storage net below the baske Defender Pro & Defender 6x6.	
Hanging Storage Box Kit		Defender, Defender MAX	715005449
	<ul> <li>Versatile rack designed to hold a standard storage box.</li> <li>Fully adjustable, the rack can be tailored to hold the crates in multiple posalong the sidewall, and outside the box along the side wall.</li> <li>Includes Can-Am branded storage box.</li> <li>Exterior Cargo Reinforcement Panel is recommended when used outside</li> </ul>		
Can-Am Storage Box		Defender Defender MAY	70000007
(Not illustrated)	- Conventional 12" x 12" place	Defender, Defender MAX	708303237
	Perforated bottom allows w	tic storage box with Can-Am branding. rater and debris to escape.	
Exterior Cargo Reinforceme (Not illustrated)	ent Panel		715006198
		ed side to further support and protect bed wa nanging storage box and/or gun and tool hold O).	-
Deluxe Headache Rack		Defender, Defender MAX	715002423
	<ul> <li>Protects cab components f</li> <li>Increases box capacity whe</li> <li>Required to install the Bed</li> <li>Compatible with gear rail.</li> </ul>	en used in tandem with the Bed Wall Extender	r (715002421).
Headache Rack		Defender, Defender MAX	715003873
	and the load in your cargo l • Compatible with gear rail. • Rack's open design helps n	ped.	fense between your head or cab's components
		Defender, Defender MAX (except Defender 6x6 & Defender PRO)	715002421
Bed Wall Extender		Defender 6x6 & PRO models	715005411
	<ul> <li>Increases box capacity.</li> <li>Quick and easy tool-less methods.</li> </ul>		

• Requires Deluxe Headache Rack (715002423).

Tonneau Cover		Defender 2018 & up (except Mossy Oak Break-Up Country Camo models), Defender MAX (except 6x6 and PRO models)	715008306
	<ul> <li>Prevents splash from enterin</li> <li>Rolls up to the front.</li> <li>Easily removable for quick a</li> </ul>		
Removable Storage Bin		Defender, Defender MAX	715004344
	Provides 1.7 gal (6.3 L) of sto	tool box will make sure you have your critical ec orage and clips on and off in a snap. our contents remain safe and dry. opt Base.	uipment where you need it.
Removable Storage Bin – Pass	senger	Defender, Defender MAX	715003314
P		underseat storage. gal (14 L) storage capacity bin. a snap and comes with an integrated handle.	
Driver Underseat Storage Bin		Defender, Defender MAX	715003399
	Front opening for quick and	I (15 L) capacity bin fits securely under the driv easy access. sistant items, such as ropes, tow straps and wir	
Center Underseat Storage Bir	1	Defender, Defender MAX	715003446
	<ul> <li>Polypropylene-injected 2 ga</li> <li>Watertight design keeps ice</li> <li>Easy to drain and wash by re</li> <li>Accessible by lifting center and the second secon</li></ul>	and drinks cold. emoving it with integrated handle.	
Cargo Bed Rails		Defender (except 6x6 & PRO), Defender MAX	715003444
	<ul> <li>Added cargo box protection</li> <li>Inside and outside anti-corre</li> <li>Heavy-duty 1" (2.5 cm) diam</li> <li>Add height to the bed side v</li> </ul>	osion coating with durable powder coat finish.	traps or bungees.
Cargo Bed Net		Defender (except 6x6 & PRO), Defender MAX	715003445
	<ul> <li>Solid net designed to hook t</li> <li>Keeps items tightly against t</li> </ul>	to the bottom of the cargo box for secure and ca the bed floor.	ompact confinement of your cargo.
Dash Storage Compartment N	et for Heating System	Defender, Defender MAX (2019 & prior)	715003544

Lower Dashboard for Heatin	g System	Defender, Defender MAX (2019 & prior)	715003441
	<ul><li>passenger to conver</li><li>To be installed when</li><li>Use together with th</li></ul>	oard that comes stock with the vehicle, and feature niently store small items in the dash. In the Defrost, Heat & Ventilation System is installed De Dash Storage Compartment Net for Heating Sys mpartment from falling.	d.
Dash Storage Compartment	Nets	Defender, Defender MAX (except Limited models)	715003129
	-	items in the dash storage area. Defrost, Heat & Ventilation System.	
ed Tool Box		Defender, Defender MAX	715003028
	<ul> <li>Rotomolded construit</li> <li>Features cup holder</li> <li>Sized to give you the</li> </ul>	multifunction weather-resistant tool box designed action provides exceptional rigidity and durability. s and integrated groove for pipe or 2x4 cutting. e option of installing 2 tool boxes in the cargo bed ( gs with lockable covers and rubber latches.	-
oft Storage Bag		Defender, Defender MAX	715003759
	<ul> <li>11.8 gal (45 L) capac</li> <li>3 sections.</li> <li>Weatherproof.</li> </ul>	ity soft cargo bag designed with vehicle's rear in r	nind to maximize potential storage.
ackrest Rear Storage		Defender MAX	715003019
	<ul> <li>Netting installs easil</li> <li>Made from polyeste</li> <li>Sold in pairs.</li> </ul>		
torage 2.6 Gal (10 L) Bag		Defender, Defender MAX	269502121
C a	Roll-top dry bag for f	ully protecting your cargo from the elements.	
<b>IEW</b> Passenger Storage Se	at Bag	Defender, Defender MAX	715008080
	<ul> <li>This weather-resista</li> <li>Bag settling on the p</li> <li>This bag features a 1</li> <li>The top compartment</li> <li>Additional pocket in:</li> </ul>	nnt bag holds your gear safely and securely while y passenger seat to increase the vehicle's cargo cap 14.5 gal (55 L) storage capacity and is divided into it is insulated to keep your beverages cold and inc side for additional storage, such as a cell phone. tment is accessible from both sides and serves as	acity. two compartments. cludes two cup holders.

- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.

# **RACKS & HOLDERS**

#### **Rear Accessory Bar**

#### Defender, Defender MAX

Strong accessory bar allowing installation or hanging items off the back.

· Holes for carabiners, duck decoy hangers or other items. · LinQ anchors allow installation of many LinQ accessories. 715005450

		Defender Loads of up to 40 lb (18 kg).	715003870
Adventure Roof Rack		Defender MAX Loads of up to 75 lb (34 kg).	715004391
	<ul> <li>Built with heavy-duty 1.25" (</li> <li>Modular LinQ support plate</li> </ul>	sing everything you need to live your off-road ex 3.2 cm) diameter steel tubing. s allow for installation of most LinQ cargo acce for lights can hold up to 8 pod-type LED lights	

- о 8 рос D light (6 front and 2 back) or a 39" (99 cm) LED bar (front)—see table for compatibility.
- Features anchor points for spare tyre attachment.
- Spare Tyre Tie-Downs sold separately.
- · Add the Cargo Box Net or the Cargo Box Elastic Net
- to secure and confine your cargo in the rack.
- · Not compatible with Bimini Roof or Audio Roof.

Spare Tyre Ratchet Tie-Down	าร	Defender, Defender MAX	280000955
	3-way ratcheting tie-down si	trap with loop ends. pare tyres on accessories equipped with integr	ated spare ture attachment points
AT CYS TA	• •	e most common UTV tyre sizes.	aleu spare tyre attachment points.
	<ul> <li>Ratchet and junction ring magnetic strength</li> </ul>	ade of durable zinc-plated steel.	
	<ul> <li>Required for spare tyre attac</li> </ul>	chment on Adventure Roof Rack	

Required for spare tyre attachment on Adventure Roof Rack.

LinQ Tool & Gun Holder Defender, Defender MAX 715005466 · 2-in-1 holding rack can be used both on the job or on the hunt. · Includes 5 locations to securely hold tools and guns using rubber grips and retention straps at the top and a rubber mat with gunstock shaped molding at the bottom. Easy to remove, install or reposition using our simple and secure LinQ system. Can be attached at multiple positions along the cargo bed walls, facing inside or outside the bed. • Recommended to use with the Exterior Cargo Reinforcement Panel (715006198) when installed outside the bed wall. LinQ Gun Case Defender, Defender MAX 715004968 • Practical design allows you to store shotguns and rifles up to 52" (132 cm) even with most optic configurations. · Adapts to different weapon shapes and features with foam cushions that can be repositioned. · LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn. · LinQ Gun Case Mounting Kit (715006443) is required for installation.

LinQ Gun Case Mounting Kit Defender, Defender MAX 715006443 · Required to install the LinQ Gun Case on a Defender and Defender MAX. · Allows you to install up to two LinQ gun cases. · Includes one pair.

Gun Boot 6.0† Impact by Kolp	oin <sup>†</sup>	Defender, Defender MAX	715001419
	Easily fits firearms up Provides ample room 1 Hatchback design allo Snap-close cover with Ergonomically designe Designed to accommon Requires Gear Rail and	ws easy access. locking capability. ed handle and molded attachment points for odate left- and right-hand bolt-action rifles and d Gun Boot Mount by Kolpin for installation. nock-absorbing foam and nylon Impact liner	nd shotguns.
	Compatible for dual m	ount with additional Gun Boot Mount.	
Stronghold Gun Boot Impact		Defender, Defender MAX	705011442
	with optics. <ul> <li>Includes a removable,</li> <li>Single-handed openin</li> </ul>	esign with kolpin Stronghold styling secure shock absorbing foam Impact <sup>†</sup> liner. g with an attached lid for quick access along n Stronghold Auto Latch Mount System.	ly holds up to 52" (132 cm) long rifles and shotguns g with an integrated closure strap.
Stronghold Auto-Latch Mour	nt by Kolpin	Defender, Defender MAX (except X mr models)	715003899
-	<ul> <li>For use with Strongho</li> </ul>	ugged high impact, reinforced nylon and co ld Gun Boot. Stronghold (715004089).	ated steel.
Gear Rail for Stronghold		Defender, Defender MAX	715004089
	Can hold up to two Str	ıghold Auto-Latch Mount by Kolpin. onghold Gun Boots (two Latch Mounts requ k (715002423) or Gear Rail Adapter (715003	-
Gun Boot Mount by Kolpin		Defender, Defender MAX	715001420
	<ul> <li>Fits one Kolpin Gun Bo</li> <li>Lightweight and extremediate the second extremediate the seco</li></ul>	mely durable. but the use of any tools. ngle adjustability.	
Dual Gun Holder		Defender, Defender MAX	715005265
	Mounts in the cab, on     Rubber pads provide g     Can be removed to allo     Anti-corrosion coating     Comes with all hardwa     Keeps your weapons w	with durable powder coat finish.	
Gear Rail		Defender, Defender MAX (except X mr models)	715003391
	<ul> <li>Universal mounting op</li> </ul>	specially designed for your side-by-side veh tions for many Kolpin accessories like Gear y-duty 7-gauge extruded anodized black alu	Grips and Universal Saw Press.

Gear Rail Adapter		Defender, Defender MAX (except X mr models)	715003392
	Allows the installation of ge	ar rails directly onto the cargo box without the	need for a headache rack.
Gear Rail Mount by Kolpin		Defender, Defender MAX	715001422
	Accessory bracket for mour     Includes C-clamp and meta	nting additional accessories to the Gear Rail. I mounting brackets.	
Double Gun Bag		Defender (except XT Cab, X mr models), Defender MAX (except XT Cab and Limited package)	<b>715003133</b> · Black
carron	<ul> <li>while the thick interior padd</li> <li>Fits perfectly on rear cage, a</li> <li>Design features include a restorage pockets for hunting</li> <li>Solid, quick installation.</li> <li>Not compatible with rear with</li> </ul>	y-duty, weather-resistant polyester to shelter g ling protects the guns from shocks. and guns are readily accessible from both side: emovable center pocket that can be mounted o gear. nd protection, headache racks and gear rails. nction of the Defender 6x6 or Defender PRO m	s of vehicle. n both sides of the bag, and extra front
Jniversal Saw Press by Kolpin	l	Defender, Defender MAX (except X mr models)	715001423
ren-am	<ul> <li>Heavy-duty, black powder-c</li> <li>Rubber pads provide cushic</li> <li>Hinged design for quick ren</li> </ul>	-	
LinQ Gear Grips		Defender, Defender MAX	715001421
49	<ul> <li>cm) in diameter.</li> <li>Heavy-duty design for carry</li> <li>Quick-release button opens</li> <li>Heavy-duty base system but</li> </ul>	on and protect while providing a custom fit for ing bows, fishing poles, rakes, farm tools and n grip quickly for easy access to gear. ilt for the toughest adventures. racks, extension racks, brackets or bumpers.	

Sold in pairs.

# **LIGHTS**

1 Choose your	2 Find your		3 (	choose your li	ghts	
mount point	platform	10" (25 cm) Double Stacked LED Bar	15" (38 cm) Double Stacked LED Bar	39" (99 cm) Double Stacked LED Bar	4" (10 cm) Round LED LIGHTS (Sold in pairs)	3.5" (9 cm) LED Lights (Sold in pairs)
Front Bumper Rancher Bumper XT Front Bumper	Defender Defender MAX 2019 & prior	<b>715002933</b> PLUS <b>715002454</b> (Light Power Cable)	<b>715002934</b> PLUS <b>715002454</b> (Light Power Cable)	N/A	715002935 715003665 or 715003666 PLL 715002454 (Ligh	3.5" Flood) (3.5" Spot) S
X mr Front Bumper (w/o winch) X-TP Front Bumper	Defender Defender MAX 2020 & up	<b>715002933</b> PLUS <b>715006034</b> (Light Power Cable)	<b>715002934</b> PLUS <b>715006034</b> (Light Power Cable)	N/A	715002935 715003665 or 715003666 PLL 715006034 (Ligh	3.5" Flood) (3.5" Spot) S
<b>Light Rack</b> or Light Bars *Roof Power Cable and Front Roof Liner may not be required	Defender & Defender MAX (except XT Cab)	715002933 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715002934 PLUS 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) & 715008226 (Front Roof Liner)	715002935 715003665 or 715003666 PLL 715003094 (Roc & 715008226 (Fro	3.5" Flood) (3.5" Spot) S f Power Cable)
if already installed with other accessories.	Defender Defender MAX XT Cab Limited	715002933	715002934	715006226 (Light Bar Support) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable)	715002935 715003665 or 715003666	3.5" Flood)
Adventure Roof Rack *Roof Power Cable may not be required if already installed with other accessories.	Defender & Defender MAX (except XT Cab LImited)	N/A	Front only: 715002934 PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	Front only: 715004007 PLUS 715005822 (Power Cable) & 715003094 (Roof Power Cable) & 715008226 (Front Roof Liner)	Front or 715002935 715003666 0 715003666 PLL 715003417 (F & 715003094 (Roc & 715008226 (Fro	(4" Round), 3.5" Flood) (3.5" Spot) S ower Cable) f Power Cable)
	Defender, Defender MAX XT Cab Limited	N/A	Front only: 715002934 PLUS 715003417 (Power Cable)	Front only: 715004007 PLUS 715005822 (Power Cable)	Front or 715002935 715003665 or 715003666 PLL 715003417 (F	(4" Round), 3.5" Flood) (3.5" Spot) S
4 Order		*Note: When ins	Order all part	numbers in int	ersecting box	kit is required.
Roof Power Cable		Defender	, Defender MAX	71	5003094	

Required for installation of some electrical accessories.

Brings power from the battery.

Light Kit Power Cable	Defender, Defender MAX (2019 & prior)	715002454
(Not illustrated)	Defender, Defender MAX (2020 & up)	715006034
Power cable for installation	of compatible Can-Am light kits at front bumper	location.

10" (25 cm) Double Stacked LED Light Bar (60 W)	Defender, De	fender MAX				71500	02933				
SHEER.	5,400 lumens	20 m 0 -20 0	100	200	300	400	500	600	700	800 m	-
Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. Can be installed on front bumpers, sport roof and Bimini roof with sun visor.	<ul> <li>Requires lig</li> <li>Lights up to wide on eac</li> <li>EC complia</li> <li>See table for</li> </ul>	o more than ch side. int.	1,500 f	t (460 m	) in froi			cle and	l aroun	d 65 ft (2	:0 m)
5" (38 cm) Double Stacked LED Light Bar (90 W)	Defender, De	fender MAX				71500	02934				
	8,400 lumens	20 m 0 -20 0	100	200	300	400	500	600	700	800 m	-
Equipped with 18 5 W Cree LEDs. 8,400 lumens. Complements the Light Racks and most bumpers. Rugged and waterproof.	<ul> <li>Lights up to wide on each</li> <li>EC complia</li> <li>See table for</li> </ul>	ch side. Int.						cle and	l aroun	d 65 ft (2	:0 m)
9" (99 cm) Double Stacked LED Light Bar (270 W)	Defender, Det	fender MAX				71500	04007				
Equipped with 54 5W Cree LEDs.	24,300 lumens	20 m 0 -20 0	100	200 Roof Rad	300 2k.	400	500	600	700	800 m	-
Equipped with 54 5W Cree LEDs. 24,300 lumens.		o -20 e on the Adv e with Flip W	enture 'indshie	Roof Rad	ck. Full W	indshie	elds.	600	700	800 m	-
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and	Compatible     Compatible	o -20 e on the Adv e with Flip W or installatio	enture 'indshie	Roof Rad	ck. Full W	indshie	elds.	600	700	800 m	-
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible     Compatible     See table for	o -20 e on the Adv e with Flip W or installatio	enture 'indshie	Roof Rad	ck. Full W require	indshie ments.	elds.	600	700		
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. <b>4" (10 cm) Round LED Lights (2 x 25 W)</b> 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch.	Compatible     Compatible     See table for     Defender, Def	o -20 e on the Adv e with Flip W or installatio fender MAX 20 m 0 -20 0 ght power ca s. npliant.	enture l'indshie n locati	Roof Rad	ck. Full W require	indshie ments. 71500	elds.	600			
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side. <b>4" (10 cm) Round LED Lights (2 x 25 W)</b> <b>5</b> <b>5</b> <b>5</b> <b>5</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b> <b>1</b>	Compatible     Compatible     Compatible     See table for     Defender, Def     Insoo     Insoo     Requires lig     Sold in pairs     Not EC com	o -20 e on the Adv e with Flip W or installatio fender MAX 20 m 0 -20 0 ght power ca s. npliant. or installatio	enture l'indshie n locati able.	Roof Rad	ck. Full W require	indshie ments. 71500	02935	600			
Equipped with 54 5W Cree LEDs. 24,300 lumens. Lights up to more than 2,900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.	Compatible     Compatible     Compatible     See table for     Defender, Der     I,800     Iumens      Requires lig     Sold in pair:     Not EC com     See table for	o -20 e on the Adv e with Flip W or installatio fender MAX 20 m 0 -20 0 ght power ca s. npliant. or installatio	enture l'indshie n locati able.	Roof Rad	ck. Full W require	indshie           ments.           71500           00           ments.           71500           71500	22935	600 600 105 m			

3.5" (9 cm) LED Flood Lig	hts (2 x 14 W)	Defender, Defender MAX	715003665
Q.Q		1,260 lumens 0 -15 0 15 30 45	60 75 90 105 m
14 W LED lights producing 1,260 lumens each. Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.		<ul> <li>Features two attachment points. If one the next channel point and remount the Sold in pairs.</li> <li>EC compliant.</li> <li>See table for installation location and removes the solution of the solution and removes the solution and remove</li></ul>	
Light Bar Support	ght Bar Support		715006226
	Mounting Bracket that all     Low and forward mountir     Compatible with all winds	• •	ar (715004007).
Light Rack		Defender, Defender MAX	715002456
Rear Cargo Light	<ul> <li>Integrates elegantly and s</li> <li>Powerful 55W H3 illumina</li> <li>Convenient in-dash switc</li> <li>Wiring included.</li> <li>Sport Roof (715002430) of</li> <li>Not EC compliant.</li> </ul>	•	715007077 d for installation.
RAM <sup>†</sup> LED Spotlight		Defender, Defender MAX (2019 & prior)	710005423
A.	540 lumen (9 watt) heavy and socket system.		" (2.5 cm) diameter rubber-coated double ball
Dome Light		Defender, Defender MAX	715002455
Y	<ul> <li>LED array integrates perf</li> <li>Wiring included.</li> <li>Can be installed on cage</li> <li>Not compatible with Defe</li> </ul>	or roof, with or without roof liner.	
		1	
LED Signature Lights		Defender, Defender MAX (2020 & up)	715006896

# **AUDIO & COMMUNICATION SYSTEMS**

Can-Am Audio Roof		Defender		715005206
	<ul> <li>Full roof with sleek built-in a</li> <li>Fully sealed and waterproof</li> <li>Easy to install: one wire con electronics.</li> <li>Four 8" speakers, one 280 v weatherproof source unit st Speakers include LED lighti designed to uniformly illum</li> <li>A 3" full-color LCD display, v lighting themes for visibility</li> <li>AM/FM tuner.</li> </ul>	f. inects the roof to the vehicle's vatt amplifier, and one upplied by JL Audio <sup>†</sup> . ing integrated into the grille, inate with an RGB glow. with separate day/night	the Power H required: Flip Glass Wi Windshield V Front Full Do Front Tull Do Front Deluxe Doors (7150 • Not compati Headache R	ble with Adventure Roof Rack and ack. ble with 39 in. (99 cm) Double Stacked LED 0 W) (715004007) & Light Bar Support
Can-Am Audio Roof MAX		Defender MAX		715006879
	<ul> <li>vehicle's electrical system.</li> <li>Weatherproof components: watt amplifier and 70 watt M</li> <li>AM/FM tuner.</li> <li>Expertly tuned for exception Defender MAX.</li> </ul>	f components and actor connects the roof to the Six 7.7" coaxial speakers, 280 Mediamaster® source unit. nal sound on the move in your e RGB LED cone illumination, ur smartphone. equipped with 3" full-color	Specific to th     To install the     the Power H     required:     Flip Glass Wi     Windshield V     Front Full Dc     Front Deluxe     Doors (7150     Not compati     Not compati	ble with Adventure Roof Rack. ble with 39 in. (99 cm) Double Stacked LED 0 W) (715004007) & Light Bar Support
Vetsound Stealth XT 6 Can-Ar	n Edition Sound Bar	Defender, Defender MAX		715008282
11	<ul> <li>Built-in Bluetooth connective</li> <li>Built-in Broadcast mode.</li> <li>Backlit control panel with Inlights.</li> <li>Integrated LED Dome.</li> <li>IP67 rated RF wireless removes</li> <li>3.5 aux input/output.</li> <li>Built-in 300 W Class D Amp</li> </ul>	tegrated LED RGB cabin	<ul> <li>2 marine-rate</li> <li>Operating vo</li> <li>IP rated: IP67</li> <li>Length: 21.3</li> <li>Width: 4.04"</li> <li>Height: 3.85"</li> </ul>	7. 1"
Sound Bar Mounting Kit		Defender, Defender MAX		715007840
pq	Required to install the Wets	ound Stealth XT 6 Can-Am Editi	ion Sound Bar o	n a Defender and Defender MAX.
Overhead Audio System	<ul><li>(iPod<sup>®</sup> and iPhone<sup>®</sup> ready).</li><li>Convenient white LED-back</li></ul>	input: AM/FM/WB and USB klit LCD display and buttons. enabled device (smartphone, vith remote turn-on.	pre-set scan • Separate RC • UV-resistant • Requires Spo	hable AM/FM stations with auto-store/ A audio output and input. finish/corrosion-resistant components. ort Roof (715002430) or Front Roof Liner and Power Cable (715003094).
	tom	Defender, Defender MAX		715002019
Complete Overhead Audio Sys				
Complete Overhead Audio Sys		y outdoor speakers (2 front and	2 rear) and 4 bla	ack speaker boxes.
Complete Overhead Audio Sys Overhead Front Audio System		y outdoor speakers (2 front and Defender, Defender MAX	2 rear) and 4 bla	ack speaker boxes. 715003095

# **ELECTRONIC ACCESSORIES**

#### **Back-Up Monitor and Camera Kit**

Defender, Defender MAX

715003834

715008786



- · Fully waterproof rear view camera and monitor kit.
- The camera is one of the clearest and sharpest available on the market, with 250,000 pixel image resolution and a 2.1 mm lens with 130° viewing angle.
- Features 18 infrared lights that allow up to 50 ft. (15.24 m) visibility in complete darkness, an auto iris sensor that adapts
  to light intensity changes and an adjustable sunshade.
- 7" (17.78 cm) digital TFT LCD color monitor comes with power harness and can support up to two camera inputs.
- The camera can be roof mounted to monitor your cargo load or to see farther behind, and it can be mounted under the cargo box for hitching purpose.
- Not compatible with Defrost Heat and Ventilation System or HVAC.

	Defender (except 6x6), Defender MAX (2020 & up), Defender PRO	715007096
Power Tilt Bed	Defender 6x6	715007204

- Powerful cargo box tilter with dash-integrated switch.
- Electrical actuated hydraulics for a strong and quick tilting system.



#### 715005408



**Quick Connect Battery Cable** 

Quickly and easily connect and charge different batteries with your charger.
<ul> <li>Included in the Battery Charger/Maintainer.</li> </ul>

Sold individually.

<b>Quick Connect Cable with</b>	Battery Indicator
---------------------------------	-------------------

#### 715006055

- Quickly and easily connect and charge different batteries with your charger.
- 3-- S
- 3-color LED indicator provides constant battery health indication.
   Sold individually.

3-Mode Switch		Defender, Defender MAX	715004445
	, ,	5	uced load impact.

# NEW Cellphone Holder

	<ul> <li>Water resistant door allows for perfect phone p</li> </ul>	ositioning.		
	<ul> <li>Features capacitive and resistive touch screen technology.</li> </ul>			
	<ul> <li>Spring system in back plate automatically adjust</li> </ul>	Spring system in back plate automatically adjusts for thickness.		
the second second	<ul> <li>Fits all cellphones within 7.2" (185 mm) x 3.3" (8</li> </ul>	5 mm) x 0.6" (15 mm) dimensions.		
	<ul> <li>Works with almost all charger wires.</li> </ul>			
	Does not include cellphone or charging wires.			
	Requires the RAM GPS Mount (715003325) bo	ted directly on the dashboard for the Cellphone Holder to be supported.		
RAM GPS Mount		715003325		
	Allows for GPS integration onto vehicle.			
	<ul> <li>Standard AMPS hole pattern for Garmin Cradle</li> </ul>			

Defender. Defender MAX



Digitally Encoded Security	v System (D.E.S.S.™) Keys	Defender, Defender MAX (202 Defender & Defender MAX 20 HD10 engine)	3 & prior), 24 (with HD9 &	715002458
120/20	<ul> <li>Top-security anti-theft prote</li> <li>Encrypted chip technology vehicle's electronic ignition</li> <li>One vehicle/one code.</li> <li>A vibration/shock-resistant ensures a reliable connection</li> </ul>	restricts access to your system. ball-and-socket design that	but does n - Normal mo and 50% to	able modes: e: Limits vehicle speed to 40 kph (25 mph) ot limit engine torque. ode: Limits vehicle speed to 70 kph (44 mph) orque reduction. ce mode: No restrictions.
NEW Digitally Encoded S D.E.S.S.™) Keys	ecurity System	Defender, Defender MAX 2024 (with HD	7 engine)	715009300
J-1-2	<ul> <li>Top-security anti-theft prote</li> <li>The encrypted chip technol unit's electronic ignition sys</li> <li>One code per vehicle.</li> <li>Features a vibration/shock- design that ensures a reliab</li> </ul>	logy restricts access to the stem. resistant ball-and-socket	<ul> <li>Work key: o 30 kph (18 not limit er</li> <li>Normal key 10% torqui</li> </ul>	three programmable keys, including: configurable vehicle speed limit between mph) and maximum vehicle speed that does ngine torque. y: limits vehicle speed to 70 kph (44 mph) and e reduction on Defender models. ce key: no restrictions.
		Defender, Defender MAX (201	9 & prior)	715003758
Auxiliary Battery Installati	on Kit	Defender, Defender MAX (202		715006035
No.	<ul> <li>Allows you to add a second battery setup that will give y to power auxiliary electrical system or winch.</li> <li>Additional battery sold sepa</li> </ul>	you the extra juice you'll need components like a sound	will prevent draining you • Kit includes	ith an integrated smart battery isolator that your auxiliary electrical components from ir starting battery. an additional battery junction block, all <i>v</i> iring and the battery holder.
JSB Power Outlet Kit		Defender, Defender MAX (202	0 & up)	219400510
	Dual port USB connectors.	devices while riding* (smartphor		g gear, etc.).
Ć	Dual port USB connectors.     *The power outlet is not capable of	of recharging all device types while r	iding.	
Defrost, Heat & Ventilation	Dual port USB connectors.     *The power outlet is not capable of	of recharging all device types while r	iding. 9 & prior orization)	715004917
Defrost, Heat & Ventilation	Dual port USB connectors.     *The power outlet is not capable of	of recharging all device types while r Defender, Defender MAX 2015 (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ed for better windshield and	iding. 9 & prior orization) • Easy-service • Once install the Lower D	<b>715004917</b>
Defrost, Heat & Ventilation	Dual port USB connectors.     *The power outlet is not capable of      System      Best integrated system on the speed and in-dash adjustable.     Adjustable/directional venters     10 vents specially positioners     side windows defrosting/de	of recharging all device types while r Defender, Defender MAX 2015 (not compatible with HD5 Mot he market with 3-ventilation ble temperature. s. ed for better windshield and	iding. 9 & prior orization) • Easy-service • Once install the Lower D Storage Cor	<b>715004917</b> e air filter. ed, you might want to add storage space with ashboard for Heating System and Dash
Defrost, Heat & Ventilation	Dual port USB connectors.     *The power outlet is not capable of      System      Best integrated system on the speed and in-dash adjustable.     Adjustable/directional venters     10 vents specially positioners     side windows defrosting/de	of recharging all device types while r Defender, Defender MAX 2015 (not compatible with HD5 Mot he market with 3-ventilation ole temperature. s. s. def for better windshield and eicing, foot and hand heat. 0 (except Defender PRO & HD5 m	iding. 9 & prior orization) • Easy-service • Once install the Lower D Storage Cor	715004917 e air filter. ed, you might want to add storage space with ashboard for Heating System and Dash npartment Net for Heating System.
Defrost, Heat & Ventilation	Dual port USB connectors.     *The power outlet is not capable of     *The power outlet is not capable     *The power o	Defender, Defender MAX 2019 (not compatible with HD5 Mot he market with 3-ventilation ole temperature. s. d for better windshield and eicing, foot and hand heat. 0 (except Defender PRO & HD5 m 21 & up) tem on the market with 3 fan perature. s can be closed to	iding. 9 & prior orization) • Easy-service • Once install the Lower D Storage Cor nodels) • Easy-to-serv • Includes the for the heati	715004917         air filter.         ed, you might want to add storage space with ashboard for Heating System and Dash npartment Net for Heating System.         715005904         715008093         rice air filter.         e replacement lower dashboard compartmen ng system.         te Compartment Net for Heating System is
Defrost, Heat & Ventilation	Dual port USB connectors.     *The power outlet is not capable of     *Adjustable/directional vents     *Concentrate heat at specific     *A total of 8 vents specially positioner	Defender, Defender MAX 2019 (not compatible with HD5 Mot he market with 3-ventilation ole temperature. s. d for better windshield and eicing, foot and hand heat. 0 (except Defender PRO & HD5 m t1 & up) tem on the market with 3 fan perature. s can be closed to c areas.	iding. 9 & prior orization) • Easy-service • Once install the Lower D Storage Cor models) • Easy-to-serv • Includes the for the heati • Dash Storag	715004917         air filter.         ed, you might want to add storage space with ashboard for Heating System and Dash npartment Net for Heating System.         715005904         715008093         rice air filter.         e replacement lower dashboard compartmen ng system.         te Compartment Net for Heating System is

#### **Radiator Winter Front**

Defender, Defender MAX (2019 and prior)

715005108



Allows you to get higher heating temperature out of the Defrost, Heat & Ventilation System in extremely cold conditions.

Heated Seat		Defender, Defender MAX		715006112
	<ul> <li>25 W seat heater delivers ch</li> <li>High/low temperature settin desired degree of warmth.</li> <li>This kit includes one carbor and in-dash switch.</li> <li>Installs directly in the original</li> </ul>	ngs allow you to control the n fiber seat heater, foam sheet	<ul> <li>required for i</li> <li>Heated Accerequired for i</li> <li>Limited mode</li> <li>Heated Accered</li> </ul>	ssories Wiring Harness (710005757) is nstallation on front seat. ssories Wiring Harness (715006036) is nstallation on Defender XT Cab, PRO and els. ssories Wiring Harness (715006004) is nstallation on rear seats on MAX models.
Heated Seat Harness for MAX (Not illustrated)	Model	Defender MAX		715006004
	Electric harness required to	hook up and operate rear heate	ed seats.	
Heated Visor Outlet		Defender, Defender MAX		715001246
	<ul> <li>Strategically positioned on v</li> <li>Optional visor outlet that de</li> <li>Quick and easy installation.</li> <li>Sold individually.</li> <li>Heated Visor not included.</li> </ul>	vehicle to maintain your agility. livers fog-free riding.		
		Defender, Defender MAX (mod defrost, heat & ventilation syste All Defender PRO models		715006036
Heated Accessories Wiring Ha	arness	Defender, Defender MAX (models without defrost, heat & ventilation system)	k	710005757

- Electric harness required to hook up and operate heated accessories.
- · Power up to 4 accessories: 2 hand accessories (grab bar/steering wheel) and 2 seat covers.

# WINCHES & HITCHES

### **Can-Am HD Winches**

Can-Am HD 4500 Winch		Defender, Defender MAX		715006416
	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and bushings for more torque and durability.</li> <li>Automatic 100% load-holding brake.</li> <li>Sealed solenoid for all-weather protection.</li> <li>Weather sealed corded remote and dash mounted switch.</li> <li>EC compliant.</li> </ul>		<ul> <li>Pulling strength capability of 4,500 lb (2,041 kg).</li> <li>43' of <sup>15</sup>⁄4" (13.1 m of 6.3 mm) wire steel cable.</li> <li>Heavy-duty 4-way roller fairlead.</li> <li>Winch Electrical Harness (715007078) is required for installation on a Defender 2021 and prior. Winch Electrical Harness (715008152) is required for installation on a Defender Base and DPS 2022 &amp; up.</li> </ul>	
Can-Am HD 4500-S Winch		Defender, Defender MAX		715006417
	<ul> <li>Ergonomic clutch handle.</li> </ul>		Pulling stren	gth capability of 4,500 lb (2,041 kg).

Rugged all-steel gears and bushings for more torque and      · 50' of ¼" (15.2 m of 6.35 mm) synthetic rope.	
durability.     Corrosion-proof aluminum hawse fairlead.	
Automatic 100% load-holding brake.     Winch Electrical Harness (715007078) is required.	ed for
Sealed solenoid for all-weather protection.     installation on a Defender 2021 and prior. Winch	n
Weather sealed corded remote and dash mounted switch.     Electrical Harness (715008152) is required for installation on a Defender Base and DPS 2022 &	չ up.

### WARN<sup>†</sup> VRX Winches

WARN VRX 45 Winch		Defender, Defender MAX (except XT Cab 2018-2019, Loi X mr, Limited, DPS Cab & Hunt 2020 & up)		715006110
	<ul> <li>Extreme IP68-rated waterpr elements out.</li> <li>Durable all-metal constructi</li> <li>Black powder-coated finish for corrosion resistance.</li> <li>Robust new clutch design b WARN 4 WD hub lock know</li> <li>Load-holding brake for grea</li> <li>Smooth and reliable all-met train.</li> </ul>	ion. and stainless steel fasteners based on 70+ years of -how. t control.	Limited lifeti (electrical).     Pulling stren 50' of ¼" (15 Roller fairlea Winch Electri installation of Electrical Ha	ed rocker control. me warranty (mechanical), 3-year warranty gth capability of 4,500 lb (2,041 kg). m of 6.3 mm) wire steel cable. d. rical Harness (715007078) is required for n a Defender 2021 and prior. Winch rness (715008152) is required for n a Defender 2022 & up.
WARN VRX 45-S Winch		Defender, Defender MAX (except XT Cab 2018-2019, Loi X mr, Limited, DPS Cab & Hunt 2020 & up)		715006111
	<ul> <li>Extreme IP68-rated waterpr elements out.</li> <li>Durable all-metal constructi</li> <li>Black powder-coated finish for corrosion resistance.</li> <li>Robust new clutch design b WARN 4 WD hub lock know</li> <li>Load-holding brake for grea</li> <li>Smooth and reliable all-met train.</li> </ul>	ion. and stainless steel fasteners based on 70+ years of -how. t control.	Limited lifeti (electrical).     Pulling stren 50' of ¼" (15 Cast aluminu Winch Electri installation of Electrical Ha	ed rocker control. me warranty (mechanical), 3-year warranty gth capability of 4,500 lb (2,041 kg). m of 6.3 mm) synthetic rope. um hawse fairlead. rical Harness (715007078) is required for in a Defender 2021 and prior. Winch rnress (715008152) is required for in a Defender 2022 & up.
Cargo Bed Winch		Defender, Defender MAX		715006355
the second	<ul> <li>Allows you to pull heavy loa</li> <li>Perfect for hunting applicati</li> <li>Includes support base mad tubing, winch and weather-</li> <li>750 lb (340 kg) maximum put</li> </ul>	ions, i.e., loading game. e of heavy-duty 2" (5 cm) steel sealed corded remote.	that could or gross weight • Adapter Kit ( Gear Rail Ad	715004709) required for installation with apter. wertilt bed for Defender 6x6 and PRO.
Synthetic Winch Cable*		With WARN winch		715007783
	<ul> <li>50' of ¼" (15.2 m of 6.35 mm) synthetic cable for WARN winch.</li> <li>WARN Hawse Fairlead is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.</li> </ul>			
*Ask your dealer or visit canamoffroad.co		road.com for price details.		
Synthetic Winch Cable*		With Can-Am HD winch		715006430
				to avoid premature cable damage and wear.
		 I		
Synthetic Cable Extension		715001120		

Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.

- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
  - 4,500 lb (2,041 kg) single line capacity.

Replacement Wire Rope*		With WARN winch	715006699		
	<ul> <li>55' of ¼" (16.8 m of 6.35 mm) wire rope for WARN winch kit.</li> <li>4,500 lb (2,041 kg) pulling strength.</li> </ul>				
	*Ask your dealer or visit canamoffroad.com for price details.				
Replacement Wire Rope*		With Can-Am HD winch	705014978		
	<ul> <li>43' of <sup>1</sup>5/4" (13.1 m of 6.3 mm) wire rope.</li> <li>4,500 lb (2,041 kg) pulling strength.</li> </ul>				
	*Ask your dealer or visit canamof	froad.com for price details.			
WARN Hawse Fairlead*		With WARN winch	715007785		
	<ul> <li>Double-powder-coated cor</li> <li>Required to use the Synthe</li> <li>To be used with synthetic v</li> </ul>	tic Winch Cable (715007783) on WARN winche	S.		
Can-Am HD Hawse Fairlead		With Can-Am HD winch	715006426		
		ur winch with a synthetic cable, this corrosion-p a corner of a roller fairlead and from wearing pr c cables only.			
Roller Fairlead		With Can-Am HD winch	710007082		
	Suggested when changing     Heavy-duty replacement fa				
Wired Remote Control		With Can-Am HD winch	715006504		
TPP	Works in conjunction with t	rs to add the hand-held remote to vehicles with he mini-rocker switch. ction socket are included with Can-Am HD winc			
Wireless Remote Control		With WARN winch (Defender 2019 & prior)	715002542		
	mounting hardware.	sy to install, thanks to a wiring harness with an i winch from anywhere within a 50' (15.2 m) radit erproof.	-		
Lower Front Receiver Hitch		Defender, Defender MAX	715002519		
	Expand and enhance funct	y) towing capacity 2" (5 cm) receiver hitch. ionality by pairing it with Higher Front Receiver m its standard mounting position).	Hitch and Removable Winch Mounting Kit		

\$

Higher Front Receiver Hitch		Defender, Defender MAX (except Limited models)	715003109
	, , , ,	) towing capacity 2" (5 cm) receiver hitch. rom its standard mounting position.	



Required to install a winch on a Defender without a factory-installed winch.

Defender, Defender MAX

715008350

705204503

#### Front and Rear Hitch Drawbar



Standard on 2" (5 cm) receiver hitch.

- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
  - Forged steel.

**Rubber Receiver Plug** 



Rubber cap for 2" (5 cm) Receiver Hitch.

# PERFORMANCE

		Defender and Defender MAX (2019 & prior –except X mr, XT-P and XT CAB 2018-2019)	705402353
Performance Half Shaft		Defender, Defender MAX XT Cab 2018-2019, Lone Star Edition 2019 & prior	705402575
	<ul> <li>High-performance design ic desert riding.</li> </ul>	leal for off-road use, with superior wheel power	and acceleration for racing, dunes and
	<ul> <li>Includes CVs, shaft and boo</li> </ul>	ts with the best suited geometry for your Can-A	ım vehicle.

Brake Holding Mechanism		Defender, Defender MAX	715004733
eee .	<ul> <li>Maintains constant pressur the transmission in P (park).</li> </ul>	e on the brake pedal to keep the vehicle from m	oving on sloped terrain, without having to put

Heavy-Duty Spring Kit		Defender (Base, DPS (HD5, HD7, HD8 & HD9), XT (HD7, HD8 & HD9) & PRO (HD8)). (Except Defender MAX, 6x6 and Defender PRO).	715005084
	<ul> <li>Perfect for reducing vehicle clearing.</li> <li>Complete kit of 4 springs.</li> </ul>	gs will stiffen your suspension. overall sag when shocks are under heavy dema ler HD5, XT CAB, Mossy Oak Edition & X mr mo	

350 W Magneto Kit		Defender, Defender MAX (2020 & up except HD5 & HD7)	715007122
- 0	<ul> <li>Increases the magneto out</li> <li>Includes rotor, stator and response to the state of the state of</li></ul>		
ROL			
Emergency Kit		Defender, Defender MAX	715006102
	powersport enthusiasts ca	ir compressor, tyre repair kit, first aid kit, ratchet	-
Air Intakes & Exhaus	st		
inorkel Kit		Defender, Defender MAX (except Defender HD5, HD7 and Defender PRO)	715003727
- Mel-La	the engine.	CVT air intakes so vehicle can be semi-submers	-
202	Washer Kit.	ache Racks, Gear Rail equipment, DragonFire Ca	argo Bed Roll Bar and Windshield Wiper &
-114-1	Adapter for Snorkel Kit (71	ailable for roof level air intake and CVT exhaust. 5004414) and Sealed Air Box (707801033) are re	equired for installation on 2017 and prior
	models. <ul> <li>Standard on Defender X m</li> </ul>	r models.	
norkel Extensions		Defender, Defender MAX	715004415
dapter for Snorkel Kit	•	ar panels and windows, Rear Cargo Light and roo required, except for X mr models.	of-mounted Rear View Camera.
lot illustrated)		Defender and Defender MAX 2017 & prior	715004414
	<ul> <li>Required for the installatio</li> <li>Includes rear firewall for Set</li> <li>Standard on Defender 201</li> </ul>		and prior models.
ealed Air Box		Defender Defender MAY 2017 % prior	707801022
lot illustrated)	Required when installing the second sec	Defender, Defender MAX 2017 & prior he Snorkel Kit (715003727) on Defender and De	fender MAX 2017 and prior models.
	Standard on Defender 201	8 & up models.	
norkel Pre-FILTER		Defender, Defender MAX (except Defender PRO)	715005597
A	<ul> <li>Helps keep air filter cleane</li> <li>Filter blocks particles large</li> <li>Necessary to maintain veh</li> </ul>	our engine in harsh riding conditions. r.	
Air Intake Pre-Filter		Defender (except X mr models), Defender MAX	715003483
<b>A</b>	<ul> <li>Adds extra protection to yo</li> <li>Helps keep air filter cleane</li> <li>Filter blocks particles large</li> </ul>		

Foam Air Filter by Twin AIR $^{\dagger}$		Defender, Defender MAX	715003630
	The best sheirs for the bare	haat aanditiana	

- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow.
- Washable and reusable.

NEW CVT Air Intake Re	elocation Kit	Defender, Defender MAX (without Snorkel Kit) Defender, Defender MAX (X mr models or models with Snorkel Kit)	703501210 703501211"
Manager &		n kit is MANDATORY for track-equipped 2020 to conditions and highly recommended for other	
	<ul> <li>This kit is sold separately.</li> </ul>		
	*Comes from the factory on some	MY23; inspect the vehicle to confirm.	
	Mandatory on all MY20 and up De	efender and Traxter HD10 models equipped with a sno	rkel.

\*\*When installed, it temporarily relocates CVT air intake to the standard factory location.

# **APACHE TRACK SYSTEMS**

### Winter Tracks

-

Apache BackCountry LT Track	Kit	Defender, Defender MAX (exc	ept 6x6)	715005891
	the market with unmatched snow surface. • Large contact patch, 37% bi • Impressive added ground cl keep the vehicle over the sn • Lightweight snowmobile-ins • Aggressive track design with maximum traction on snow.	snow. nspired rail design. ith 2" (5 cm) lug height for v. ounting Kit, Track DPS Module • Track installation will affect vehicle • Fine-tune your track system using of Sliders with Vespel Inserts and Rail *Comes from the factory on some MY23, i confirm.		23° Defender amended for nd length. er Wheels, atcher. e vehicle to
Apache Backcountry LT Moun	t Kit	See table for fit, compatibility	and requirements.	715005888 715005493 715006196
	<ul> <li>DPS Module and Engine Pre</li> <li>The CVT air intake relocatio</li> </ul>	he Apache Backcountry Track e-Filter are required and sold so n kit is MANDATORY for track-t commended for other models.	eparately. equipped 2020 to 2022 and some 2023' Defend	ler and Traxter
		MY23, inspect the vehicle to confir ander and Traxter HD10 models equ		
Rail Ice Scratchers		Apache Backcountry and Bac	kcountry LT Track Systems	860201728
	Rail mounted, small, light.	on in hard and icy conditions an cept to allow reversing without se.		
Extra Wheel Kit		Apache Backcountry LT Whee	əl Kit	715006293
1. 6. 1	Extends slider life in hard sn	sistance in hard snow conditio now conditions.	ons or when transporting heavier loads. per kit to service one track corner.	

Up to two kits per rear track can be installed.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Limited Warranty\*

Model Year	/ Model	Length	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior	Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"		715005888			
2019 & Prior	Defender XT Cab 2018-2019, Lone Star Edition & X mr	67"	-	715006196	-		
2020 & Up	Defender Base, DPS (HD5, HD7, HD8 & HD9), XT (HD8 & HD9)	62"	-	715005888	-		
2020 & Up	Defender DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XT	64"	715005891	715005493	715007338	<b>703501210</b> (w/o Snorkel Kit) <b>703501211</b> (w/ Snorkel Kit)	715005597 (w/ Snorkel Kit) 715003483 (w/o Snorkel Kit)
2020 to 2022	Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"	-	715006196	-		
2023 & Up	Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"		715005493			
2024	Defender HD7	62"		715005888	715006266		

### Year-Round Tracks

### Limited Warranty\*

Apache 360 LT Track System	Defender, Defen	der MAX (exc	ept 6x6)	715005103
AA	<ul> <li>Multifunctional tracks designed to support he and to fit on most Can-Am off-road vehicles.</li> <li>Extra contact patch adjustment for better per over rough terrain.</li> <li>Contact patch is 7 to 9% bigger than the Apar</li> </ul>	formance	<ul> <li>The CVT air intake relocation kit is MANDA track-equipped 2020 to 2022 and some 202 and Traxter HD10 models used in snow cor highly recommended for other models. This separately.</li> </ul>	23° Defender aditions and
	<ul> <li>Average ground clearance of 16" (41 cm). 1" ( in the front and 1.25" (3.2 cm) in the back.</li> <li>EC compliant.</li> <li>Apache 360 LT Mounting Kit, Track DPS Mod Engine Pre-Filter Kit are required and sold september 2012 (2012)</li> </ul>	2.5 cm) lugs ule and	*Comes from the factory on some MY23, inspect the confirm. Mandatory on all MY20 & up Defender and Traxter I equipped with a snorkel.	
Apache 360 LT Mounting Kit (Not illustrated)	See table for fit,	compatibility a	and requirements.	715004832 715004831 715005492
	Required for installation of the Apache 360 LT Track System.     DPS module and Engine Pre-Filter not included.     The OPT of the Apache State S		This kit is sold separately	
			*Comes from the factory on some MY23, inspect the vehicle to confirm.	
	<ul> <li>The CVT air intake relocation kit is MANDATC track-equipped 2020 to 2022 and some 2023 and Traxter HD10 models used in snow cond highly recommended for other models.</li> </ul>	Defender	Mandatory on all MY20 & up Defender and Traxter i equipped with a snorkel.	HD10 models
Track DPS Module (Not illustrated)				715007338
	<ul> <li>An innovative DPS module that ensures spee track control and riding ease.</li> <li>Required to install the Apache and Backcoun</li> </ul>			e for perfect

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Model Year	/ Model	Length	Track	Track Mount	Track DPS Module	CVT Pre-Filter	Engine Pre-Filter
2019 & Prior	Defender Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P	62"		715004831			
2019 & Prior	Defender XT Cab 2018-2019, Lone Star Edition & X mr	64"	-	715004832	-		
2020 & Up	Defender Base, DPS (HD5, HD7, HD8 & HD9), XT (HD8 & HD9)	62"	-	715004831	-		
2020 & Up	Defender DPS (HD10), XT (HD10), XT-P, PRO DPS, PRO XT	64"	715005103	715005492	715007338	<b>703501210</b> (w/o Snorkel Kit) <b>703501211</b> (w/ Snorkel Kit)	<b>715005597</b> (w/ Snorkel Kit) <b>715003483</b> (w/o Snorkel Kit)
2020 to 2022	Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"	-	715004832	-		
2023 & Up	Defender XT Cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star	67"		715005492			
2024	Defender HD7	62"		715004831	715006266		

# **PROMOUNT PLOWS**

### Can-Am ProMount Flex2 Blades

an-Am Proiviount Flex2 60	6" (168 cm) Blade	Fits ProMount Push Frame	715006265	
	<ul> <li>Plow blade made of UHMW absorbing material prevents accidental impact occurs.</li> <li>Replaceable wear blade.</li> <li>Large pin designed for easy snow buildup at pivot point.</li> </ul>	s damaging your plow when blade rotation to eliminate	<ul> <li>Blade design provides best snow roll-off at any angl</li> <li>Clears 60" (152 cm) when plow is fully angled.</li> <li>Blade height of 17" (43 cm).</li> <li>Compatible with Can-Am ProMount Blade accessor further enhance plow versatility.</li> </ul>	
an-Am ProMount Flex2 7	72" (183 cm) Blade	Fits ProMount Push Frame	715004485	
-	<ul> <li>Plow blade made of UHMW absorbing material prevents accidental impact occurs.</li> </ul>	· ·	<ul> <li>Blade design provides best snow roll-off at any angle.</li> <li>Clears 66" (168 cm) when plow is fully angled.</li> <li>Blade height of 17" (43 cm).</li> <li>Compatible with Can-Am ProMount Blade accessories further enhance plow versatility.</li> </ul>	

### Can-Am ProMount Steel Blades

Can-Am ProMount Steel 66	" (168 cm) Blade	Fits ProMount Push Frame	<b>715006337</b> · Black <b>715006338</b> · Yellow
izmiathi	snow buildup at pivot poi	asy blade rotation to eliminate nt.	<ul> <li>Clears 60" (152 cm) when plow is fully angled.</li> <li>Blade height of 17" (43 cm).</li> <li>Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.</li> </ul>
Can-Am ProMount Steel 72		st snow roll-off at any angle.	Not compatible with S3 High Clearance Front A-Arm.      T15004474 · Black      715006021 · Yellow
TERIDADAII	snow buildup at pivot poi	asy blade rotation to eliminate	<ul> <li>Clears 66" (168 cm) when plow is fully angled.</li> <li>Blade height of 17" (43 cm).</li> <li>Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.</li> <li>Not compatible with S3 High Clearance Front A-Arm.</li> </ul>

ProMount Plow Kits - Reference Charts						
	66" Black Steel	66" Yellow Steel	66" Flex2	72" Black Steel	72" Yellow Steel	72" Flex2
Blade	715006337	715006338	715006265	715004474	715006021	715004485
Push Frame	715008116	715008116	715008116	715008116	715008116	715008116
Mounting Plate	715007745	715007745	715007745	715007745	715007745	715007745

### Can-Am ProMount Angle Plows

Can-Am ProMount 66" (168 cm) Steel Oneway State Blade

Fits ProMount Push Frame

715007263
 One-way "winged" state plow designed to throw snow

Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).

- higher.
  Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

#### Can-Am ProMount 72" (183 cm) Steel Oneway State Blade

### Fits ProMount Push Frame



Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm). One-way "winged" state plow designed to throw snow higher.
Rubber flap (715007299) designed to keep snow away

715007264

- from the driver is offered as accessory (sold separately).
- Can-Am branded.

### **Can-Am ProMount Plow Accessories**

#### Can-Am ProMount Edge Markers 715004206 Defender, Defender MAX Help locate the edges of your plow. • Height: 24" (60 cm). · Sold in pairs. Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades). Can-Am ProMount 66" (168 cm) Plastic Wear Blade 715004482 Defender, Defender MAX Can-Am ProMount 72" (183 cm) Plastic Wear Blade 715004483 Defender, Defender MAX · To help prevent scratches on smooth driveways and markable surfaces.



markable surfa

Can-Am ProMount Drift Cu	utters	Defender, Defender MAX	715006258
	<ul> <li>Help keep snow in the plow.</li> <li>Dimensions: 17" x 13" (43.2</li> <li>Sold in pairs.</li> </ul>		
Mar at a state of the	Compatible with Can-Am P blades with or without Blad the Can-Am ProMount Stee		

Can-Am ProMount Blade Exte	nsions	Defender, Defender MAX		<ul> <li>715004205 · Black</li> <li>715005319 · Yellow</li> </ul>
	Longer Wear Blade can be	roMount Blades (except for Can- installed to further extend the ex roMount Steel and Flex2 Blades	tra length alrea	
Back Drag Blade		ProMount Plows (60" and more	9)	715007794
	<ul> <li>¼ thick steel swivel scraper</li> <li>Lifts up when the vehicle is affect the scraping.</li> <li>Increased capacity to pull s</li> <li>More aggressive scraping i</li> </ul>	moving forward so as not to now.	<ul> <li>Adjustable in 72" blades.</li> </ul>	aper off the ground so that it scrapes even! n length for compatibility with 60", 66" and with ProMount blades (Flex and Steel).
Can-Am ProMount Push Fram with Quick-Attach System	e	Defender, Defender MAX		715008116
Mar and Mar	traction. <ul> <li>Designed for maximum plot</li> </ul>	es ultimate push strength and w lift height. ck-attach system, an easy foot	<ul><li>lifespan.</li><li>Can-Am Pro installation.</li><li>Blade swivel</li><li>Large pin de</li></ul>	witch recommended to extend winch cable Mount Mounting Plate required for Is left or right, 5 positions. Isigned for easy blade rotation to eliminate w buildup at pivot point.
Can-Am ProMount Push Fram	e Extension	Defender, Defender MAX		715006257
The second		ension required when plow is ins		
an-Am ProMount Mounting I	Plate	Defender, Defender MAX (202	1 & prior)	715007743
-	<ul> <li>Mounting plate precision-d</li> <li>Comes with the Plow Roller</li> </ul>	Am ProMount Push Frame with esigned to stay on year round w r Fairlead. nt High Clearance A-Arm (71500	ithout compron	
Can-Am ProMount Mounting I	Plate	Defender, Defender MAX (2022	2 & up)	715007745
	<ul> <li>Mounting plate precision-d</li> <li>Comes with the Plow Roller</li> </ul>	Am ProMount Push Frame with esigned to stay on year round w r Fairlead. nt High Clearance A-Arm (7150)	ithout compron	
Can-Am ProMount Plow Angli	ng System	Defender, Defender MAX		715009241
	<ul> <li>Allows you to have full up/d</li> <li>Using one hand to control a</li> <li>Compatible with the SxS Pr</li> <li>Not compatible with Apach</li> </ul>	oMount Push Frame and Blade. e Backcountry LT Track System. i006257) is required for installati	at your fingertip sily concentrate	os with the supplied joystick. e and manage your plowing tasks.

ProMount Plow Limit Switch (Not illustrated)		Defender, Defender MAX	715006259
	<ul> <li>For controlling the cable ten</li> <li>Prevents winch, plow push f</li> <li>Sensor relocated for optima</li> </ul>	-	
Plow Roller Fairlead		Defender, Defender MAX	715001223
	<ul> <li>Cylindrical roller fairlead</li> <li>Larger diameter lower roller</li> <li>Can be used with all ProMore</li> </ul>	r reduces wear on wire rope for plow applicatio unt plows.	n.
Super-Duty Plow Sys	tem		
Super-Duty Plow Hydraulic A	nalina Kit	Defender, Defender MAX (2019 & prior) Defender, Defender MAX (2020 & up)	715002840 715006038
	<ul> <li>Allows you to have full up/de</li> <li>Pre-assembled, it comes with the driver's seat.</li> <li>Using one hand to control all your plowing tasks.</li> </ul>	own and left/right plow control at your fingertip th everything you need to turn your Super-Duty Il plow motions with the supplied joystick will a kit, you will send snow exactly where you want ately.	Plow into a quick, easy-to-control unit from llow you to easily concentrate and manage
	Extension	Super-Duty Plow	715001221
Super-Duty Plow Push Frame (Not illustrated)	Extension to use the Super-     Comes with Plow Magnetic	Duty Plow with the Apache 360 LT Track System	

FIOW Didue Extensions		Super-Duty Plow	/15001217	
	<ul> <li>Side extensions for widenin</li> <li>Include rubber flaps for extension</li> <li>Sold in pairs.</li> </ul>	g your plow blade by 6" (15 cm) or ension parts.	each side.	
Plow Edge Markers (Not illustrated)		Super-Duty Plow	715001216	
	<ul> <li>For a more accurate view of</li> <li>Allows you to work closely a</li> </ul>	• •		
Plow Drift Cutter (Not illustrated)		Super-Duty Plow	715001218	
	<ul> <li>Keeps snow securely in the</li> <li>Allows you to cut a cleaner</li> <li>Sold individually.</li> </ul>			

Plow Rubber Flap (Not illustrated)	Super-Duty Plow	715001219		
• Кее	ps snow away from the driver and helps snow to roll in from	nt of the plow.		
Plow Pulley (Not illustrated)	Super-Duty Plow	715002042		
- Hel	<ul> <li>For use with the Super-Duty Plow.</li> <li>Helps winching efficiency.</li> <li>Requires Front XT Bumper.</li> </ul>			
Plow Magnetic Switch (Not illustrated)	Super-Duty Plow	715001995		
	gnetic switch that stops the winch to prevent cable, winch a use with Super-Duty Plow.	and frame damage.		

# **COVERS & ADD-ONS**

	Def	ender, Defender 6x6, Defe	nder PRO	715004453	
Trailering Cover	Def	Defender MAX		715004454	
3 00	<ul> <li>Heavy-duty canvas made of UV-repolyester.</li> <li>Inner soft liner protects windshie from abrasion.</li> <li>All high-abrasion areas are reinfo canvas layer.</li> </ul>	s windshield and colored panels Open Quick are reinforced with a double Can-A		ther-resistant trailering cover protects your vehicle og storage and transportation. ning for fuel cap. k and easy installation. gned to perfectly fit your vehicle with or without Am accessories. s not fit with Adventure Roof Rack (715003870).	
Bolt-On <sup>†</sup> Retractable Rat	cheting Tie-Downs			295101072	
	<ul> <li>Perfect for transporting your pow securing loads.</li> <li>Mounts easily: Bolts on any flat su frame).</li> <li>1" x 6' (2.5 cm x 1.8 m) tie-down s stitching that delivers a 500 lb (22 strength and 1,500 lb (680 kg) breatment and 1,500 kg breatment and</li></ul>	urface (e.g., truck bed or trap with heavy-duty 26 kg) working load	slackens, sp mechanism vehicle or lo • Rubber rato	retractable push button automatically pools and stores away strap, while the ratchet n tightens the strap snugly to secure your bad into place. Sheting handle provides firm grip, and the hook ted to protect whatever surface it hooks into. s.	
Ratchet Tie-Downs				715008309 · Black/Grey	
	<ul> <li>400 lb (181 kg) safe working load.</li> <li>1" x 10' (2.5 cm x 3 m) strap with \$</li> <li>Deluxe ratchet with rubber handl</li> <li>Coated S hooks.</li> <li>Pack of 2.</li> </ul>	Sea-Doo, Ski-Doo and Ca	n-Am logos.		
Heavy-Duty Ratchet Tie-	Down			715008308	
	<ul> <li>1,000 lb (454 kg) safe working loa</li> <li>1.5" x 6' (38 mm x 1.8 m) strap wit</li> <li>Deluxe ratchet with rubber handl</li> <li>Black-coated clip hooks.</li> <li>12" (300 mm) webbing included.</li> <li>Pack of two.</li> </ul>	th BRP brands.			



# CAN-AM MAVERICK R

# **MODEL PACKAGES**

Can-Am Maverick R X RS with Smart-Shox	73
Can-Am Maverick R X RS with Smart-Shox Competitive Chart	75
<b>COMPARATIVE CHART</b>	
Can-Am Maverick R Lineup	76

# ACCESSORIES

Roofs	78
Windshields & Wind Protection	78
Mirrors	79
Upper Wind Nets	79
HMWPE Skit Plates	80
Bumpers & Guards	80
LinQ: Easy On, Easy Off Cargo	82
Racks & Storage	86
ACM & Smart Accessories	89
Lights	90
Audio Systems	93
Electrical & Electronic Accessories	94
Winches	95
Performance	97





# COMING IN FIRST

# It's in our DNA

At Can-Am, our obsession with winning motivates every product we develop — and the new Can-Am Maverick R is no exception!

This new side-by-side is the result of a half century of wild rides, bold innovations and a dedication to excellence. Behind a tireless and teamwide collective effort on every feature, we've managed to push innovation and design to new heights. The overall look of the Maverick R is a clear nod to the sudden precision of a cobra, while the cockpit and knuckle in the A-arms give this new vehicle even more character and personality. It's our most refined ride ever and it's ready to put a wide grin on your face.





Watch the Maverick R story here!



### **2024 CAN-AM MAVERICK R X rs with smart-shox**



Carbon Black & Neo Yellow

ENGINE	999T DCT
Туре	240 hp, Rotax <sup>®</sup> 999T engine, 999 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	Rotax <sup>®</sup> Dual Clutch technology (DCT), 7 speed with high and low range
Drive Train	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/ 4WD TRAIL
Power Steering	Gen 2 Tri-mode DPS™ high torque

#### SUSPENSIONS

Front Suspension	Forged aluminum heavy-duty tall knuckle Double A-arm with sway bar/25 in. (63.5 cm) travel
Front Shocks	FOX <sup>†</sup> 2.5 PODIUM <sup>†</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring Live Valve gen 3 (dual-valve compression and rebound)
Rear Suspension	4-link trailing arm with forged aluminum heavy-duty tall knuckle/26 in. (66 cm) travel
Rear Shocks	FOX <sup>†</sup> 3.0 PODIUM <sup>†</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring Live Valve gen 3 (dual-valve compression and rebound)

#### **TYRES & WHEELS**

Front Tyres	ITP Tenacity XNR 32 x 10 x 16 in.		
Rear Tyres	ITP Tenacity XNR 32 x 10 x 16 in.		
Wheels	16 in. aluminum flow formed beadlock		
BRAKES			
Front	Dual 265 mm disc brakes with 32 mm hydraulic triple-piston calipers		
Rear	Dual 255 mm disc brakes with 30 mm hydraulic twin-piston calipers		

#### PACKAGE HIGHLIGHTS

- Rotax® 999T 240 hp 3 cylinder turbo charged and intercooled powerplant
- Rotax\* Dual clutch technology (DCT) with 7 speed transmission with high and low range
- · Paddle shift/Auto gear selection options selectable on the fly
- Adjustable mode settings (Normal, Sport, Sport+)
- Industry leading 77 in. stance
- 16 in. flow formed beadlock wheels • 32 in. ITP Tenacity XNR tyres
- Forge aluminium heavy duty tall knuckle front A-arms and trailing arms
- · Front and rear camera
- Smart-Lok\* front differential
- FQX1:25/3.0 PODIUMI' Piggyback with bypass and Smart-Shox\*\* Technology featuring Live Valve gen 3 (dual-valve compression and rebound)
- 10.25 in. touchscreen display
- Telescopic steering wheel with infotainment controls
- · Full roof, full skid plate
- · 4 way adjustable seats
- · 4-point harnesses with shoulder pads
- Premium high-performance LED headlights, Can-Am LED signature lights
- · Center dashboard storage with cell phone holder
- X package graphics/seats

DIMENSIONS & CAPA	CITIES
E.C. 1. 1.D. 144 - 1.4	0.050 11 (1.0

Estimated Dry Weight	2,250 lb (1,020.6 kg)
Chassis/Cage	High-strength (dual-phase) steel tubing and stampings
LxWxH	140 x 78.1 x 71.5 in. (355.6 x 198.4 x 181.6 cm)
Wheelbase	108 in. (274.3 cm)
Ground Clearance	17 in. (43.2 cm)
Rack Capacity	200 lb (90.7 kg)
Storage Capacity	Total: 2.1 gal (7.9 L)
Fuel Capacity	13.2 gal (50 L)
Person Capacity	2

#### FEATURES

Gauge	4.5 in. wide digital display with keypad and 10.25 in. touchscreen display	
Instrumentation	USB A (charging port and communication port) DC outlet (10 A)	
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start / Stop button	
Lighting	Premium high-performance LED headlights Can-Am LED signature lights	
Winch	4,500 lb (2,041 kg) winch-ready bumper (not installed)	
Magneto	1,700 W	
Protection	Full roof Premium half doors Front lower deflector Front/rear anchor Full HMWPE skid plate 4 point harnesses with shoulder pads	

	3-year unlimited km powertrain & Rotax <sup>*</sup> engine warranty and 1-year warranty & unlimited km on the rest of the unit

# THE NEWEST CAN-AM SHOWSTOPPER

#### Performance to lead the pack

**SMART-SHOX ON** 

enables more adjustment, improved

handling range.

**SELECT PACKAGES** 

This new technology

acceleration, cornering, braking and dynamic



Peace of mind: no more belt temperature to monitor, belts to change or belt maintenance required.



Take a walk-around

	)	2024 Can-Am Maverick R X RS	Polaris RZR PRO R Ultimate EPS	 2024 Can-Am Maverick X3 X RS Turbo RR with Smart Shox
Engine Size (cc)		999 cc	1997 cc	900 cc
No of Cylinders		3	4	3
Horsepower	+	240 hp	225 hp	200 hp
Power to weight	=	11.9 hp/100 lb	10.5 hp/100 lb	11.9 hp/100 lb
Turbo	=	Yes	No	Yes
Transmission	+	Rotax <sup>®</sup> DCT, 7 speed with high and low range	Automatic PVT	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow
Front Diff. Type	=	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	Pro Performance True 2WD/4WD/4WD Lock	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL
Power Steering	+	Gen 2 Tri-mode DPS™ high torque	High Assist with Quick Turn Rack	High-torque Tri-Mode Dynamic Power Steering (DPS™)
Seating Capacity	=	2	2	2
Front Suspension	+	Forged aluminum heavy-duty tall knuckle Double A-arm with sway bar	Light Weight Boxed Dual A-Arm with 3 piece Stabilizer Bar	Double A-arm with sway bar - Trophy truck inspired
Rear Suspension	+	4-link trailing arm with forged aluminum heavy-duty tall knuckle	Boxed Trailing Arm with Toe Link, High-Clearance Radius Rods, and 3 piece Stabilizer Bar	4-link Torsional Trailing Arm X (TTX) with sway bar
Wheel Size	+	16 in.	15 in.	14 in.
Wheels	+	Aluminum flow formed beadlock	Cast Aluminium	Cast-aluminum beadlock
Tyre Height	=	32 in.	32 in.	32 in.
Ground Clearance	+	43.2 cm	40.6 cm	40.6 cm
Overall Length	+	355.6 cm	347 cm	335.3 cm
Overall Width	+	198.5 cm	188 cm	184.7 cm
Vehicle Dry Weight		1,020 kg	992 kg	770.7 kg
Fuel Capacity	+	50 L	45.43 L	40 L
Anti Theft Device	=	RF Digitally Encoded Security System (D.E.S.S.™)	None	RF Digitally Encoded Security System (D.E.S.S.™)
Warranty Period	=	3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 yr unlimited km	 3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit
Display	+	4.5 in. wide digital display with keypad and 10.25 in. touchscreen display	7" Glove-Touch Display	7.6 in. wide digital display with keypad
Front Shocks		FOX <sup>†</sup> 2.5 PODIUM <sup>†</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring Live Valve gen 3 (dual-valve compression and rebound)	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)	FOX <sup>†</sup> 2.5 PODIUM <sup>†</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring DDA Valve
Rear Shocks	+	FOX <sup>†</sup> 3.0 PODIUM <sup>†</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring Live Valve gen 3 (dual-valve compression and rebound)	FOX 3.0 Live Valve X2 Internal Bypass (Electronically Controlled Compression and Rebound)	 FOX <sup>†</sup> 3.0 PODIUM <sup>†</sup> remote reservoir with bypass and Smart-Shox <sup>**</sup> Technology featuring DDA Valve
Lighting	=	Premium high-performance LED headlights Can-Am LED signature lights	Signature White LED, Low/High & Red LED Tail / Brake Lights; Front, Rear, and Interior Accent Lighting	LED headlights and tail lights, LED signature lights
Protection		Full roof, Premium half doors, Front lower deflector, Front/rear anchor, Full HMWPE skid plate	Half Door, 6 point harness, roof, skid plate	Integrated front bumper, quarter doors, full roof, 4-point harness with shoulder pads, HMWPE full skid plate, rear tow hook

\*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry. \*\*Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry. \*Visco-Lok is a trademark of GKN Viscodrive GmbH.

	MAVERICK R	MAVERICK R X RS WITH SMART-SHOX***
со	LOUR OPTIONS	Carbon Black & Neo Yellow
	Туре	240 hp, Rotax® 999T DCT engine, 999 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-performance air filter
Si Si	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
ENGINES	Transmission	Rotax® Dual Clutch technology (DCT), 7 speed with high and low range
	Drive Train	Lockable front differential with exclusive Smart-Lok* True 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL
	Power Steering	Gen 2 Tri-mode DPS™ high torque
s	Front Suspension	Forged aluminum heavy-duty tall knuckle Double A-arm with sway bar/25 in. (63.5 cm) suspension travel
SUSPENSIONS	Front Shocks	FOX <sup>1</sup> 2.5 PODIUM <sup>1</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring Live Valve gen 3 (dual-valve compression and rebound)
USPEI	Rear Suspension	4-link trailing arm with forged aluminum heavy-duty tall knuckle/26 in. (66cm) travel
	Rear Shocks	FOX <sup>+</sup> 3.0 PODIUM <sup>+</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring Live Valve gen 3 (dual-valve compression and rebound)
TYRES/ WHEELS	Front / Rear Tyres Wheels	ITP Tenacity XNR 32 x 10/10 x 16 in. 16 in. aluminum flow formed beadlock
BRAKES	Front	Dual 265 mm disc brakes with 32 mm hydraulic triple-piston calipers
BRA	Rear	Dual 255 mm disc brakes with 30 mm hydraulic twin-piston calipers
	Estimated Dry Weight	2,250 lb (1,020.6 kg)
IES	Chassis / Cage	High-strength (dual-phase) steel tubing and stampings
ACIT	LxWxH	140 x 78.1 x 71.5 in. (355.6 x 198.4 x 181.6 cm)
DIMENSIONS/CAPACITIES	Wheelbase	108 in. (274.3 cm)
SION	Ground Clearance	17 in. (43.2 cm)
MEN	Rack Capacity	200 lb (90.7 kg)
	Storage Capacity	Total: 2.1 gal (7.9 L)
	Fuel Capacity	13.2 gal (50 L)
	Person Capacity	2
	Gauge	4.5 in. wide digital display with keypad and 10.25 in. touchscreen display
	Instrumentation	USB A (charging port and communication port) DC outlet (10 A)
	Anti-Theft System	RF Digitally Encoded Security System (D.E.S.S.™) with start/stop button
ES	Lighting	Premium high-performance LED headlights Can-Am LED signature
FEATURES	Winch	4,500 lb (2,041 kg) winch-ready bumper (not installed)
Ē	Magneto	1,700 W
	Protection	Full roof Premium half doors Front lower deflector Front/rear anchor Full HMWPE skid plate 4 point harnesses with shoulder pads

<sup>1</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH. \*\*\*3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit



### <u>ROOFS</u>

NEW Sport Roof		Maverick R	715007364
	<ul> <li>Impact-resistant injected polypropylene.</li> <li>Provides excellent protection from the elements and downhill visibility.</li> <li>Designed to work with the Cold Air Roof Scoop (715008280).</li> <li>Windshield compatible.</li> </ul>		
NEW Cold Air Roof Scoop		Maverick R	715008280
	Feeds fresh air to the engine		Ċ.

- Sleek design for a sleek racing look.
- Increases cold air to the intake to prevent power loss.
- Required when using a full windshield.
- Requires a Sport Roof or Can-Am JL Audio Roof Level 4.
- Not compatible with the Audio Roof Flip Kit.

### **WINDSHIELDS & WIND PROTECTION**

#### Windshields

#### **NEW** Glass Windshield

NEW Glass Windshield		Maverick R	/1500/181	
	Curved and laminated glass	full windshield.		
	<ul> <li>Seals firmly against the cage and protects both the rider and the passenger from the elements.</li> </ul>			
	<ul> <li>Provides maximum optical clarity and abrasion resistance.</li> </ul>			
	Must be used with the Wiper & Washer Kit for clear visibility during severe riding conditions, including mud riding.			
	Use with rear wind protection to maximize passenger comfort.			
	<ul> <li>Must be used with the Cold</li> </ul>	Air Roof Scoop (715008280).		
	<ul> <li>Compatible with the SMAR</li> </ul>	Integrated Roof LED Light.		
	<ul> <li>Not compatible with the Au</li> </ul>	dio Roof Flip Kit (715008164).		

745007404

715007321

#### NEW Full Windshield - Hardcoated

- Coated Maverick R
   Highly impact-resistant Quantum<sup>†</sup> hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
  - Provides excellent optical clarity and better abrasion resistance.
  - Protects the driver and the passenger from the elements.
- Quick and easy toolless removal.
- Use with rear wind protection to maximize comfort for the passenger.
- Can be used with the Windshield Wiper & Washer Kit (715007173) (light-duty usage only).
- Compatible with SMART Integrated Roof LED Light.
- Must be used with the Cold Air Roof Scoop (715008280).
- Not compatible with the Audio Roof Flip Kit (715008164).

Intermittent Wiper & Washe	er Kit	Maverick R	715007173	
NI 1	<ul> <li>The wiper mechanism and v</li> <li>The wiper and washer fluid</li> <li>For use on Glass or Hardcoater</li> <li>Intermittent wiper speed feature</li> </ul>	o keep your windshield clear in the rain, or while riding through mud and water. chanism and washer fluid dispenser are perfectly concealed on the vehicle. d washer fluid dispenser installs at the bottom of the windscreen for maximum visibility. ass or Hardcoated Windshields. viper speed feature available when the kit is installed in combination with ACM. ess required (715008855) to hook up and operate the Wiper & Washer Kits when ACM is not installe ly.		
NEW Manual Wiper Kit		Maverick R	715009424	
	<ul> <li>Easy to install system that re</li> <li>Large ergonomic handle pro</li> </ul>	anual wiper that can be used to clear windshield of debris. stall system that requires no electrical hookup. onomic handle provides a good grip over the entyre sweeping surface. Ile with glass and hardcoated windshields that use top mounted wipers.		

#### **Rear Wind Protection**

#### **NEW Rear Polycarbonate Window** Maverick R

High impact-resistant polycarbonate window.



• Reduces windshield backdraft and stops dust and rain from entering the cabin for added comfort.

715007315

715007317

· Quick and easy installation.

· Designed to work with Can-Am's JL Audio Level - 3 and 5 rear speakers, and all roofs.

#### **NEW Rear Wind Screen**



· Full rear mesh screen reduces windshield backdraft for added cabin comfort.

Maverick R

· Installs quickly and easily on roll cage.



|--|

NEW Aluminum Side Mirrors		Maverick R	715007363
	The convex surface provides     Can be installed at any heigh     Possibility to install the Integ     Adjustable ball-joint mirrors	nirrors (fold-away mechanism).	
NEW Side Mirrors		Maverick R	715007188
	the cage A-pillar for optimize • Adjustable ball-joint mirrors.	s a wider field of view and better visibility aroun ed rider vision. nirrors (fold-away mechanism).	d the unit. Can be installed at any height on
Rear View Mirror and Camera	Monitor	Maverick R	715009410

• Fully waterproof rearview mirror and monitor kit.




- See exactly what you need to see with the multiple camera feeds from the rear view camera.
- This unit replaces the stock rearview mirror (the screen is integrated in the unit's replacement rearview mirror).
- The camera uses infrared light for night vision capabilities.

### **UPPER WIND NETS**

NEW Upper Wind Nets		Maverick R	715007376
AL DEC	This complete mesh screen net with a steel frame attaches to the door of the vehicle for added protection from the wind and mud.		
	Easy to use, it follows the door's movements.		
	Facilitates ingress and egress.		
	The net zips up and down for added ventilation when required.		
	<ul> <li>Sold in pairs.</li> </ul>		

79

### <u>HMWPE SKID PLATES</u>



#### MAVERICK R

2023

#### **HMWPE Skid Plate Protection Kit**

715007373

In	Individual HMWPE Skid Plates				
1	HMWPE Front A-Arm and Trailing Arm Protectors	715007183			
2	HMWPE Front Skid Plate	715007313			
3	HMWPE Underbelly Plate	715007314			

Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed %" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

· Lighter than aluminum.

Superior stress crack resistance.

· High-impact strength.

### **BUMPERS & GUARDS**

Bumpers			
NEW Trail Front Bumpers		Maverick R	<ul> <li>715007803 · Black</li> <li>715008763 · Yellow</li> </ul>
S	<ul> <li>Added heavy-duty protectio</li> <li>Made of 1.5" (3.8 cm) diame</li> <li>Anti-corrosion coating with</li> </ul>	durable powder coat finish. ers and Rear Bumper for ultimate protection.	
NEW Desert Front Bumpers		Maverick R	<b>715007311</b> · Black <b>715007691</b> · Yellow
77	<ul> <li>Sleek and rugged design.</li> <li>Provides added protection without sacrificing the agility and performance of the vehicle.</li> <li>Made of heavy-duty steel profiled tubing to protect the front of the unit.</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> <li>Combine with the Rock Sliders and Rear Bumper for ultimate protection.</li> <li>Features integrated mounting points for lights.</li> <li>Winch compatible.</li> </ul>		

NEW Dune Front Bumpers		Maverick R	■ 715007169 · Black ■ 715007305 · Raw Metal
	<ul> <li>Allows for better ground cle</li> <li>The sleek design gives the u</li> <li>Made of heavy-duty steel with the sleek design gives the sleek design git gives the sleek design gives the sleek desleek</li></ul>	unit a sportier look. ith a ¼" (3 mm) aluminum plate. osion coating with durable powder coat finish.	d provides added protection to the vehicle.

· Not winch compatible.

NEW Desert Rear Bumpers		Maverick R	<b>715007172</b> · Black 715007694 · Yellow
	Rugged design.	a the rear of the unit without exerting the equi	the second s

- Provides added protection to the rear of the unit without sacrificing the agility and performance of the vehicle.
- Gives riders extra grip on the bumper and improves accessibility to rear cargo.
  - Made of heavy-duty steel profiled tubing.
  - Inside and outside anti-corrosion coating with durable powder coat finish.
  - Combine with the Rock Sliders and Front Bumper for ultimate protection.

Rock Sliders				
NEW Rock Sliders		Maverick R	<ul> <li>715007170 · Black</li> <li>715007693 · Yellow</li> </ul>	
	<ul> <li>Protect the vehicle's sides against obstacles.</li> <li>With added grip on top to improve accessibility to the roof cargo.</li> <li>Made of unique heavy-duty steel profiled tubing.</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> <li>Combine with the Front and Rear Bumpers for ultimate protection.</li> <li>Sold in pairs.</li> </ul>			
NEW HMW-HDPE Rock Slide	ers	Maverick R	715008142	

#### **NEW HMW-HDPE Rock Sliders**

<ul> <li>The sleek design gives the vehicle a sportier look.</li> <li>Tight integration with the unit's body to provide maximum obstacle clearance and outstanding protection.</li> <li>Made of combination of HMWPE and HDPE for extra durability.</li> <li>Add the Dune Front Bumper for ultimate protection and integrated lights for optimal visibility.</li> <li>Sold in pairs.</li> </ul>	 •		
	<ul> <li>Tight integration with the ur</li> <li>Made of combination of HN</li> <li>Add the Dune Front Bumper</li> </ul>	it's body to provide maximum obstacle clearand IWPE and HDPE for extra durability.	

#### **Intrusion Bar**

NEW	Front	Intrusion	Bar
-----	-------	-----------	-----

- The steel intrusion bar matches the vehicle's styling and enhances its visual impact.
- The tube's design doesn't obstruct the rider's line of sight, and reduces blind spots for increased visibility.
  - Inside and outside anti-corrosion coating with durable powder coat finish.

Maverick R

 Compatible with the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (710006818) and SMART Integrated LED Roof Light (715007322).

715007312

Compatible with all windshields.

### LINQ: EASY ON, EASY OFF CARGO







#### **MAVERICK R'S LINQ ACCESSORIES**

#### Mounting location and requirements

<ul> <li>No tools needed: Quickly install and remove accessories by hand</li> <li>Equip your Can-Am for specialized tasks in no time</li> <li>Sturdy mounting system that holds up to the roughest terrain</li> </ul>	Standard Cargo Bed	LinQ Pivoting Rack 715007306	Adventure Roof Rack 715007186
LinQ Accessories with 16" Base	<ul> <li>Lower loading capacity that</li> </ul>	nches apart, center-to-center. n the LinQ with 36" base acce: "V and SxS vehicles, Can-Am S -Doo snowmobiles.	ssories.
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black			
LinQ Tool Kit 715006829			
LinQ Tool Box 715008111	Central position: No further requirements (fit on stock mounted LinQ		
LinQ SR 5.5 Gal (21 L) Bag 860202449	anchors) Other positions:	LinQ Base Installation Kit <b>715008125</b> (1 set needed/accessory)	LinQ Base Installation Kit <b>715008125</b> (1 set needed/accessory)
LinQ 4.5 Gal (17 L) Sport Bag 860202447	LinQ Base İnstallation Kit 715008125 (1 set needed/accessory)	(, cornecta/doodoory)	(, controlada/dooddoly)
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Roll-Top Bag 715008110			
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles.	
	<ul> <li>Higher loading capacity that</li> </ul>	an the LinQ with 16" base acce	
with 36" Base LinQ Cargo Box (53L)	Higher loading capacity tha     Usage is limited to Can-Am     No further requirements	an the LinQ with 16" base acce ORV vehicles. LinQ Base Installation Kit	essories. LinQ Base Installation Kit
With 36" Base LinQ Cargo Box (53L) 715006997 LinQ Low Profile Box (63L)	Higher loading capacity tha     Usage is limited to Can-Am	an the LinQ with 16" base acce ORV vehicles.	essories.
With 36" Base         LinQ Cargo Box (53L)         715006997         LinQ Low Profile Box (63L)         715007827         LinQ Cargo Basket (90L)	Higher loading capacity that     Usage is limited to Can-Am     No further requirements     (fit on stock mounted LinQ	an the LinQ with 16" base acce ORV vehicles. LinQ Base Installation Kit <b>715008125</b>	essories. LinQ Base Installation Kit <b>715008125</b>
With 36" Base           LinQ Cargo Box (53L)           715006997           LinQ Low Profile Box (63L)           715007827           LinQ Cargo Basket (90L)           715005274           LinQ 9.2 Gal (35L) Cooler	Higher loading capacity that     Usage is limited to Can-Am     No further requirements     (fit on stock mounted LinQ	an the LinQ with 16" base acce ORV vehicles. LinQ Base Installation Kit <b>715008125</b>	essories. LinQ Base Installation Kit <b>715008125</b>
With 36" Base           LinQ Cargo Box (53L)           715006997           LinQ Low Profile Box (63L)           715007827           LinQ Cargo Basket (90L)           715005274           LinQ 9.2 Gal (35L) Cooler           715006998	<ul> <li>Higher loading capacity that</li> <li>Usage is limited to Can-Am</li> <li>No further requirements (fit on stock mounted LinQ anchors)</li> </ul>	an the LinQ with 16" base acce ORV vehicles. LinQ Base Installation Kit <b>715008125</b> (2 sets needed/accessory) LinQ Base Installation Kit	LinQ Base Installation Kit <b>715008125</b> (2 sets needed/accessory) LinQ Base Installation Kit
With 36" Base           LinQ Cargo Box (53L)           715006997           LinQ Low Profile Box (63L)           715007827           LinQ Cargo Basket (90L)           715005274           LinQ 9.2 Gal (35L) Cooler           715006998           LinQ Cargo Accessories           LinQ Trunk Box (96L)	Higher loading capacity tha     Usage is limited to Can-Am     No further requirements     (fit on stock mounted LinQ         anchors)	an the LinQ with 16" base acce ORV vehicles. LinQ Base Installation Kit <b>715008125</b> (2 sets needed/accessory)	Essories. LinQ Base Installation Kit <b>715008125</b> (2 sets needed/accessory)
With 36" Base           LinQ Cargo Box (53L)           715006997           LinQ Low Profile Box (63L)           715007827           LinQ Cargo Basket (90L)           715005274           LinQ 9.2 Gal (35L) Cooler           715006998           LinQ Cargo Accessories           LinQ Trunk Box (96L)           715007182           LinQ Side Cargo Boxes (13.5L)	Higher loading capacity tha     Usage is limited to Can-Am     No further requirements     (fit on stock mounted LinQ         anchors)     No further requirements     (fit on stock mounted LinQ	an the LinQ with 16" base acce ORV vehicles. LinQ Base Installation Kit <b>715008125</b> (2 sets needed/accessory) LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b> (2 sets needed/accessory) LinQ Base Installation Kit <b>715008125</b>
With 36" Base           LinQ Cargo Box (53L)           715006997           LinQ Low Profile Box (63L)           715007827           LinQ Cargo Basket (90L)           715005274           LinQ 9.2 Gal (35L) Cooler           715006998           LinQ Cargo Accessories           LinQ Trunk Box (96L)           715007182           LinQ Side Cargo Boxes (13.5L)           715007372	Higher loading capacity tha     Usage is limited to Can-Am     No further requirements     (fit on stock mounted LinQ         anchors)     No further requirements     (fit on stock mounted LinQ	an the LinQ with 16" base acce ORV vehicles. LinQ Base Installation Kit <b>715008125</b> (2 sets needed/accessory) LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit 715008125 (2 sets needed/accessory) LinQ Base Installation Kit 715008125

#### LinQ Accessories with 16" Base

LinQ Modular Box		Mayoriak P		715005494 · (10 L) 715007112 · (20 L) 715006820 · (20 L)
	<ul> <li>Allows stacking of other mo</li> <li>Always have the right box s</li> <li>Can be installed on any Lini</li> <li>See table for installation loc</li> </ul>	Q base with a 16" width.	e right gear acces	<b>715006830</b> · (30 L) ssible.
Thermal Insert for LinQ Modu	ılar Box (10 L)	Maverick R		219401110
	<ul> <li>Insulated liner.</li> <li>Fits very well in the LinQ Me</li> <li>Can contain seven 355 ml c</li> <li>Keeps ice cold for one day.</li> <li>Interior dimensions: 9" L x 1</li> </ul>	ans.		
LinQ Tool Box		Maverick R		715008111
	<ul> <li>High precision injected HD</li> <li>5 gal (19 L) maximum capace</li> <li>Weather-resistant, sealed a</li> <li>Easy one-second on/off too</li> <li>All the benefits of LinQ—sin</li> <li>See table for installation loc</li> </ul>	nd lockable cover. Il-less system. nple, fast and secure.	ity and durability.	
LinQ Tool Kit		Maverick R		715006829
	<ul> <li>Includes:</li> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location (belt not included)</li> </ul>	<ul> <li>Long-socket 19 mm %" drive - 6 pts</li> <li>Socket 18 mm %" drive</li> <li>Long-socket 17 mm %" drive - 6 pts</li> <li>Socket 15 mm %" drive</li> <li>Socket 13 mm %" drive</li> <li>Socket 10 mm %" drive</li> </ul>	<ul> <li>Socket 8 mm</li> <li>Combined w</li> <li>Socket Torx</li> </ul>	vrench 19 mm       - Socket Torx T20 %" drive         vrench 18 mm       - Breaker bar %" drive         vrench 15 mm       - See table for installation location and requirements         vrench 13 mm       vrench 10 mm         vrench 8 mm       - See table for installation location and requirements
LinQ 4.2 Gal (16 L) Cooler		Maverick R		■ 219400964 · Black 295100698 · White
S.A	<ul> <li>All the benefits of LinQ—sir</li> <li>Rotomolded construction for and durability.</li> <li>Premium-quality foam insul ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US)</li> </ul>	or exceptional rigidity ation for optimal n	<ul> <li>Can contain</li> <li>Keeps ice co</li> <li>Exterior dimensional dimensionada dime</li></ul>	cond on/off tool-less system. twenty 355 ml cans. old for three days. ensions: 13" L x 20" W x 10" H. ensions: 9" L x 17" W x 7" H. r installation location and requirements.
LinQ 4.5 Gal (17 L) Sport Bag		Maverick R		860202447
	<ul> <li>17-liter (4.5 US gallon, 1,03)</li> <li>Rigid bottom, semi-rigid top</li> <li>See table for installation loc</li> </ul>	).		

SR 5.5 Gal (21 L) LinQ Bag		Maverick R		860202449
	<ul> <li>All the benefits of LinQ—sit</li> <li>Semi-rigid expandable bag.</li> <li>5.5 gal (21 L) capacity.</li> <li>Utilizes LinQ mounting syst</li> <li>Easy one-second on/off too</li> <li>See table for installation loop</li> </ul>	em (Patent US 8777531 and US ol-less system.	8875830).	
LinQ Roll-Top Bag		Maverick R		715008110
LinQ Accessories wi	<ul> <li>LinQ mounted using heavy</li> <li>High capacity storage solut</li> <li>Bottom foam liner for additi</li> <li>Integrated handle for easy t</li> <li>Dimensions: 14" L x 19" W</li> <li>See table for installation loop</li> </ul>	ion (40 L). onal equipment protection. rransportation on/off the vehicle x adjustable H.		ment.
NEW LinQ 9.2 Gal (35 L) Co		Maverick R		715006998
	<ul> <li>LinQ-mounted for efficient a place with only a quarter tu</li> <li>Easy to install, easy to remote a last to installation in LinQ 36" com</li> <li>Made of polyethylene for ear and durability.</li> <li>Storage capacity of 35 L.</li> <li>Lock the cooler on the vehi (860201968).</li> <li>Premium-quality foam insuice retention.</li> </ul>	we using the LinQ system. figuration. kceptional rigidity cle using the LinQ Lock	<ul> <li>rear of the co</li> <li>A dry basket</li> <li>Drain plug at</li> <li>The new erg the top is tigl</li> <li>Innovative w</li> </ul>	is included to protect your food from water. t the bottom to get rid of excess water. onomic and resistant latch system ensures
inQ Cargo Box (53 L)		Maverick R		715006997
Ca	<ul> <li>Possibility to install LinQ 16</li> <li>Ability to install Tool Holder</li> </ul>	with the LinQ system. ant latch system offers excellent " accessories on the cover and	increase the car	' rgo capacity.
NEW LinQ Low Profile Box (	63 L)	Maverick R		715007827
	<ul> <li>Made of impact-resistant in weatherproof, this box has</li> <li>LinQ-mounted for efficient locked in place with only a easy to remove using the Li</li> <li>Can be installed in several configuration</li> </ul>	a storage capacity of 63 L. and secure storage, it is quarter turn. Easy to install,	<ul> <li>system preve</li> <li>Support feet own.</li> <li>The compac of vision.</li> </ul>	d with the rigid handle. The anti-vibration ents the handle from moving while riding. at hinge level so the box can stand on its t design allows for maximum rear field

configuration.	<ul> <li>Features a lock on the front of the box</li> </ul>
<ul> <li>LinQ 16" accessories can be installed on the cover to</li> </ul>	(two keys included).

increase cargo capacity.

#### LinQ Cargo Basket (90 L) 715005274 Maverick R Made of polyethylene. Storage capacity of 23 gal (90 L). • Easy to install and remove with the LinQ system. Can already be installed on your vehicle thanks to the stock mounted LinQ anchor. · 6 handles on the contour to easily install bungee cords. Ability to install Tool Holders (715008896) on the basket.

#### LinQ Cargo Accessories

NEW LinQ Trunk Box (96 L)		Maverick R	715007182
	<ul> <li>Features a maximum storag</li> <li>Easy to install, easy to remo</li> </ul>		,
	•	on with the LinQ Side Cargo Boxes (13.5 L) for a	

Compatible with the Pivoting Rack.

NEW LinQ Side Cargo Boxes	(13.5 L)	Maverick R	715007372	
	<ul> <li>Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.</li> <li>Features a maximum storage capacity of 13.5 L each and 5 kg.</li> </ul>			
161	<ul> <li>Easy to install, easy to remove thanks to the LinQ system.</li> <li>Possibility of installing up to two LinQ 16" accessories between the LinQ Side Cargo Boxes (13.5 L).</li> </ul>			

- Ability to install in conjunction with the LinQ Trunk Box (96 L) for a complete cargo solution.
- Compatible with the Pivoting Rack.

LinQ Holders		Maverick R	715007358
	<ul> <li>Ultra-versatile tool holder.</li> <li>Convenient swivel-latch al</li> <li>Sold in pairs.</li> </ul>	lows tools to be stored in any orientation	' on.
inQ Gear Grips		Maverick R	715005340
៤៤	<ul> <li>Heavy-duty design for carr</li> <li>Quick-release button oper</li> </ul>	provide a custom fit for a variety of iter ying bows, fishing poles, rakes, farm to is grip quickly for easy access to gear.	ns from 1" to 4" (2.5 cm to 10 cm) in diameter. bols and more.

- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.

LinQ Mounting			
LinQ Adaptor		Maverick R	715003058
000 ₩	<ul> <li>Sold in pack of 4.</li> <li>Allows the installation of the</li> </ul>	LinQ Tool Holder on the Adventure Roof Rack.	
LinQ Base Installation Kit		Maverick R	715008125
80	<ul> <li>Unique mounting fastener u</li> <li>Included: 2 Cargo LinQ base</li> </ul>	sable on any LinQ system accessory. ss and hardware.	
LinQ Lock		Maverick R	860201968
	<ul> <li>Simple way to securely lock</li> <li>Lock cover protects lock from</li> <li>Corrosion resistant.</li> </ul>		

- Conosion resistant.

- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder or LinQ Gear Grips.

#### **Spare Tyre Ratchet Tie-Downs**

Maverick R

280000955

- · 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tyres on accessories equipped with integrated spare tyre attachment points.
- · Adjustable to accommodate most common UTV tyre sizes.

- Ratchet and junction ring made of durable zinc-plated steel.
  - · Required for spare tyre attachment on Adventure Roof Rack.

### **RACKS & STORAGE**

#### 

<b>NEW</b> LinQ Pivoting Rack		Maverick R		715007306
	<ul> <li>Strong and durable, the LinG cargo securely in place.</li> <li>Anti-corrosion coating with o Gaz cylinder pivot action, loc</li> <li>Possibility of installing up to on top of the rack.</li> </ul>	durable powder coat finish. ks in the open position.	the rack. <ul> <li>Features and</li> </ul>	with LinQ accessories for installation under chor points for the spare-tyre attachment. ïe-Downs sold separately.
NEW Adventure Roof Rack		Maverick R		715007186
-	<ul> <li>The ideal cargo solution. Pactive take on any off-road experient</li> </ul>		0	nounting points for lights.

- Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- This roof rack features a height adjustment setting to precisely accommodate a stock roof or a roof with Cold Air Roof Scoop.
- Features anchor points for a spare tyre attachment. Can be completed with LinQ Adaptor (715003058)
- on the side.
- The Spare Tyre Tie-Downs sold separately.
- · Sport roof is required for installation.

#### Storage


NEW Shoulder Storage Bag		Maverick R		715007371	
	securely while you ride.		<ul> <li>The thermoformed base attaches to the doors, allowing the bags to be installed.</li> <li>Its soft construction makes the bag flexible enough to hodd-shaped loads.</li> </ul>		
NEW Overhead Storage Bag		Maverick R		715007379	
Cores -	<ul> <li>This weather-resistant bag holds your gear safely and securely while you ride.</li> <li>Makes smart use of the overhead space and increases the vehicle's cargo capacity by 2.3 gal (9 L).</li> <li>The thermoformed base attaches to the roof for easy bag installation and the soft construction makes the bag flexible enough to fit oddly shaped loads.</li> </ul>		items in the l storage space • Contains two that can be o • Easily access	sections: a fixed bag and a detachable bag	
NEW Upper Door Storage Ba	gs	Maverick R		715008065	
	<ul> <li>These weather-resistant bag securely while you ride.</li> <li>The Door Bags fit in the upp your vehicle's cargo space.</li> <li>Each bag is designed as a 1 and is equipped with inner r</li> </ul>	er door opening to increase .3 gal (5 L) capacity pocket	the bags to b Its soft const odd-shaped	ruction makes the bag flexible enough to fit loads. / cushions for extra comfort.	



NEW Lower Door Storage Bag	js	Maverick R		715007324
<ul> <li>These weather-resistant basecurely while you ride.</li> <li>The Door Bags fit in the low the vehicle's cargo space.</li> <li>Each bag is designed as a tand equipped with inner network.</li> <li>The thermoformed base att the bags to be installed.</li> </ul>		er door opening to increase .3 gal (5 L) capacity pocket tting compartments.	odd-shaped <ul> <li>Added cushi</li> <li>Sold in pairs.</li> </ul>	ions for extra comfort. ble with Door Speakers
NEW Passenger Storage Seat	Bag	Maverick R		715008080
	<ul> <li>This weather-resistant bag I securely while you ride.</li> <li>Bag settling on the passeng vehicle's cargo capacity.</li> <li>This bag features a 14.5 gal is divided into two compartment is ins beverages cold and include</li> </ul>	er seat to increase the (55 L) storage capacity and nents. ulated to keep your	such as a ce • The bottom of and serves a	compartment is accessible from both sides s a large pocket for storing various items. ble pocket at the front of the bag can be
NEW Back Panel Storage Net	Storage net behind the pass	Maverick R senger seat for more storage.		715008312
NEW Bed Side Doors		Maverick R		715009154
1	•	lution out of the rear bed cavities of the unit. rail and safety items that remain on the vehicle. Je Doors, one for each side.		

# INTELLIGENCE MEETS ACCESSORIES

Maximize your riding experience with live ECU information from your vehicle.



#### Can-Am SMART Accessories are an industry first!

Driven by the Can-Am ACM (Accessory Control Module), the SMART accessories react to sensors in the vehicle. For example, lights change from Flood to Spot when you speed, and follow a curve's direction based on steering input.

### **ACM & SMART ACCESSORIES**

#### Accessory Control Module (ACM)

NEW Accessory Control Me	odule	Maverick R		715009796
	Connect your accessories t     Easy accessory installation     Creates an ecosystem that     Includes ACM Front Harner     (two auxiliary connectors accessed)	to the 10.25" Color Touchscree (plug and play). makes installing accessories c ss to connect front-mounted S vailable).	n Display. Juicker and easie MART accessorie	aximize your accessory experience.
NEW Rear ACM Harness (Not Illustrated)		Maverick R		715009268
	•	nounted accessories and rear of makes installing accessories of re available.	0	
NEW SMART Control Cente	r for ACM	Maverick R		715007712
	the active mode. <ul> <li>Icons illuminate when acce</li> <li>Make accessory control ch</li> </ul>	o around the button indicates essories are activated.	one click. Re this button is • 6 pre-progra Windshield, J	O Off button to turn off all front lights with members the last programmed setups wher pressed again. mmed buttons (Light Bars, PowerFlip All Front LED Off, Corner Lights) and able buttons to customize according to ries installed.

#### **SMART Accessories**

NEW SMART Integrated LED Roof Light	Maverick R				7150073	22		
	22,100 lumens	50 m 25 0 -25 -50 0	100	200	300	400	500 m	-
<ul> <li>Mounted under the roof for a signature look.</li> <li>Windshield compatible.</li> <li>Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).</li> <li>Spot/Flood combo beam.</li> </ul>						ED Roof		
NEW SMART Integrated LED Hood Light	Maverick R				7150073	78		
	5,250 lumens	30 m 10 0 -10 -30 0	50	100	150 20	0 250 m		
<ul> <li>Mounted flush inside the hood scoop for a signature look.</li> <li>Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).</li> <li>Spot/Flood combo beam.</li> </ul>	<ul> <li>5,250 lumens.</li> <li>Off/Low/High</li> <li>Off/Low/High</li> <li>Accessory Co</li> <li>Wiring harnes</li> </ul>	/SMART Au	utomatic N e (715009	)796) is r	equired for	SMART fu	inctionality.	

Wiring harness required for on/off function when ACM is not installed. Sold separately.

#### **NEW SMART Integrated LED Side Mirror Lights** Maverick R 715007185 3,000 lumens · Left & right dynamic lighting with Accessory Control Module (ACM) install. Follow Light up corners.

- · Increase the width of the beams and illuminate the wheels for increased visibility.
- · Wide flood beam.
- · 3,000 lumens for each light.

- steering wheel input. Accessory Control Module (715009796) is required for SMART functionality.
- · Wiring harness required for on/off function when ACM is not installed. Sold separately.
- Require Aluminum Side Mirrors (715007363).
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed. Sold separately.

#### **NEW SMART LED Chase Lights**

NEW SMART LED Chase Lights		Maverick R		715007727	
990	<ul> <li>Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.</li> <li>Four modes available:</li> </ul>		<ul> <li>Modular to allow installation with rear roll cage mounted accessories.</li> <li>Plug-and-play installation with the Accessory Control Module (ACM).</li> </ul>		
	<ul> <li>Trail Mode: serves as a ta</li> <li>Chasing Mode: displays a as a brake light.</li> </ul>	il light and as a brake light. mber light pattern and serves		ontrol Module (715009796) and Rear ACM 5009268) are required for SMART	
- Work Mode: whi - Reverse Mode (v	Work Mode: white light to     Reverse Mode (when con     Control Module (ACM)); s	nected with Accessory	operate the L	ness (715008210) required to hook up and LED Chase Lights (715007727) for a nction when ACM is not installed.	

- Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light.

#### **Intermittent Wiper & Washer Kit**

Maverick R 715007173 · An ideal way to keep your windshield clear in the rain, or · For use on Glass or Hardcoated Windshields. while riding through mud and water. · Intermittent wiper speed feature available when the kit is The wiper mechanism and washer fluid dispenser are installed in combination with ACM. perfectly concealed on the vehicle. Electric Harness (715008855) required to hook up and operate the Wiper & Washer Kit (715007173) for on/off function when ACM is not installed. The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.

### LIGHTS

SMART Lights				
	SM	ART LIGHTS WHE	N ACM IS INSTAL	.LED
SMART	SMART Integrated LED Roof Light <b>715007322</b>	Roof Light Hood Light		SMART LED Chase Lights 715007727
functionality	Accessory Control Module (ACM) with Front ACM Harness 715009796		Aluminum Side Mirrors 715007363 + Accessory Control Module (ACM) with Front ACM Harness 715009796	Accessory Control Module (ACM) 715009796 + Rear ACM Harness 715009268
	SMAR	T LIGHTS WHEN	ACM IS NOT INST	ALLED
ON/OFF	SMART Integrated LED Roof Light <b>715007322</b>	SMART Integrated LED Hood Light <b>715007378</b>	SMART Integrated LED Side Mirror Lights 715007185	SMART LED Chase Lights <b>715007727</b>
functionality	Wiring Harness <b>715008209</b>	Wiring Harness <b>715008211</b>	Aluminum Side Mirrors 715007363 + Wiring Harness 715008212	Wiring Harness 715008210

\*All lights are intended for off-road use only.

#### **BAJA Lights**

		2	Choose your ligh	nts	
1 Choose your		<b>BAJA LIGHTS</b>	WHEN ACM I	S INSTALLED	
mount point	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar <b>710006818</b>	10" (25 Cm) Baja Designs OnX6 LED Light Bar <b>710006819</b>	Baja Designs XL Sport LED Lights <b>710006821</b>	Baja Designs Squadron Sport LED Lights <b>710004648</b>	Baja Designs XL80 LED Lights <b>710005041</b>
Desert Front Bumper (15007311 or 715007691)	N/A	LED Light Bars ACM Adaptor 715008213			
<b>rail Front Bumper</b> 15007803 or 715008763)	N/A	N/A	LED Lights ACM Adaptor 715007715	LED Lights ACM Adaptor 715007715	LED Lights ACM Adaptor 715007715
oof with Light Support Bar (15003529)	N/A	N/A			
oof Light Mounting Kit Low Position (715008585)	LED Light Bars ACM Adaptor	N/A	N/A	N/A	N/A
oof Light Mounting Kit High Position (715007930)	715008213	N/A	N/A	N/A	N/A
		2	Choose your ligh	nts	
			oneose year ngi	110	
Chasse your	B		/HEN ACM IS N		ED
1) Choose your mount point	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar 710006818				Baja Designs
	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar	AJA LIGHTS W 10" (25 Cm) Baja Designs OnX6 LED Light Bar	HEN ACM IS N Baja Designs XL Sport LED Lights	NOT INSTALLI Baja Designs Squadron Sport LED Lights	Baja Designs XL80 LED Lights
mount point	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar <b>710006818</b>	AJA LIGHTS W 10" (25 Cm) Baja Designs OnX6 LED Light Bar 710006819 Wiring Harness	HEN ACM IS N Baja Designs XL Sport LED Lights	NOT INSTALLI Baja Designs Squadron Sport LED Lights	Baja Designs XL80 LED Lights
mount point esert Front Bumper (15007311 or 715007691) rail Front Bumper	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar 710006818 N/A	AJA LIGHTS W 10" (25 Cm) Baja Designs OnX6 LED Light Bar 710006819 Wiring Harness 715008863	HEN ACM IS N Baja Designs XL Sport LED Lights 710006821 Wiring Harness	Baja Designs Squadron Sport LED Lights 710004648 Wiring Harness	Baja Designs XL80 LED Lights 710005041 Wiring Harness
mount point esert Front Bumper (15007311 or 715007691) rail Front Bumper (15007803 or 715008763) coof with Light Support Bar	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar 710006818 N/A N/A	AJA LIGHTS W 10" (25 Cm) Baja Designs OnX6 LED Light Bar 710006819 Wiring Harness 715008863 N/A Wiring Harness	HEN ACM IS N Baja Designs XL Sport LED Lights 710006821 Wiring Harness	Baja Designs Squadron Sport LED Lights 710004648 Wiring Harness	Baja Designs XL80 LED Lights 710005041 Wiring Harness
mount point esert Front Bumper 15007311 or 715007691) rail Front Bumper 15007803 or 715008763) oof with Light Support Bar 15003529) oof Light Mounting Kit	40" (102 Cm) Baja Designs OnX6 Arc LED Light Bar 710006818 N/A N/A N/A	AJA LIGHTS W 10" (25 Cm) Baja Designs OnX6 LED Light Bar 710006819 Wiring Harness 715008863 N/A Wiring Harness 715008863	HEN ACM IS N Baja Designs XL Sport LED Lights 710006821 Wiring Harness 715008865	ADT INSTALLI Baja Designs Squadron Sport LED Lights 710004648 Wiring Harness 715008865	Baja Designs XL80 LED Lights 710005041 Wiring Harness 715008865

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar	Maverick R	710006818
Contraction of the second	29,000 lumens	50 m 0 -50 0 100 200 300 400 500 600 700 800 900 m
<ul> <li>252 W light bar producing 29,000 lumens.</li> <li>Equipped with 24 Cree XM-L2 LEDs.</li> </ul>	ACM Adapto ACM harnes	or required (715008213) to connect the Baja Designs LED Light Bars to the ss.
<ul> <li>Driving/Combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>		ness (715008864) required to hook up and operate the 40" (102 cm) Baja Designs ED Light Bar (710006818) for on/off function when ACM is not installed.
<ul> <li>Designed for installation onto Light Support Bar equipped roofs.</li> <li>Requires Light Power Cable and Light Support Bar.</li> </ul>	, 0	ns Light Mounting Kit (715007930 or 715008585) is required for installation. r installation location and requirements.
Baja Designs 10" (25 cm) OnX6 LED Light Bar	Maverick R	710006819
	12,460 lumens	50 m 25 0 -25
1 Parts		-50 0 100 200 300 400 500 600 m
<ul> <li>108 W light bar producing 12,460 lumens.</li> <li>Equipped with 6 Cree XM-L2 LEDs.</li> </ul>		ija Designs Light Power Cable. or required (715008213) to connect the Baja Designs LED Light Bars to the
Driving (comba light pattorn for amonth bland of light for both poor	ACM harnes	

Baja Designs XL80 LED Lights	Maverick R				7	100050	041		
	9,500 lumens	50 m 25 0 -25 -50 0	100	200	300	400	500	600 m	
<ul> <li>80 W per spot producing 9,500 lumens.</li> <li>Equipped with 4 Cree XHP50 LEDs per spot.</li> <li>Dual intensity (high/low) settings.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> <li>Require Baja Designs Light Power Cable.</li> <li>Sold in pairs.</li> </ul>	harness. • Electric Har	or required ( ness (71500 (710005041)	715007 8863) re for on/c	15) to o quired off func	connec to hook tion wh	up and en ACN	l operat	te the Baja	ghts to the ACM Designs XL80
Baja Designs Squadron Sport LED Lights	Maverick R				7	10006	320		
	3,150 lumens	25 0 -25 0	100	200	300	400	500	600 m	
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.</li> <li>Sold in pairs.</li> </ul>	Dimensions     Electric Har     Squadron S     See table fo	ness (71500 port LED Lig	8865) re hts (710	quired 006820	)) for or	n/off fur			Designs is not installed.
Baja Designs XL Sport LED Lights	Maverick R				7	100068	821		
	3,150 lumens	50 m 25 0 -25 -50 0	100	200	300	400	500	600 m	
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>High Speed Spot features a longer and narrower beam focus for illumination farther down.</li> <li>Require Baja Designs Light Power Cable.</li> <li>Sold in pairs.</li> </ul>	harness. • Electric Har	or required ( ness (71500 ights (71000	715007 8865) re 06821) fo	715) to o quired or on/of	connec to hook f functi	up and on whe	l operat	te the Baja	
NEW Baja Designs Light Mounting Kit - High Position	Maverick R				7	15007	930		
Mounting system for 40" (1     Compatible with the Cold A		signs OnX6 A	Arc LED	Light B	ar.				
NEW Baja Designs Light Mounting Kit - Low Position	Maverick R				7	15008	585		

Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.

Not compatible with the Cold Air Roof Scoop.

9

### AMPLIFYING THE MAVERICK EXPERIENCE WITH JL AUDIO

### **AUDIO SYSTEMS**

IEW Can-Am JL Audio S	ystem - Level 5	Maverick R		715007957
The state of the s	riding conditions.	r audio experience. e perfectly for a fully bugh in the most demanding Color Touchscreen Display or by	six 6.5" (165 surround sp under-seat 2 driver's and • Uses one M one MX500/	premium JL Audio components, including mm) speakers (two dash, two door, and two eakers), as well as two 10° (254 mm) 250 W subwoofers that will enhance both the the passenger's experience. X500/4 to power up our six speakers, and '1 to feed the under-seat subwoofers. ts the Can-Am Audio Roof - Level 4 ).
IEW Can-Am JL Audio R	oof - Level 4	Maverick R		715007309
20. El 200	<ul> <li>Features fully sealed and construction.</li> <li>Easy to install and connect</li> <li>Controlled by the 10.25" C the Can-Am JL Audio Sout</li> <li>Its weatherproof compone speakers and a 500-watt at</li> </ul>	Color Touchscreen Display or by ree Unit. ents include four 7.7" coaxial amplifier. ned for exceptional sound when	illumination, • Specific to y • When comb (715007954) ultimate sou • Not compati	clude an adjustable RGB LED cone controlled via an app on your smartphone. our type of riding. ined with the Can-Am Audio System - Level 3 or Level 5 (715007957), it provides the nd experience. ble with the Adventure Roof Rack ) or the Cold Air Roof Scoop (715008280).
EW Can-Am JL Audio S	ystem - Level 3	Maverick R		715007954
	riding conditions.	r audio experience. e perfectly for a fully bugh in the most demanding Color Touchscreen Display or by	four 6.5" (16 speakers), au subwoofer ti passenger's • Uses one M one MX500/ • Easy to insta subwoofer (1	2280/4 to power up our four speakers, and 1 to power up the under-seat subwoofer. III, with the option to add a second 715007310). ts the Can-Am Audio Roof - Level 4

#### **NEW** Can-Am JL Audio Roof Flip Kit

#### Maverick R

715008164

- Combines with the Can-Am JL Audio Roof Level 4 (715007309) for Flip option.
  - Not compatible with the Cold Air Roof Scoop and the Roof Rack.

<ul> <li>Designed to be Can-Am to riding conditions.</li> <li>Easy to install, this 10" (25)</li> </ul>	ur audio experience. ough in the most demanding 54 mm) under-seat 250 W	<ul> <li>When combined with the Can-Am audio system - Level 3 (715007954) or with the Can-Am audio roof - Level 4 (715007309), this premium JL Audio component creates the ultimate sound experience.</li> <li>To add a subwoofer to the Can-Am JL Audio Roof - Level 4, a Can-Am JL Audio Amplifier (715007714) is required.</li> </ul>
mplifier	Maverick R	715007714
<ul> <li>calibrated to enhance you</li> <li>Designed to fit the vehicle integration.</li> <li>Designed to be Can-Am to riding conditions.</li> <li>This MX500/1 is a premiu</li> </ul>	ur audio experience. e perfectly for a seamless ough in the most demanding um JL Audio component, and is	<ul> <li>When combined with the Can-Am Audio Roof - Level 4 (715007309), it creates the ultimate sound experience.</li> <li>To add a subwoofer to the Can-Am JL Audio Roof - Level 4, this item is required.</li> <li>Easy to install, mounting support included.</li> </ul>
ſ	<ul> <li>calibrated to enhance you</li> <li>Designed to be Can-Am triding conditions.</li> <li>Easy to install, this 10" (2! subwoofer enhances bot passenger's experience.</li> </ul> <b>mplifier</b> <ul> <li>Orchestrated for outstand calibrated to enhance you</li> <li>Designed to fit the vehicle integration.</li> <li>Designed to be Can-Am triding conditions.</li> <li>This MX500/1 is a premiu</li> </ul>	calibrated to enhance your audio experience.  Designed to be Can-Am tough in the most demanding riding conditions.  Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience.  mplifier Maverick R  Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.  Designed to fit the vehicle perfectly for a seamless integration.  Designed to be Can-Am tough in the most demanding

#### NEW Can-Am JL Audio Source Unit



Required with all Can-Am Audio JL levels installed on vehicles without 10.25" Color Touchscreen Display.

ī.

- Designed to fit the vehicle perfectly for a fully integrated look.
- AM/FM/Bluetooth compatible.

### **ELECTRICAL & ELECTRONIC ACCESSORIES**

T.

NEW Electronic Device Ho	lder	Maverick R		715007176
	electronic device. <ul> <li>Robust injected fiber-reinfo</li> </ul>	c adjustable support for your prced-polypropylene right fit and easy installation. than any electronic device's	Landscape. A the passenge driving experi- lncludes eve favorite elect	ositions for your electronic device: Portrait & Adjustable support with 2 positions: facing er or towards the pilot for an improved rience and immersion. rything needed for installation on your tronic devices: 2 pre-assembled Can-Am M multi-surface adhesive.
NEW Cellphone Holder		Maverick R		715008786
	<ul> <li>Features capacitive and re- technology.</li> <li>Spring system in back plate thickness.</li> </ul>		<ul> <li>Does not inc</li> <li>Requires the</li> </ul>	Ilmost all charger wires. Iude cellphone or charging wires. Electronic Device Holder (715007176) for Holder to be supported.
Color Touchscreen Display	Protector	Vehicle equipped with 10.25 ir Color Touchscreen Display	l	860202680
1 50		tion for the digital display 10.25 in nused by ice, rocks, branches or o		is.

- Anti-glare treatment to ensure good visibility.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

#### **NEW** Auxiliary Battery Installation Kit



#### Maverick R

- Allows the rider to add a second battery and/or replace the original battery (18 Ah or 30 Ah) for a dual battery setup. Recommended to power auxiliary electrical components such as sound systems or winches.
- Automatic rundown protection.
- Installs behind the seat for easy access.

#### 715007837

- Requires the purchase of a second battery and battery hardware (not included and sold separately).
- Equipped with an electronic module that prevents the auxiliary electrical components from draining the original battery.

### <u>WINCHES</u>

-----

#### **Can-Am HD Winches**

Can-Am HD 4500 Winch		Maverick R		715006416
	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and b and durability.</li> <li>Automatic 100% load-holdir</li> <li>Sealed solenoid for all-weat</li> <li>Weather sealed corded remoted</li> </ul>	ng brake. her protection.	<ul> <li>43' of <sup>15</sup>64" (1</li> <li>Heavy-duty 4</li> <li>Winch Electr</li> </ul>	gth capability of 4,500 lb (2,041 kg). 3.1 m of 6.3 mm) wire steel cable. I-way roller fairlead. ical Harness (715008850), Winch Roller cer (715008922) and winch compatible front
Can-Am HD 4500-S Winch		Maverick R		715006417

	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and bushings for more and durability.</li> <li>Automatic 100% load-holding brake.</li> <li>Sealed solenoid for all-weather protection.</li> <li>Weather-sealed corded remote and dash mour</li> </ul>	<ul> <li>Corrosion-proof aluminum hawse fairlead.</li> <li>Winch Electrical Harness (715008850) and winch compatible front bumper are required.</li> </ul>
--	---	--

WARN <sup>†</sup> VRX Winche	€S			
WARN VRX 45 Winch		Maverick R		715006110
	<ul> <li>Extreme IP68-rated waterpro- elements out.</li> <li>Durable all-metal construction Black powder-coated finish a for corrosion resistance.</li> <li>Robust new clutch design ba WARN 4 WD hub lock know-</li> <li>Load-holding brake for great</li> <li>Smooth and reliable all-meta gear train.</li> </ul>	on. and stainless steel fasteners ased on 70+ years of how. control.	<ul> <li>Limited lifeti (electrical).</li> <li>Pulling stren</li> <li>50' of ¼" (15</li> <li>Roller fairlea</li> <li>Winch Electi</li> </ul>	rical Harness (715008850), Winch Roller .cer (715008922) and winch compatible front
WARN VRX 45-S Winch		Maverick R		715006111
	<ul> <li>Extreme IP68-rated waterpro- elements out.</li> <li>Durable all-metal construction</li> <li>Black powder-coated finish a for corrosion resistance.</li> <li>Robust new clutch design be WARN 4 WD hub lock know-</li> <li>Load-holding brake for great</li> <li>Smooth and reliable all-meta gear train.</li> </ul>	on. and stainless steel fasteners ased on 70+ years of how. control.	<ul> <li>Limited lifeti (electrical).</li> <li>Pulling stren</li> <li>50' of ¼" (15</li> <li>Cast aluminu</li> <li>Winch Electri</li> </ul>	ed rocker control. me warranty (mechanical), 3-year warranty gth capability of 4,500 lb (2,041 kg). m of 6.3 mm) synthetic rope. um hawse fairlead. rical Harness (715008850) and winch ront bumper are required.

Can-Am HD Hawse Fairlead		Can-Am HD Winch	715006426
		-	
NEW Winch Roller Fairlead	Spacer	Maverick R	715008922
e le	<ul> <li>Required when using a Win</li> <li>Made of aluminum, with ar</li> </ul>	nch and Roller Fairlead with a wire cable. n anti-corrosion finish.	
		Can-Am HD Winch	715006430
Synthetic Winch Cable		WARN Winch	715007783
9	Can-Am HD Hawse Fairlea damage and wear.		rs. Ig to a synthetic cable to avoid premature cable a synthetic cable to avoid damage and premature
		Can-Am HD Winch	705014978
Wire Rope Replacement		WARN Winch	715006699
Synthetic Cable Extension		diameter, easy to handle and won't rattle in able to provide additional 50' (15.2 m) of d ne capacity.	-
Winch Electrical Harness			
(Not illustrated)		Maverick R	715008850
	Required for winch installa	ition.	
Wired Remote Control		Can-Am HD Winch <sup>‡</sup>	715006504
Wired Remote Control	This kit allows winch owne     OEM stock winch is sold so     EC compliant.	ers to add the hand-held remote to vehicle	
Wired Remote Control	OEM stock winch is sold so     EC compliant.     Harness (710001023) is require	ers to add the hand-held remote to vehicle	s with a stock winch.
Wired Remote Control	OEM stock winch is sold so     EC compliant.     Harness (710001023) is require	ers to add the hand-held remote to vehicle eparately. ed to use remote control on a vehicle with a fact	s with a stock winch.

### **PERFORMANCE**

NEW Lonestar Racing Fire I	Extinguisher Support	Maverick R		715007320	
20	<ul> <li>Quick-release support that extinguisher out in a matter</li> </ul>	lets riders slide the fire of seconds in an emergency.	<ul> <li>Comes with plate and two</li> </ul>	both billet mounts, quick-pull pin, mounting o clamps.	
	<ul> <li>Made of billet anodized black</li> </ul>	ck aluminum.	<ul> <li>Fire extingui</li> </ul>	sher sold separately.	
	<ul> <li>Fits 1.85" (4.7 cm) tubing.</li> </ul>		<ul> <li>"Lonestar Ra</li> </ul>	cing for Can-Am" branded.	
39	Can be fixed anywhere on t	he cage.			
	<ul> <li>Provides riders with the safe they have dependable emerged</li> </ul>				
Performance Air Filter by Tw		Maverick R		715002895	
	<ul> <li>The best choice for the hars</li> <li>Multiple staged oiled filterin</li> <li>Washable and reusable.</li> </ul>	shest conditions. ng foam for superior dust retain	ing capacity with	high airflow.	
Digitally Encoded Security S Green Key	bystem (D.E.S.S.)	Maverick R		710005232	
	Top-security anti-theft prote	ection for your vehicle.			
	Encrypted chip technology restricts access to your vehicle's electronic ignition system.				
01	<ul> <li>Encrypted chip technology</li> </ul>	restricts access to your vehicle	's electronic igni	uon system.	
01	<ul> <li>Encrypted chip technology</li> <li>One vehicle/one code.</li> </ul>	restricts access to your vehicle	's electronic igni	tion system.	
0	One vehicle/one code.	restricts access to your vehicle ball-and-socket design that ens	0	-	
30	One vehicle/one code.		0	-	
30	<ul> <li>One vehicle/one code.</li> <li>A vibration/shock-resistant</li> <li>3 programmable modes:</li> </ul>		sures a reliable c	onnection.	
301	<ul> <li>One vehicle/one code.</li> <li>A vibration/shock-resistant</li> <li>3 programmable modes:</li> <li>Work mode: Limits vehicle</li> </ul>	ball-and-socket design that ens	sures a reliable c does not limit en	onnection. gine torque.	

## CAN-AM MAVERICK X3

### **MODEL PACKAGES**

Can-Am Maverick X3 X ds Turbo RR	100
Can-Am Maverick X3 X ds Turbo RR Competitive Chart	101
Can-Am Maverick X3 X rc Turbo RR	102
Can-Am Maverick X3 X rs SAS Turbo RR	103
Can-Am Maverick X3 Max X rs SAS Turbo RR	104

105

### **COMPARATIVE CHART**

Can-Am Maverick X3 Lineup

### ACCESSORIES

Roofs	107
Soft Cab Enclosure	108
Windshields & Wind Protection	108
Mirrors	110
Doors	111
Seat Accessories	112
HMWPE Skid Plates	113
Bumpers & Guards	114
LinQ: Easy On, Easy Off Cargo	117
Racks & Storage	121
Lights	123
Audio & Communication Systems	127
Electrical & Electronic Accessories	128
Winches & Hitches	130
Performance	132
Apache Track Systems	135
ProMount Plows	137
Cover & Trailering	140





### 2024 CAN-AM MAVERICK X3 X DS TURBO RR



#### Triple Black

Rear

ENGINE	TURBO RR	
Туре	200 hp, Rotax <sup>®</sup> ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler, and high-perfomance air filter	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L/H/N/R/P	
Drive Train	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Double A-arm with sway bar/20 in. (50.8 cm) travel	
Front Shocks	FOX <sup>†</sup> 2.5 PODIUM RC2 <sup>†</sup> Piggyback with dual speed compression and rebound adjustments	
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/ 20 in. (50.8 cm) travel	
Rear Shocks	FOX <sup>†</sup> 2.5 PODIUM RC2 <sup>†</sup> Piggyback with dual speed compression, rebound adjustments and bottom-out control	
TYRES & WHEELS		
Front Tyres	Maxxis Carnivore <sup>†</sup> 30 x 10 x 14 in.	
Rear Tyres	Maxxis Carnivore <sup>†</sup> 30 x 10 x 14 in.	
Wheels	14 in. cast-aluminum beadlock	
BRAKES		
Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers	

Dual 248 mm disc brakes with hydraulic twin-piston calipers

#### PACKAGE HIGHLIGHTS

- · 200 hp. turbo charged Rotax\* powerplant with intercooler
- Smart-Lok\* front differential
- FOX<sup>†</sup> 2.5 PODIUM RC2<sup>†</sup> piggyback shocks
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
  X-package graphics/seats
- 4-point harnesses with shoulder pads
- Can-Am signature LED lights
- 14 in. aluminum beadlock wheels
- Maxxis Carnivore<sup>†</sup> 30 in. tyres
- 64 in. width with more than half a metre of suspension travel
- Full roofHMWPE full skid plate
- HIVIVVPE IUII SKID plate

#### **DIMENSIONS & CAPACITIES** Estimated Dry Weight 1,554 lb (704.9 kg) Chassis/Cage Dual-phase 980 steel 132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm) LxWxH Wheelbase 102 in. (259.1 cm) 14 in. (35.6 cm) Ground Clearance 200 lb (91 kg) with LinQ\* quick-attach Rack Capacity Total: 2.5 gal (9.4 L) Storage Capacity Fuel Capacity 10.5 gal (40 L) Person Capacity 2 FEATURES Gauge 7.6 in. wide digital display with keypad Instrumentation DC outlet (10-A) RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button Anti-theft System Lighting LED headlight LED signature lights LED tail lights Winch N/A 850 W Magneto Protection Integrated front bumper Quarter-doors Full roof 4-point harnesses with shoulder pads HMWPE full skid plate Rear tow hook

#### WARRANTY

Ē

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

	)	Can-Am Maverick X3 X DS Turbo RR	Polaris RZR Pro XP Sport EPS	Yamaha YXZ1000R SS XT-R - 2023
Engine Size (cc)		900 cc	925 cc	998 cc
No of Cylinders	=	3	2	3
Horsepower	+	200 hp	181 hp	103 hp
Turbo	=	Yes	Yes	No
Transmission	+	pDrive primary and Quick Response System X CVT	Automatic PVT (CVT)	Constant Mesh 5 speed, paddle shift, auto clutch, with reverse
Front Diff. Type	+	Lockable front differential with exclusive Smart-Lok	Isolated Xtreme performance true on demand AWD/2WD	On command 3 way locking differential 2WD/4WD/diff lock
Power Steering	+	Hi torque tri-mode Dynamic Power Steering	Electronic Power Steering	Electronic Power Steering
Seating Capacity	=	2	2	2
Front Suspension	=	Double A-arm with sway bar	High clearance dual a-arm with stabilizer bar	Independent double wishbone with anti-sway bar
Rear Suspension	=	4-link torsional trailing arm X with sway bar	Trailing arm with stabilizer bar	Independent double wishbone with anti-sway bar
Wheel Size	=	14"	14"	14"
Wheel Material	=	Aluminium	Aluminium	Aluminium
Tyre Height	=	30"	30"	29"
Ground Clearance		35.6 cm	36.8 cm	33 cm
Overall Length	=	335.3 cm	320 cm	312.1 cm
Overall Width	+	162.5 cm	162.6 cm	162.6 cm
Vehicle Dry Weight		704.9 kg	795 kg	689.9 kg
Fuel Capacity		40 L	45.4 L	34 L
Anti Theft Device	+	RF Digitally Encoded Security system (D.E.S.S)	None	None
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km
Display	+	7.6" wide digital display with keypad	4" glove touch display	Supersport-style dashboard

### 2024 CAN-AM MAVERICK X3 X RC TURBO RR



PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax® powerplant with intercooler
- 72.8 in. wide with over 55cm of suspension travel
- Smart-Lok\* front differential
- + FOX $^{\dagger}$  2.5/3.0 PODIUM RC2 $^{\dagger}$  shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harnesses with shoulder pads
- Can-Am LED signature lights
- · 15 in. aluminum beadlock wheels
- 32 in. Maxxis Liberty<sup>†</sup> tyres
- Front bumper, half-doors, sport roof, intrusion bar
- Front tow hook
- 4,500-lb (2,041 kg) winch with synthetic rope
- HMWPE differential and under bumper skid plates
- HMWPE front and rear suspension arm skid plates
- UHMWPE rock sliders

#### Hybrid White & Legion Red

ENGINE	TURBO RR
Туре	200 hp, Rotax <sup>®</sup> ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L/H/N/R/P
Drive Train	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD ROCK/4WD TRAIL
Power Steering	High-torque Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS Front Suspension	Trophy truck inspired arched double A-arm
	with sway bar/22 in. (55.9 cm) travel
Front Shocks	FOX <sup>†</sup> 2.5 PODIUM RC2 <sup>†</sup> Piggyback with bypass, dual speed compression, and rebound adjustments
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/24 in. (61 cm) travel
Rear Shocks	FOX <sup>†</sup> 3.0 PODIUM RC2 <sup>†</sup> remote reservoir with bypass, dual speed compression and rebound adjustments
TYRES & WHEELS	
Front Tyres	Maxxis Libertv† 32 x 10 x 15 in.

FIGHTINES	Maxis Liberty 32 x 10 x 15 m.	
Rear Tyres	Maxxis Liberty <sup>†</sup> 32 x 10 x 15 in.	
Wheels	15 in. cast-aluminum beadlock	
BRAKES		
Front	Dual 262 mm disc brakes	

Front	Dual 262 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 248 mm disc brakes with hydraulic twin-piston calipers

#### DIMENSIONS & CAPACITIES

Estimated Dry Weight	1,843 lb (836 kg)
Chassis/Cage	Dual-phase 980 steel
LxWxH	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)
Wheelbase	102 in. (259.1 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	200 lb (91 kg) with LinQ <sup>®</sup> Quick-Attach
Storage Capacity	Total: 2.5 gal (9.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	2
FEATURES	
Gauge	7.6 in. wide digital display with keypad
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Lighting	LED headlight LED signature lights LED tail lights
Winch	4,500 lb (2,041 kg) winch with synthetic rope
Magneto	850 W
Protection	Front bumper Half-doors Sport roof Intrusion bar 4-point harnesses with shoulder pads

4-point harnesses with shoulder pads UHMWPE rock sliders HMWPE skid plates: Full heavy-duty with differential/under bumper/front and rear suspension arm Rear tow hook Trailing Arm protector
Lower A-arm protector

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
r dotory warranty	
	1-year warranty & unlimited km on the rest of the unit

# **2024 CAN-AM MAVERICK X3 X** Rs **SAS TURBO RR** with smart-shox



#### PACKAGE HIGHLIGHTS

- · 200 hp. turbo charged Rotax® powerplant with intercooler
- 72.7 in. wide with over 55cm of suspension travel
- Smart-Lok\* front differential
- Smart-Shox\*\* Technology featuring DDA Valve
- FOX<sup>†</sup> 2.5/3.0 PODIUM<sup>†</sup> shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harnesses with shoulder pads
- Can-Am LED signature lights
- 14 in. aluminum beadlock wheels
- 32 in. Maxxis Carnivore<sup>†</sup> tyres
- Full roof
- HMWPE full skid plate

#### Fiery Red & Hyper Silver

ENGINE	TURBO RR	
Туре	200 hp, Rotax <sup>®</sup> ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L/H/N/R/P	
Drive Train	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	
Power Steering	High torque Tri-Mode Dynamic Power Steering (DPS™)	
SUSPENSIONS Front Suspension	Double A-arm with sway bar/22 in. (55.9 cm) travel Trophy truck inspired arms	
Front Shocks	FOX* 2.5 PODIUM* Piggyback with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment)	
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel	
Rear Shocks	FOX <sup>†</sup> 3.0 PODIUM <sup>†</sup> remote reservoir with bypass and Smart-Shox <sup>**</sup> Technology featuring DDA Valve (Dynamic Damping Adjustment)	
TYRES & WHEELS		
Front Tyres	Maxxis Carnivore <sup>†</sup> 32 x 10 x 14 in.	
TION TYPES		
Rear Tyres	Maxxis Carnivore <sup>†</sup> 32 x 10 x 14 in.	

#### BRAKES Front Dual 262 mm disc brakes with hydraulic twin-piston calipers Rear Dual 248 mm disc brakes with hydraulic twin-piston calipers

#### DIMENSIONS & CAPACITIES

Estimated Dry Weight	1,699 lb (770.7 kg)
Chassis/Cage	Dual-phase 980 steel
LxWxH	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)
Wheelbase	102 in. (259.1 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	200 lb (91 kg) with LinQ® Quick-Attach
Storage Capacity	Total: 2.5 gal (9.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	2

#### FEATURES

Gauge	7.6 in. wide digital display with keypad			
Instrumentation	DC outlet (10-A)			
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button			
Lighting	LED headlight LED signature lights LED tail lights			
Winch	N/A			
Magneto	850 W			
Protection	Integrated front bumper Quarter-doors Full roof 4-point harnesses with shoulder pads HMWPE full skid plate Rear tow hook			

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

### **2024 CAN-AM MAVERICK X3 MAX X** RS **SAS TURBO RR** with smart-shox



#### Fiery Red & Hyper Silver

ENGINE	TURBO RR	
Туре	200 hp, Rotax <sup>*</sup> ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	pDrive primary and Quick Response System X (QRS-X) CVT with high airflow L/H/N/R/P	
Drive Train	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	
Power Steering	High-torque Tri-Mode Dynamic Power Steering (DPS™)	
SUSPENSIONS Front Suspension	Double A-arm with sway bar/22 in. (55.9 cm) travel	
Tront Suspension	Trophy Truck inspired arms	
Front Shocks	FOX <sup>+</sup> 2.5 PODIUM <sup>†</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring DDA Valve (Dynamic Damping Adjustment)	
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel	
Rear Shocks	FOX <sup>†</sup> 3.0 PODIUM <sup>†</sup> remote reservoir with bypass and Smart- Shox <sup>**</sup> Technology featuring DDA Valve (Dynamic Damping Adjustment)	
TYRES & WHEELS		
Front Tyres	Maxxis Carnivore <sup>†</sup> 32 x 10 x 14 in.	
Rear Tyres	Maxxis Carnivore <sup>†</sup> 32 x 10 x 14 in.	
Wheels	14 in. cast-aluminum beadlock	

#### BRAKES Front Dual 262 mm disc brakes with hydraulic twin-piston calipers Rear Dual 248 mm disc brakes with hydraulic twin-piston calipers

#### PACKAGE HIGHLIGHTS

- 200 hp. turbo charged Rotax® powerplant with intercooler
- 72.7 in. wide with over 55cm of suspension travel
- Seating for 4 people
- Smart-Lok\* front differential
- Smart-Shox\*\* Technology featuring DDA Valve
- + FOX^{\dagger} 2.5/3.0 PODIUM^{\dagger} shocks with bypass
- Belt monitoring system
- 850 W magneto
- 7.6 in. digital display with keypad
- X-package graphics/seats
- · 4-point harnesses with shoulder pads
- Can-Am LED signature lights
- 14 in. aluminum beadlock wheels
- 32 in. Maxxis Carnivore<sup>†</sup> tyres
- Full roof
- HMWPE full skid plate

#### DIMENSIONS & CAPACITIES

Estimated Dry Weight	1,942 lb (880.9 kg)
Chassis/Cage	Dual-phase 980 steel
LxWxH	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)
Wheelbase	135 in. (342.9 cm)
Ground Clearance	16 in. (40.6 cm)
Rack Capacity	150 lb (68 kg) with LinQ <sup>®</sup> quick-attach
Storage Capacity	Total: 3 gal (11.4 L)
Fuel Capacity	10.5 gal (40 L)
Person Capacity	4
FEATURES	

Gauge	7.6 in. wide digital display with keypad			
Instrumentation	DC outlet (10-A)			
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button			
Lighting	LED headlights LED signature lights LED tail lights			
Winch	N/A			
Magneto	850 W			
Protection	Integrated front bumper Quarter-doors Full roof 4-point harnesses with shoulder pads HMWPE full skid plate Rear tow hook			

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

	MAVERICK X3	X ds TURBO RR***	X rs TURBO RR*** WITH SMART SHOXX**	X rc TURBO RR ***	MAX X rs TURBO RR*** WITH SMART-SHOXX**		
co	DLOUR OPTIONS	Triple Black	Fiery Red & Hyper Silver	Hybrid White & Legion Red	Fiery Red & Hyper Silver		
	Туре	200 hp, Rotax <sup>®</sup>	ACE (Advanced Combustion Efficiency) s	l 900 cc turbocharged triple-cylinder engine nd high-perfomance air filter	e, liquid-cooled		
	Fuel Delivery		<b>.</b>	0 1			
ŝ	System Transmission	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) pDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P					
ENGINES	Drive Train	Lockable front differential with exclusiv	e Smart-Lok* technology. True 4 modes iff. lock/4WD TRAIL ACTIV/4WD TRAIL.	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD ROCK/4WD TRAIL.	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL.		
	Driving Assistance		High torque Tri-Mode Dyna	mic Power Steering (DPS™)			
	Front Suspension	Double A-arm with sway bar/ 20 in. (50.8 cm) travel	Double A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms	Trophy truck inspired arched double A-arm with sway bar/ 22 in. (55.9 cm) travel	Double A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms		
SUSPENSIONS	Front Shocks	FOX <sup>†</sup> 2.5 PODIUM RC2 <sup>†</sup> Piggyback with dual speed compression and rebound adjustments	FOX <sup>†</sup> 2.5 PODIUM <sup>†</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX <sup>†</sup> 2.5 PODIUM RC2 <sup>†</sup> Piggyback with bypass, dual speed compression and rebound adjustments	FOX <sup>†</sup> 2.5 PODIUM <sup>†</sup> Piggyback with bypass and Smart-Shox <sup>**</sup> Technology featuring DDA Valve (Dynamic Damping Adjustment)		
SUSPEN	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/24 in. (61 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel		
	Rear Shocks	FOX <sup>†</sup> 2.5 PODIUM RC2 <sup>†</sup> Piggyback with dual speed compression, rebound adjustments and bottom-out control	FOX <sup>†</sup> 3.0 PODIUM <sup>†</sup> remote reservoir with bypass and Smart-Shox <sup>**</sup> Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX <sup>†</sup> 3.0 PODIUM RC2 <sup>†</sup> remote reservoir with bypass, dual speed compression and rebound adjustments	FOX <sup>†</sup> 3.0 PODIUM <sup>†</sup> remote reservoir with bypass and Smart-Shox <sup>**</sup> Technology featuring DDA Valve (Dynamic Damping Adjustment)		
TYRES/ WHEELS	Front/Rear Tyres Wheels	Maxxis Carnivore <sup>†</sup> 30 x 10/10 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Carnivore† 32 x 10/10 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Liberty <sup>†</sup> 32 x 10/10 x 15 in. 15 in. cast-aluminum beadlock	Maxxis Carnivore <sup>†</sup> 32 x 10/10 x 14 in. 14 in. cast-aluminum beadlock		
	Front		Dual 262 mm disc brakes with	hydraulic twin-piston calipers			
BRAKES	Rear		Dual 248 mm disc brakes with	hydraulic twin-piston calipers			
	Estimated Dry Weight	1,554 lb (704.9 kg)	1,699 lb (770.7 kg)	1,843 lb (836 kg)	1,942 lb (880.9 kg)		
IIES	Chassis/Cage		Dual-phas	e 980 steel			
DIMENSIONS/CAPACITIES	LxWxH	132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm)	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)		
%CA	Wheelbase	-	102 in. (259.1 cm)	L	135 in. (342.9 cm)		
Ň	Ground Clearance	14 in. (35.6 cm)		16 in. (40.6 cm)			
ISN	Rack Capacity		200 lb (91 kg) with LinQ® Quick-Attach		150 lb (68 kg) with LinQ® Quick-Attach		
M	Storage Capacity		Total: 3 gal (11.4 L)				
	Fuel Capacity			al (40 L)	-		
<u> </u>	Person Capacity		2 7.6 in. wide digital	diaploy with koupod	4		
	Gauge Instrumentation		<u> </u>				
	Anti-theft System	DC outlet (10-A) RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button					
	Lighting						
RES	Winch	LED headlight, LED signature lights, LED tail lights N/A 4,500 lb (2,041 kg) winch with synthetic rope			N/A		
FEATURES	Magneto	850 W					
E.P.	Protection		doors, full roof, 4-point harnesses full skid plate, rear tow hook	Front bumper, half doors, sport roof, intrusion bar, 4-point harnesses with shoulder pads, UHMWPE rock sliders, HMWPE skidplates: full heavy-duty with differential/under bumper/front and rear suspension arm, rear tow hook, trailing arm protector, lower A-arm protector	Integrated front bumper, quarter doors, full roof, 4-point harnesses with shoulder pads, HMWPE full skid plate, rear tow hook		

<sup>1</sup> Visco-Lok is a trademark of GKN Viscodrive GmbH.
 \*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
 \*\*Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.
 \*\*\*3-year unlimited km powertrain & Rotax<sup>®</sup> engine warranty and 1-year warranty & unlimited km on the rest of the unit



### **ROOFS**

Sport Roof		Maverick X3 Maverick X3 MAX		715005521 715003750	
	<ul> <li>Impact-resistant injected p</li> <li>Excellent protection from t</li> <li>Provides excellent downhi</li> <li>Windshield compatible.</li> </ul>	the elements.		X rs model. ss installation and removal with quick- rn fasteners and Velcro straps.	
ProVent Roof Module Kit		Maverick X3, Maverick X3 M	AX	715005279	
	<ul> <li>Optimal performance with</li> <li>4 vents provide infinite adj and passenger.</li> <li>Filter and pre-filter to limit</li> <li>Easy cleaning of filter and</li> <li>Patent pending water man</li> </ul>	Optimal performance with full cab enclosure. 4 vents provide infinite adjustment of air flow for driver		<ul> <li>Outer plug closes air intake completely for winter or heavy weather.</li> <li>Sport Roof requires ProVent Module Adapter Kit.</li> <li>Not compatible with roof mounted LED bars, roof rac (715006225/715003868) or roof liners, Lonestar Roo and Bimini tops.</li> </ul>	
ProVent Roof Module Adapte	r Kit for Sport Boof	Maverick X3		715006199	
(Not illustrated)		Maverick X3 MAX		715006371	
	Adapter for fitting ProVent Roof Module Kit onto Maverick X3.			f adapter and hardware. oVent Roof Module Kit (715005279).	
Aluminum Roof		Maverick X3		<ul> <li>■ 715004224 · Black</li> <li>■ 715002900 · Silver</li> </ul>	

- Formed aluminum roof 0.09" (2.3 mm) thick.
- Durable and lightweight.

- Sporty look.
- Windshield compatible.
- Easy and tool-less installation.

	Maverick X3	715002901
Bimini <sup>†</sup> Roof with Sun Visor	Maverick X3 MAX	715003749

- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Innovative soft top comes with a hard visor that allows for storage of rolled-up soft top.
- Easy, tool-less installation and removal with quick-release/turn fasteners and Velcro straps.

Tinted Sun Visor		Maverick X3, Maverick X3 MAX	715007098
	<ul> <li>Tinted polycarbonate constr</li> <li>Extra protection for driver ar</li> <li>Not compatible with Alumin</li> </ul>		

Lonestar Racing Aluminum Roof		Maverick X3 produced after J Maverick X3 MAX	lanuary 1, 2017	<b>715005507</b> · Black <b>715005515</b> · Black
	<ul> <li>0.083" (2.1 mm) thick alumin</li> <li>Durable and lightweight.</li> <li>Enhances the vehicle's racin authentic sporty look comb</li> <li>Offers you protection from t a personalized touch.</li> <li>Lower profile than other roce</li> </ul>	ng appearance thanks to an ined with unique graphics. he elements with	<ul> <li>Not compati Bar and Full</li> <li>"Lonestar Rational States of Comparison of Compar</li></ul>	with Lonestar Racing Light Bar Racks. ble with LinQ Pivoting Rack, Light Support Windshields. acing for Can-Am" branded. Idle intrusion bars for installation

### **SOFT CAB ENCLOSURE**

Soft Cab Enclosure	—	Maverick X3 (except X mr models)           Maverick X3 MAX (except X mr models)		715003754 715003755	
	<ul> <li>Protection for rider and passeng</li> <li>For added cabin comfort, compl with Cab Seal Kit.</li> </ul>	•		door panels	
Cab Seal Kit (Not illustrated)		averick X3 averick X3 MAX		715004433 715004434	
	<ul> <li>Prevents dirt, dust and wind infiltration in the cab area.</li> <li>Improves cabin comfort for driver and passenger.</li> <li>Recommended with Soft Cab Enclosures.</li> </ul>				

### **WINDSHIELDS & WIND PROTECTION**

#### Windshields

PowerFlip Windshield		Maverick X3, Maverick X3 MA	x	715007097	
	cylinders that allow the rider to adjust the windshield opening at the touch of a button. Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section. flow prefer			Illy opened for optimal visibility and ventilation, ed for maximum protection from the elements, etween, you have an infinite number of opening ies depending on protection, visibility and air erences. ole with Can-Am roofs.	
Windshield Wiper for Powe	rFlip Windshield	Maverick X3, Maverick X3 MA	x	715006310	
	while riding through mud	<ul> <li>An ideal way to keep your windshield clear in rain or while riding through mud and water.</li> </ul>		Wiper mechanism and washer-fluid dispenser perfectly concealed within the vehicle.	
	Wiper from the top allows single-speed wiper and w	windshield pivoting. Includes asher-fluid dispenser.	<ul> <li>Must be inst separately).</li> </ul>	alled with the PowerFlip Windshield (sold	
Provent Windshield		Maverick X3, Maverick X3 MA	x	715005277	
$\bigcirc$	<ul> <li>High-impact-resistant Qui polycarbonate full windsh</li> </ul>	ield.	<ul> <li>Quick and ea</li> </ul>	ver and passenger from the elements. asy tool-less installation or removal.	
	<ul> <li>Controllable vents to man</li> <li>Optimal performance with</li> <li>Channels air into the cabi closes to eliminate air flor</li> </ul>	n full cab enclosure. n, defogs windshield, fully	6 Ultra HD C • Upper vent c	ble with wiper kits and Wet Sounds Stealth an-Am Edition Sound Bar. shannels air into the cabin.	
	<ul> <li>Optimal performance with</li> <li>Channels air into the cabi closes to eliminate air flow</li> <li>One upper vent and one liminate</li> </ul>	n full cab enclosure. n, defogs windshield, fully v.	6 Ultra HD C Upper vent c Lower vents	an-Am Edition Sound Bar. channels air into the cabin. defog windshield. cellent optical clarity and better	
Glass Windshield	<ul> <li>Optimal performance with</li> <li>Channels air into the cabi closes to eliminate air flow</li> <li>One upper vent and one liminate</li> </ul>	n full cab enclosure. n, defogs windshield, fully v. ower vent with pre-filters.	6 Ultra HD C • Upper vent of • Lower vents • Provides exo abrasion res	an-Am Edition Sound Bar. channels air into the cabin. defog windshield. cellent optical clarity and better	

Glass Windshield with Wiper	& Washer Kit	Maverick X3, Maverick X3 MAX	715008858
P	dispenser. • Seals firmly against the • An ideal way to keep yo	des a curved and laminated glass windshield with a cage and protects rider and passenger from the e ur windshield clear in rain, or while riding through with rear wind protection to maximize comfort for p	lements. mud and water.
Full Windshield		Maverick X3, Maverick X3 MAX	715002907
	<ul> <li>Formed polycarbonate</li> <li>Formulated to be non-y</li> <li>Protects driver and pas</li> <li>Quick and easy tool-les</li> </ul>	-resistant durable polycarbonate full windshield. carbonate construction for enhanced rigidity. to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity. rer and passenger from the elements. asy tool-less installation or removal. ded to use with rear wind protection to maximize comfort for passenger.	
Full Windshield – Hardcoated	l	Maverick X3, Maverick X3 MAX	715004417
	Formed polycarbonate     Provides excellent optic     Protects driver and pas     Quick and easy tool-les     Recommended to use	Quantum hardcoated polycarbonate full windshield construction for enhanced rigidity. cal clarity and better abrasion resistance. senger from the elements. s installation or removal. with rear wind protection to maximize comfort for p /indshield Wiper and Washer Kit (715004762).	
Half Windshield		Maverick X3, Maverick X3 MAX	☐ 715002909 · Clear 715004291 · Tinted
High-impact-re     Formed polyca     Formulated to I     Protects driver     Features reverse		lurable polycarbonate half windshield. construction for enhanced rigidity. ellowing, non-crazing, non-cracking with excellent senger from the elements. lip to deflect air flow. s installation or removal.	UV resistance and optical clarity.
		Maverick X3, Maverick X3 MAX Fit with Full Windshield Hardcoated (715004417)	715004762
Windshield Wiper & Washer I	Kit	Maverick X3, Maverick X3 MAX Fit with Glass Windshield (715008859)	715003282
1.9	<ul> <li>Includes single-speed v</li> </ul>	ur windshield clear in rain, or while riding through wiper and washer fluid dispenser. washer fluid dispenser perfectly concealed within	
NEW Manual Wiper Kit		Maverick X3, Maverick X3 MAX	715009424
	<ul> <li>Easy to install system th</li> <li>Large ergonomic handl</li> </ul>	at can be used to clear windshield of debris. hat requires no electrical hookup. e provides a good grip over the entyre sweeping s and hardcoated windshields that use top mounted	

### Wind Protection

Rear Wind Screen		Maverick X3, Maverick X3 MAX (except X mr models)	715006701
	Full rear mesh screen reduces windshield backdraft for added cabin comfor Installs quickly and easily on roll cage.		rt.

Large white Can-Am logo on black mesh.



THE REAL PROPERTY AND INCOMENTATION OF THE PROPERTY AND INTERPOPERTY AND I

Rear Polycarbonate Window		Maverick X3, Maverick X3 MAX (except X mr models)	715006387
	High-impact-resistant polycarbonate window.		



Blocks windshield backdraft or dust and rain from entering for added cabin comfort.

Quick and easy tool-less installation.

Ready for MTX Audio System Rear Speakers.

#### **Soft Rear Window**

v		Maverick X3, Maverick X3 MAX (except X mr models)	715006702
	Clear, flexible window made	from transparent vinyl.	



Resists cold-cracking to -4°F (-20°C).

- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick tool-less installation.

## **MIRRORS**

NEW Aluminum Side Mirrors		Maverick X3, Maverick X3 MAX	715007363
<ul> <li>Sleek design.</li> <li>High-quality black molded aluminum for extreme durability.</li> <li>The convex surface provides a wider field of view and better visibility around the</li> <li>Can be installed at any height on the cage A-pillar for optimized rider vision.</li> <li>Possibility to install the Integrated LED Side Mirror Lights (715007185).</li> <li>Adjustable ball-joint mirrors.</li> <li>Possibility to fold down the mirrors (fold-away mechanism).</li> <li>Not compatible with Glass Windshield.</li> <li>Sold in pairs.</li> </ul>			er vision.
NEW Side Mirrors		Maverick X3, Maverick X3 MAX	715007188
	<ul> <li>Can be installed at any he</li> <li>Adjustable ball-joint mirro</li> </ul>	les a wider field of view and better visibilit ight on the cage A-pillar for optimized ride rs. e mirrors (fold-away mechanism).	-
Side Mirrors		Maverick X3, Maverick X3 MAX	715004236 • For stock quarter doors 715005315 • For aluminum doors
	<ul> <li>Multi-position adjustable</li> <li>Convex optics for a wide wide</li> </ul>	-	·

- Compatible with Upper Soft Door Panels.
- Sold in pairs.

Racing Side Mirrors		Maverick X3, Maverick X3 MAX	715002898	
	<ul> <li>Dual adjustment provid</li> <li>Multi-position adjustal</li> <li>Flat optics deliver importante</li> <li>Spring-loaded pivots let</li> </ul>	<ul> <li>Race-inspired design features rugged black nylon % construction with coated cast-aluminum mount.</li> <li>Dual adjustment provides optimal field of view (FOV).</li> <li>Multi-position adjustable ball-joint mounted mirrors.</li> <li>Flat optics deliver improved distance perception.</li> <li>Spring-loaded pivots let mirrors fold back completely.</li> <li>Not compatible with Lonestar Racing Light Racks, Upper Soft Door Panels or Flip Audio Roof Kit (715007131).</li> <li>Sold in pairs.</li> </ul>		
Rally Side Mirrors		Maverick X3, Maverick X3 MAX	715005262	
	<ul> <li>4" (10 cm) convex surfation</li> <li>Can be installed at any</li> <li>Multi-position adjustal</li> </ul>	ded aluminum for extreme durability. ace provides a wider field of view and better v r height on the cage A-pillar for optimized ride ble ball-joint-mounted mirrors. et mirrors fold back completely.	2	
Rear Mirror & Camera M	onitor	Maverick X3, Maverick X3 MAX	715009410	
	<ul> <li>See exactly what you r</li> <li>This unit replaces the</li> </ul>	earview mirror and monitor kit. you need to see with the multiple camera feeds from the rear view camera. s the stock rearview mirror (the screen is integrated in the unit's replacement rearview n infrared light for night vision capabilities.		

## DOORS

Aluminum Half Doors		Maverick X3, Maverick X3 MA Maverick X3 MAX	X	715007971 · Front 715007972 · Rear
	<ul> <li>Lightweight half doors mad aluminum.</li> <li>Smooth finish.</li> <li>Engineered for maximum ri-</li> <li>Designed for a perfect fit ar the vehicle's lines.</li> <li>Contoured with a thick seal elements.</li> </ul>	gidity and durability.	<ul> <li>Includes the</li> <li>Compatible Window Net</li> </ul>	tion using the standard door frame. e easy-to-operate Deluxe Door Handles. with the Upper Soft Door Panels, the ts and Upper Door Storage Bags. ible with the Lower Door Panel Storage Bags.
		Maverick X3, Maverick X3 MA	AX	715004758 · Front
Deluxe Door Handles		Maverick X3 MAX		715004860 · Rear
	<ul> <li>Include inside and outside I</li> <li>Greatly facilitate door openi</li> </ul>	t the standard door straps into easy-to-access door har inside and outside handles for each door. facilitate door opening. rd on accessory Aluminum Half Doors.		

Lower Door Panels		Maverick X3, Maverick X3 MAX	715002903 · Front 715003751 · Rear
	, ,	lypropylene construction designed to match w m to protect and seal cab area.	hicle.

Window	Nets
--------	------

Maverick X3	715006693 · Front
Maverick X3 MAX	715004694 · Front
Maverick X3 MAX	715006700 · Rear

Window mesh screen for added protection from wind.



Can be easily lowered in seconds.

Sold in pairs.

Not compatible with Can-Am Audio Roof.

	Maverick X3 (except X mr models)	715008091 · 2 doors
Upper Soft Door Panels	Maverick X3 MAX (except X mr models)	715008092 · 4 doors




· Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.

- Extend stock quarter doors at the top.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.
- Not compatible with Racing Side Mirrors and Can-Am Audio Roof.

## **SEAT ACCESSORIES**

4-Point Harness		Maverick X3, Maverick X3 MAX	715008033 · Driver 715008034 · Passenger
V	Exclusive controlled decele     Designed to offer maximum     Easy one-click latch and rel     Patent pending.     Not EC compliant.	0	s additional energy in case of accident.
			715005021 · Driver
Retractable 4-Point Harness		Maverick X3, Maverick X3 MAX	715005022 · Passenger
<u> ∼</u>		÷	51 G
Retractor Protector (Not illustrated)		Maverick X3 MAX	707900653
	<ul> <li>Protective pad required for</li> <li>Protects the passengers fro</li> <li>Sold individually.</li> </ul>	the installation of the Retractable 4-Point m the retractor mechanism.	Harness on front seat of MAX models.
Seat Belt Shoulder Pads		Maverick X3, Maverick X3 MAX	715002894
Ganan	Provide additional riding co     Fit with stock 3-point seat b     Easy Velcro installation.     Can-Am branded.     Sold in pairs for driver and p		g on neck and shoulder.

## **HMWPE SKID PLATES**



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed %" (10 mm) thick High Molecular Weight Polyethylene (HMWPE). Lighter than aluminum.

Superior stress crack resistance.

High-impact strength.

## **MAVERICK X3, MAVERICK X3 MAX**

			/		
HMWPE Skid Plates are standard on Maverick X3 X rc models.	Maverick X3 64" models	Maverick X3 Max 64" models	Maverick X3, Maverick X3 Max 72" models (except Base models)	Maverick X3 Base 72" models	Maverick X3 Max Base 72" models
HMWPE Skid Plate Protection	on Kit				
	715003713	715003747	715003718	715006767	715006769
Individual HMWPE Skid Plat	es				
(1) HMWPE Front A-Arm and Trailing Arm Protectors	715002905	715002905	715003552	715003552	715003552
2 HMWPE Front Skid Plate	715003933	715003933	715003933	715003933	715003933
3 HMWPE Central Skid Plate	-	715003731	Standard on X rc models only	_	715003731
(4) HMWPE Underbelly Plate	715004904	715004904	Standard on X rc models only	715004904	715004904

## **BUMPERS & GUARDS**

### **Bumpers**

**715002878** · Black Front Pre-Runner Bumper Maverick X3, Maverick X3 MAX 715003433 · Can-Am Red • Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability. · Inside and outside anti-corrosion coating with durable powder coat finish. · Added heavy-duty protection in extreme driving conditions. · Integrated winch mounting plate and mount points for lights. **715002880** · Black **Rear Pre-Runner Bumper** Maverick X3, Maverick X3 MAX 715003436 · Can-Am Red • Extra-durable 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate. Inside and outside anti-corrosion coating with durable powder coat finish. · Protects vehicle bodywork and exhaust system. · Rear Receiver Hitch compatible. · Required for installation of the Rear Cage Extension. 715002961 · Black **Dune Front Bumper** 715003432 · Can-Am Red Maverick X3, Maverick X3 MAX • Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate. · Inside and outside anti-corrosion coating with durable powder coat finish. · Provides added protection without sacrificing the agility and performance advantages of a lighter weight design. · Features a more pronounced attack angle and integrated mounting points for lights. · Not winch compatible. 715002962 · Black Maverick X3, Maverick X3 MAX 2021 & prior 715003437 · Can-Am Red **Dune Rear Bumper** Maverick X3, Maverick X3 MAX 2022 & up 715009242 · Black • Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate. · Inside and outside anti-corrosion coating with durable powder coat finish. · Provides added protection without sacrificing the agility and performance advantages of a lighter weight design. · Protects vehicle bodywork and exhaust system. · Rear hitch compatible. • Not compatible with Rear Cage Extension and Lonestar Racing Spare Tyre Holder. X rc/X mr Front Bumper Maverick X3, Maverick X3 MAX 715004788 · Black • Made of 1.5" (3.8 cm) diameter steel tubing with a 1/s" (3 mm) aluminum plate. Inside and outside anti-corrosion coating with durable powder coat finish on steel tubing. Offers all the essential features required for technical driving: low front-end protection, support base for winch installation and integrated tow hook. Standard on Maverick X3 X rc and X mr models. · Not compatible with winches with steel cable. 715005510 • Hyper Silver Maverick X3, Maverick X3 MAX (not compatible X mr and X rc models) Lonestar Racing Front Bumper 715005509 · Black • Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish and a 1/8" (3 mm) thick aluminum plate for added vehicle-front protection in extreme driving conditions. Sleek styling enhances the vehicle's race-inspired look.

- Not winch compatible.
- Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar.
- Not compatible with stock Smart-Shox

Lonestar Racing Rear Bumper		Maverick X3, Maverick X3 MAX 2021 & prior	<ul> <li>715005512 · Hyper Silver</li> <li>715005511 · Black</li> <li>715004162 · Can-Am Red</li> </ul>
S3 <sup>†</sup> Front Bumper		Maverick X3, Maverick X3 MAX	<b>715004867</b> · Black
	<ul> <li>Inside and outside anti-corr</li> <li>Added heavy-duty protection</li> <li>Integrated winch support p</li> </ul>	eter steel tubing with a ½" (3 mm) aluminum pla rosion coating with durable powder coat finish. on in extreme driving conditions. late and mount points for lights. s you to keep the winch hook within easy reach	
S3 Rear Bumper		Maverick X3, Maverick X3 MAX 2021 & prior	<b>715004869</b> · Black
	<ul> <li>Inside and outside anti-corr</li> <li>Added heavy-duty protectio</li> <li>Permits installation of a win</li> <li>"S3 for Can-Am" branded.</li> <li>Engineered to sustain heav</li> <li>Compatible with Can-Am H on the bumper.</li> </ul>	(3.8 cm) diameter steel tubing. rosion coating with durable powder coat finish. on in extreme driving conditions—protects vehic ach at a higher location to improve accessibility y winch loads without damaging the vehicle's fr D and WARN VRX winches—Rear Winch Harne hook to facilitate vehicle recovery.	in muddy conditions. ame.
Rock Sliders		Maverick X3 (except X rc)	<b>715002963</b> · Black <b>715003438</b> · Can-Am Red
Rock Sliders		Maverick X3 MAX	<ul> <li>715003730 · Black</li> <li>715003888 · Can-Am Red</li> </ul>
		rosion coating with durable powder coat finish. undercarriage against large obstacles.	^
X rc UHMWPE Rock Sliders		Maverick X3	715004730
N XII	<ul> <li>Robust ¼" (6 mm) UHMWPI</li> <li>Include lower body panels a</li> </ul>		

- Include lower body panels and brackets for installation
- Protect vehicle's sides and undercarriage against large obstacles.
- Lodge tight up against vehicle body for better clearance from obstacles.
- Slide smoothly over obstacles.
- Sold in pairs.

Lonestar Racing Rock Sliders	Maverick X3 (except X rc models) Maverick X3 MAX	715005514 · Hyper Silver         715008345 · Black         715008846 · Can-Am Red         715008847 · Black         715008848 · Can-Am Red
Race-engineered to Lonesta	r Racing's trademark standards for toughness,	these stylishly crafted accessories will also

- Race-engineered to Lonestar Racing's trademark standards for toughness, these stylishly crafted accessories will also enhance your vehicle with visual impact.
  - Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
  - Essential protection for your vehicle's sides from large obstacles.

Sold in pairs.

Maverick X3 MAX: Not compatible with the Rear Aluminum Half Doors (715007972).

Front Intrusion Bar		Maverick X3, Maverick X3 MAX	<b>715002889</b> · Black <b>715003435</b> · Can-Am Red
	Tube design reduces	ing. nti-corrosion coating with durable powder coat finish s obstructed lines of sight and blind spots for better vi windshields and Lonestar Racing Aluminum Roof.	
onestar Racing Front Intrusio	on Bar	Maverick X3, Maverick X3 MAX	<b>715003916</b> · Black
	Enhances the racing	estar Racing Aluminum Roof only.	sh.
onestar Racing Rear Intrusio	n Bar	Maverick X3 (except X mr models), Maverick X3 MAX	<b>715003918</b> · Black
Other Accessories	Required for the insta	es the vehicle's race-inspired look. allation of the Lonestar Racing Spare Tyre Holder. LinQ mounted accessories and Pre-Filter in the carg	o bed.
-ender Flares		Maverick X3, Maverick X3 MAX	715002973
	<ul> <li>Keep mud and debris</li> <li>Designed for quick a</li> </ul>		
	older	Maverick X3, Maverick X3 MAX 2021 & prior (except X mr models)	<b>715003922</b> · Black
onestar Racing Spare Tyre H			sh.
Lonestar Racing Spare Tyre H	<ul> <li>Adjustable height to</li> <li>Requires Lonestar Ra</li> <li>Cannot hold the Proof</li> <li>Wheel not included.</li> </ul>	) diameter steel tubing with durable powder coat finis fit Can-Am tyres up to 30 in. acing Rear Bumper and Lonestar Racing Rear Intrusio Armor Quickshot Wheel Jack and Off-Road Screw Jac the S&B Particle Separator and LinQ accessories into	sk.
	<ul> <li>Adjustable height to</li> <li>Requires Lonestar Ra</li> <li>Cannot hold the Pro</li> <li>Wheel not included.</li> <li>Not compatible with</li> </ul>	fit Can-Am tyres up to 30 in. acing Rear Bumper and Lonestar Racing Rear Intrusi Armor Quickshot Wheel Jack and Off-Road Screw Jac	sk.
Lonestar Racing Spare Tyre H	<ul> <li>Adjustable height to</li> <li>Requires Lonestar Ra</li> <li>Cannot hold the Pro</li> <li>Wheel not included.</li> <li>Not compatible with</li> </ul> <b>e Holder</b> <ul> <li>Includes a pair of stu</li> <li>Not compatible with</li> <li>Numbered decals are</li> </ul>	fit Can-Am tyres up to 30 in. acing Rear Bumper and Lonestar Racing Rear Intrusion Armor Quickshot Wheel Jack and Off-Road Screw Jack the S&B Particle Separator and LinQ accessories into Maverick X3, Maverick X3 MAX rdy aluminum number plates that mount on either side	ck. ended for the rear of the vehicle. 715003943 de of the vehicle rear.
	<ul> <li>Adjustable height to</li> <li>Requires Lonestar Ra</li> <li>Cannot hold the Pro</li> <li>Wheel not included.</li> <li>Not compatible with</li> </ul> <b>e Holder</b> <ul> <li>Includes a pair of stu</li> <li>Not compatible with</li> <li>Numbered decals are</li> <li>Styling enhances the</li> </ul>	fit Can-Am tyres up to 30 in. acing Rear Bumper and Lonestar Racing Rear Intrusion Armor Quickshot Wheel Jack and Off-Road Screw Jack the S&B Particle Separator and LinQ accessories into Maverick X3, Maverick X3 MAX rdy aluminum number plates that mount on either side LinQ Pivoting Rack. e available through SCS Unlimited.	ck. ended for the rear of the vehicle. 715003943 de of the vehicle rear.

## LINQ: EASY ON, EASY OFF CARGO

## **MAVERICK'S LINQ ACCESSORIES**

### Mounting location and requirements

<ul> <li>No tools needed: Quickly install and remove accessories by hand</li> <li>Equip your Can-Am for specialized tasks in no time</li> <li>Sturdy mounting system that holds up to the roughest terrain</li> </ul>	Standard Cargo Bed	LinQ Pivoting Rack 715008295/715008296	Adventure Roof Rack 715003868/715006225
LinQ Accessories with 16" Base	<ul> <li>Lower loading capacity that</li> </ul>	nches apart, center-to-center. n the LinQ with 36" base acce IV and SxS vehicles, Can-Am S i-Doo snowmobiles.	ssories.
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black			LinQ Base Installation Kit 715008125
LinQ Tool Kit 715006829			No further requirements
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Anchor Adapter Kit 715004960	LinQ Anchor Adapter Kit <b>715004960</b>	LinQ Base Installation Kit 715008125
LinQ 4.5 Gal (17 L) Sport Bag 860202447			
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			No further requirements
LinQ Roll-Top Bag 715008110			LinQ Base Installation Kit 715008125
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ with 16" base acce 0 ORV vehicles.	
<b>LinQ 12 Gal (45 L) Cargo Box</b> 715003879	No compatibility		
<b>LinQ 23 Gal (86 L) Trunk Box</b> 715004923	No further requirements		
<b>LinQ 32 Gal (121 L) Trunk Box</b> 715001748	*Not compatible if the LinQ Pivoting Rack is installed.		
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018			
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Grey	No further requirements	No further requirements	No compatibility
LinQ Premium Storage Bag by OGIO <sup>†</sup> 715002923 • Black	No further requirements		
LinQ Heavy Duty Basket 715001215	National		
LinQ Low Profile Basket 715004282	No further requirements		
LinQ Holders			
LinQ Gear Grips 715005340			Side wall installation
LinQ Tool Holder 715007358	No further requirements	No further requirements	LinQ Adapters <b>715003058</b>

### LinQ Accessories with 16" Base

			<b>715005494</b> · (10 L)
			715007112 · (20 L)
LinQ Modular Box		Maverick X3, Maverick X3 MAX	715006830 · (30 L)
	<ul> <li>Allows stacking of other mo</li> </ul>	dular boxes to always have the right gea	r accessible.
	<ul> <li>Always have the right box si</li> </ul>	ze to fit everything.	

Maverick X3, Maverick X3 MAX

219401110

- · Can be installed on any LinQ base with a 16" width.
- See table for installation location and requirements.

### Thermal Insert for LinQ Modular Box (10 L)

- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- · Can contain seven 355 ml cans.
  - · Keeps ice cold for one day.
  - Interior dimensions: 9" L x 17" W x 2½" H.

#### LinQ Tool Box Maverick X3, Maverick X3 MAX 715008111 High precision injected HDPE construction provides rigidity and durability. • 5 gal (19 L) maximum capacity. Weather-resistant, sealed and lockable cover. · Easy one-second on/off tool-less system.

- All the benefits of LinQ—simple, fast and secure.
- See table for installation location and requirements.

LinQ Tool Kit		Maverick X3, Maverick X3 MA	X 715	5006829	
	<ul> <li>Includes:</li> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location (belt not included)</li> </ul>	<ul> <li>Long-socket 19 mm %" drive - 6 pts</li> <li>Socket 18 mm %" drive</li> <li>Long-socket 17 mm %" drive - 6 pts</li> <li>Socket 15 mm %" drive</li> <li>Socket 13 mm %" drive</li> <li>Socket 10 mm %" drive</li> </ul>	<ul> <li>Socket 8 mm %" d</li> <li>Combined wrench</li> <li>Combined wrench</li> <li>Combined wrench</li> <li>Combined wrench</li> <li>Combined wrench</li> <li>Combined wrench</li> <li>Socket Torx T40 %</li> </ul>	ch 19 mm ch 18 mm ch 15 mm ch 13 mm ch 13 mm ch 10 mm ch 8 mm	<ul> <li>Socket Torx T30 %" drive</li> <li>Socket Torx T20 %" drive</li> <li>Breaker bar %" drive</li> <li>See table for installation location and requirements</li> </ul>

LinQ 4.2 Gal (16 L) Cooler		Maverick X3, Maverick X3 MAX	[	<b>219400964</b> · Black <b>295100698</b> · White
S.J.	<ul> <li>All the benefits of LinQ—sin</li> <li>Rotomolded construction for and durability.</li> <li>Premium-quality foam insul- ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US)</li> </ul>	r exceptional rigidity ation for optimal	<ul> <li>Can contain</li> <li>Keeps ice co</li> <li>Exterior dime</li> <li>Interior dime</li> </ul>	cond on/off tool-less system. twenty 355 ml cans. Id for three days. ensions: 13" L x 20" W x 10" H. nsions: 9" L x 17" W x 7" H. installation location and requirements.
LinQ 4.5 Gal (17 L) Sport Bag	]	Maverick X3, Maverick X3 MAX	:	860202447

### LinQ 4.5 Gal (17 L) Sport Bag

- 17-liter (4.5 US gallon, 1,037 cu. in.) capacity.
- Rigid bottom, semi-rigid top.
- · See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag		Maverick X3, Maverick X3 MAX	860202449
	<ul> <li>All the benefits of LinQ—sin</li> <li>Semi-rigid expandable bag.</li> <li>5.5 gal (21 L) capacity.</li> <li>Utilizes LinQ mounting syste</li> <li>Easy one-second on/off too</li> <li>See table for installation loc</li> </ul>	em (Patent US 8777531 and US 8875830). I-less system.	

LinQ Roll-Top Bag		Maverick X3, Maverick X3 MA	x	715008110
	<ul> <li>LinQ mounted using heavy-</li> <li>High capacity storage solut</li> <li>Bottom foam liner for additional statement of the store of the stor</li></ul>	ion (40 L). onal equipment protection. ransportation on/off the vehicle adjustable H.		nent.
LinQ Accessories with	36" Base			
inQ 12 Gal (45 L) Cargo Box		Maverick X3, Maverick X3 MA	x	715003879
	<ul> <li>LinQ mounted for easy-on, e</li> <li>Holds cargo safely and secu</li> <li>See table for installation loc</li> </ul>	urely while riding.		1
inQ 23 Gal (86 L) Trunk Box		Maverick X3 (except X mr mod Maverick X3 MAX	els),	715004923
	LinQ mounted for easy-on, e     Holds cargo safely and secu     See table for installation loc	urely while riding.		
inQ 32 Gal (121 L) Trunk Box.		Maverick X3 (except X mr mod Maverick X3 MAX	els),	<b>715001748</b> · (No rear tail light)
	<ul> <li>32 gal (121 L) load capacity</li> <li>Made of injection-molded p</li> <li>The fully sealed lid protects</li> <li>No rear tail light.</li> </ul>	olyethylene, double walled in co your belongings from dust, mo n many colors to match your ve	ximize storage r ritical areas. isture and the el	room and access to the trunk's interior. lements.
inQ 32 Gal (121 L) Trunk Box	Panals	Fit with LinQ 32 Gal (121 L) Tru		
	Color panels to match the L	EUROPEAN VERSION (EC con inQ 32 gal (121 L) Trunk Box to		
	<ul> <li>No rear tail light</li> <li>715001397 · Black</li> <li>715001398 · Yellow</li> <li>715002483 · White</li> <li>715006121 · Can-Am Red</li> </ul>	1		I <b>2</b> · Manta Green I <b>3</b> · Orange Crush I <b>4</b> · Viper Red
inQ 8 Gal (30 L) Cooler Box.		Maverick X3, Maverick X3 MA	x	<b>715004778</b> · Black <b>715004698</b> · Grey
		rovides exceptional rigidity and ation for optimal ice retention. compartment protects food. the cover tightly closed.	durability.	
inQ 11.5 Gal (43 L) Audio Car	go Box	Maverick X3, Maverick X3 MA	x	715003018
	<ul> <li>The rear installation does not a many series of the series of t</li></ul>	eiver and 6.5" (16.5 cm) speake protects your battery by turning	ows easy listenin y. rs are smartly co	ng at an average speed. oncealed and integrated in the cover.

LinQ Heavy-Duty Basket		Maverick X3, Maverick X3 MAX	715001215
	LinQ mount for e	rength, low-alloy steel. easy-on, easy-off installation. tallation location and requirements.	
LinQ Premium Storage Bag	by OGIO	Maverick X3, Maverick X3 MAX	<b>715002923</b> · Black
	<ul> <li>17.2 gal (65 L) ca</li> <li>Buckle and elast</li> <li>3-section lid for</li> <li>Inside separator</li> </ul>	tion and removal thanks to the LinQ system. apacity semi-rigid cargo bag ideal for carrying anythi ic closure with a rubber seal that protects dust from partial or full access to your bag. s for optimal bag organization. tallation location and requirements.	
LinQ Low Profile Basket		Maverick X3, Maverick X3 MAX	715004282
	<ul> <li>Perfect for easy</li> <li>Multiple bungee</li> <li>Made of impact-</li> </ul>	n basket increases cargo space. access to tools, rope, winch and plow accessories. cord and tie-down anchor points. resistant injected polypropylene. tallation location and requirements.	
LinQ Holders			
LinQ Tool Holder		Maverick X3, Maverick X3 MAX	715007358
d d	Sold in pairs.	el-latch allows tools to be stored in any orientation.	
LinQ Gear Grips		Maverick X3, Maverick X3 MAX	715005340
ŶŶ	<ul> <li>Heavy-duty designed</li> <li>Quick-release but</li> <li>Heavy-duty base</li> </ul>	ible grips provide a custom fit for a variety of items fr gn for carrying bows, fishing poles, rakes, farm tools utton opens grip quickly for easy access to gear. e system built for the toughest adventures. ng your tools a snap by combining the LinQ Gear Gri	and more.
LinQ Mounting			
			715001000
LinQ Anchor Adapter Kit	Allows the instal     Tool-less installa	Maverick X3, Maverick X3 MAX lation of LinQ accessories with 16" base on LinQ rac tion and removal.	715004960 sks.
LinQ Base Installation Kit		Maverick X3, Maverick X3 MAX	715008125
80		on of compatible LinQ accessories. Cargo bases and hardware.	
Tube LinQ Adapter		Maverick X3, Maverick X3 MAX	715004292
()		inQ receiver. .inQ Pivoting Rack assembly. lation of single LinQ mounted accessory.	

LinQ Lock		Maverick X3, Maverick X3 MAX	860201968
	<ul> <li>Lock cover protects</li> <li>Corrosion resistant.</li> <li>Pack of 1, includes 2</li> </ul>		nQ Tool Holder or LinQ Gear Grips.
LinQ Replacement Part		Maverick X3, Maverick X3 MAX	715001707
🔮 🥰	<ul> <li>Unique mounting fa</li> <li>Tool-less installation</li> <li>Sold in pairs.</li> </ul>	stener usable on any LinQ system accessory. n and removal.	
LinQ Adapter (Not illustrated)		Maverick X3 MAX	715003058
	<ul> <li>Allows the installation</li> <li>Sold in pack of 4.</li> </ul>	on of the LinQ Tool Holder on the Adventure Roo	f Rack.
Cargo Box Net		Maverick X3, Maverick X3 MAX	715001371
	Solid net designed t	to secure and ensure the compact confinement o	of your Adventure Roof Rack.
Spare Tyre Ratchet Tie-Do	wns	Maverick X3, Maverick X3 MAX	280000955
P M B	<ul> <li>Designed to secure</li> <li>Adjustable to accon</li> <li>Ratchet and junction</li> </ul>	-down strap with loop ends. Iy hold spare tyres on accessories equipped with nmodate most common UTV tyre sizes. n ring made of durable zinc-plated steel.	n integrated spare tyre attachment points.


Required for spare tyre attachment on Adventure Roof Rack.

## **RACKS & STORAGE**

LinQ Pivoting Rack		Maverick X3, Maverick X3 MAX (except X mr models)	<b>715008295</b> · Black <b>715008296</b> · Can-Am Red
		or extra LinQ mounted accessories or for c n strap for fast spare tyre installation or rem locks in the raised position.	
	0 1	74 L) do not fit on the vehicle when the racl Intrusion Bars, Rear Cage Extension and L	

	Maverick X3	715006225
Adventure Roof Rack	Maverick X3 MAX	715003868

- Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely. Built with lightweight 1.25" (3.2 cm) diameter steel tubing.



- Features anchor points for spare-tyre attachment.
- · LinQ anchor on both sides.
- Spare Tyre Tie-Downs sold separately.
- Add the Cargo Box Net to secure and confine your cargo in the rack.
- Loads up to 75 lb (34 kg).

NEW Adventure Roof Rack		Maverick X3		715007186
	<ul> <li>Built using lightweight 1.2</li> <li>Supports loads of up to 75</li> <li>This roof rack features a h</li> <li>Integrated mounting point</li> <li>Features anchor points for</li> <li>LinQ anchor on both sides</li> <li>The Spare Tyre Tie-Downs</li> </ul>	eight adjustment setting to precis s for lights. r a spare tyre attachment.	2	
Storage				
Shoulder Storage Bag		Maverick X3 (except X mr mode Maverick X3 MAX (rear only)	els),	715004277
	Bag attaches in unused sp     Installs between the rear s	ace between the seats to increas seats only on MAX models.	e your vehicle'	s cargo capacity.
Front Shoulder Storage Bag		Maverick X3 MAX		715004888
		at both front and rear passengers or and passenger seats on MAX mo		e bag's content.
Overhead Storage Bag		Maverick X3, Maverick X3 MAX	(	715004275
	<ul> <li>Makes smart use of your c</li> <li>Semi-rigid construction re</li> </ul>	ds your gear safely and securely overhead space to increase your v nders it flexible enough to fit odd- clear front pocket allows for easy a imini Roof.	ehicle's cargo shaped loads.	
Upper Door Storage Bags		Maverick X3, Maverick X3 MAX	(	715004276
	<ul> <li>Bags attach on stock quar</li> <li>Each bag is designed as a</li> </ul>	hold your gear safely and securely ter doors to increase your vehicle 1.3 gal (5 L) capacity pocket also nders them flexible enough to fit o	's cargo space. equipped with	inner netting compartments.
Lower Door Panel Storage Ba	ıgs	Maverick X3, Maverick X3 MAX	(	715004355
	<ul> <li>Weather-resistant, they'll h securely while riding.</li> <li>Bags attach on Lower Doc vehicle's cargo space.</li> <li>Each bag is designed as a also equipped with inner r</li> </ul>	or Panels to increase your 1.6 gal (6 L) capacity pocket	fit odd-shap • Sold in pairs • Not compat Screw Jack.	
Soft Storage Bag		Maverick X3, Maverick X3 MAX	(	715003759
	<ul> <li>11.8 gal (45 L) capacity so</li> <li>3 sections.</li> <li>Weatherproof.</li> </ul>	ft cargo bag designed with vehicle	e's rear in minc	to maximize potential storage.
Storage 2.6 Gal (10 L) Bag		Maverick X3, Maverick X3 MAX	(	269502121
- 0- )	Roll-top dry bag for fully pr	otecting your cargo from the elen	nents.	

### **NEW** Passenger Storage Seat Bag

Maverick X3, Maverick X3 MAX

- This weather-resistant bag holds your gear safely and securely while you ride.
   Bag settling on the passanger seat to increase the vehicle's carro capacity.
  - Bag settling on the passenger seat to increase the vehicle's cargo capacity.
    This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
  - The top compartment is insulated to keep your beverages cold and includes two cup holders.
  - Additional pocket inside for additional storage, such as a cell phone.
  - The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
  - The detachable pocket at the front of the bag can be used as a garbage bag.

## **LIGHTS**

				2	Choose	your ligh	ts			
1 Choose	l	BAJA DE	ESIGNS <sup>†</sup>	LIGHTS	5		CAN	-AM LIG	HTS	
your mount point	10" (25 cm) LED Light Bar	40" (102 cm) Baja Design OnX6 Arc LED Light Bar	XL Sport LED Lights (sold in pairs)	Squadron Sport LED Lights (sold in pairs)	XL80 LED Lights (sold in pairs)	10" Double Stacked LED Bar	15" Double Stacked LED Bar	39" Double Stacked LED Bar	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)
Front Pre-Runner or Dune Bumpers	<b>710006819</b> + <b>715007049</b> (Power Cable)	<b>710006818</b> + <b>715007117</b> (Power Cable)	<b>710006821</b> + <b>715002884</b> (Power Cable)	<b>710006820</b> + <b>715002884</b> (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	715002933 + 715003417 (Power Cable)	715002934 (Not compatible with Pre-Runner Bumper) + 715003417 (Power Cable)		715003665	; (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable)
Lonestar Racing Front Bumper	NA	<b>710006818</b> + <b>715007117</b> (Power Cable)	<b>710006821</b> + <b>715002884</b> (Power Cable)	710006820 + 715002884 (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)				715003665	i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable)
Light Support Bar or Adventure Roof Rack	<b>710006819</b> + <b>715007049</b> (Power Cable)	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710006820 + 715002884 (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	715002933 + 715003417 (Power Cable)	715002934 + 715003417 (Power Cable)	715004007 + 715005822 (Light Mounting Kit)	715003665	i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable)
Lonestar Racing 40" (102 cm) LED Light Bar Rack	NA	<b>710006818</b> + <b>715007117</b> (Power Cable)	NA	NA	NA	NA	NA	NA	NA	NA
Lonestar Racing Light Rack	NA	NA	<b>710006821</b> + <b>715002884</b> (Power Cable)	NA	<b>710005041</b> + <b>715007049</b> (Power Cable)	NA	NA	NA	NA	NA
<b>3</b> Order		Order all part numbers in intersecting box *Note: When installing more than one light kit, additional light power cable or mounting kit is required.								

\*All lights are intended for off-road use only.

		715003417
		715007049
Lights Power Cable		715002884
(Not illustrated)	Maverick X3, Maverick X3 MAX	715007117
• Bequi	ired for installation of Baia Designs I ED lights onto roof or bumper	

Required for installation of Baja Designs LED lights onto roof or bumper.

- 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049).
- Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715002884).
- 40" (102 cm) Arc LED Light Bar ONX6 (715007117).

0" (102 cm) Baja Designs OnX6 Arc LED Light Bar	Maverick X3, Maverick X3 MAX	710006818
Contraction of the second s	29,000 lumens 50 m 0 -50 0 100 20	0 300 400 500 600 700 800 900 m
<ul> <li>252 W light bar producing 29,000 lumens.</li> <li>Equipped with 24 Cree XM-L2 LEDs.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	Designed for installation onto Lig Requires Light Power Cable and I See table for installation location	light Support Bar.
aja Designs 10" (25 cm) OnX6 LED Light Bar	Maverick X3, Maverick X3 MAX	710006819
	12,460 lumens 50 m 25 0 -26 -50 0 100	200 300 400 500 600 m
<ul> <li>108 W light bar producing 12,460 lumens.</li> <li>Equipped with 6 Cree XM-L2 LEDs.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	Dual intensity (high/low) settings Requires Baja Designs Light Pow See table for installation location	er Cable.
Baja Designs XL80 LED Lights	Maverick X3, Maverick X3 MAX	710005041
	9,500 lumens 25 0 -25 -50 0 100	200 300 400 500 600 m
<ul> <li>80 W per spot producing 9,500 lumens.</li> <li>Equipped with 4 Cree XHP50 LEDs per spot.</li> <li>Dual intensity (high/low) settings.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	Require Baja Designs Light Powe Sold in pairs. Dimensions: 4.5" x 4.5" (11.4 cm × See table for installation location	x 11.4 cm).
aja Designs Squadron Sport LED Lights	Maverick X3, Maverick X3 MAX	710006820
	3,150 lumens -25 0 100	200 300 400 500 600 m
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.</li> </ul>	Require Baja Designs Light Powe Sold in pairs. Dimensions: 3" x 3" (7.6 cm x 7.6 c See table for installation location	cm).
aja Designs XL Sport LED Lights	Maverick X3, Maverick X3 MAX	710006821
	3,150 lumens 25 -26 -50	
	0 100	200 300 400 500 600 m

illumination farther down. • See table for installation location and requirements.

10" (25 cm) Double Stacked LED Light Bar (60 W)	Maverick X3, Maverick X3 MAX 715002933
(REFERE)	5,400 lumens 20 m 0 -20 0 100 200 300 400 500 600 700 800 m
Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. Requires light power cable for installation.	<ul> <li>Lights up to more than 1,500 ft. (460 m) in front of the vehicle and around 65 ft. (20 n wide on each side.</li> <li>EC compliant.</li> <li>See table for installation location and requirements.</li> </ul>
5" (38 cm) Double Stacked LED Light Bar (90 W)	Maverick X3, Maverick X3 MAX 715002934
	8,400 lumens 20 m 0 -20 0 100 200 300 400 500 600 700 800 m
Equipped with 18 5 W Cree LEDs. 8,400 lumens. Complements the Light Racks and most bumpers. Rugged and waterproof.	<ul> <li>Lights up to more than 1,900 ft. (580 m) in front of the vehicle and around 65 ft. (20 n wide on each side.</li> <li>EC compliant.</li> <li>See table for installation location and requirements.</li> </ul>
9" (99 cm) Double Stacked LED Light Bar (270 W)	Maverick X3, Maverick X3 MAX 715004007
Equipped with 54 5 W Cree LEDs. 24,300 lumens.	$\begin{array}{c} \textbf{24,300}\\ \textbf{umens} \end{array} \qquad \begin{array}{c} 20 \text{ m}\\ 0 \\ -20 \\ 0 \end{array} \qquad \begin{array}{c} 100 \\ 0 \end{array} \qquad \begin{array}{c} 200 \\ 300 \end{array} \qquad \begin{array}{c} 400 \\ 400 \end{array} \qquad \begin{array}{c} 500 \\ 500 \end{array} \qquad \begin{array}{c} 600 \\ 700 \end{array} \qquad \begin{array}{c} 800 \text{ m} \end{array}$
Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.	
" (10 cm) Round LED Lights (2 x 25 W)	Maverick X3, Maverick X3 MAX 715002935
25 W LED spotlights.       • Rugged and waterproof.         1,800 lumens.       • Includes basic wiring and sw	Can-Am branded grill.     Not EC compliant.     Requires light power cable.     Sold in pairs.     Not EC compliant.     Requires light power cable for     installation.
.5" (9 cm) LED Driving Lights (2 x 14 W)	Maverick X3, Maverick X3 MAX 715003666
	1,260 lumens -15 0 15 30 45 60 75 90 105 m
<ul> <li>14 W LED lights producing 1,260 lumens each.</li> <li>Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.</li> <li>Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.</li> </ul>	<ul> <li>Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.</li> <li>Sold in pairs.</li> <li>EC compliant.</li> <li>Requires light power cable for installation.</li> </ul>

3.5" (9 cm) LED Flood Lights	(2 x 14 W)	Maverick X3, Maverick X3 MAX		715003665
		1,260 lumens 0 -15 0 15	30 45 60	75 90 105 m
<ul> <li>14 W LED lights producing 1,260 lum</li> <li>Flood lens for a wide light beam sprea applications like plowing or cornering riding conditions.</li> <li>Equipped with six high-power LEDs in a h aluminum housing.</li> </ul>	ad, ideal for working . Suitable for dusty or foggy	<ul> <li>Features two attachment point the next channel point and rest of sold in pairs.</li> <li>EC compliant.</li> <li>Requires light power cable for the solution of the so</li></ul>	emount the ligh	chment point fails due to a collision, rotate to t.
Can-Am LED Signature Light	S	Maverick X3, Maverick X3 MAX		715003673
	<ul> <li>Add style with a more aggre</li> <li>Use bright and energy effic</li> <li>Do not give additional lighti</li> </ul>	ient LEDs.		
Dome Light		Maverick X3, Maverick X3 MAX		715002455
S.	<ul> <li>LED array integrates perfec</li> <li>Wiring included.</li> <li>Can be installed on cage, S</li> </ul>	tly with vehicle. port Roof or All-Terrain Trunk Co	/er.	
Lonestar Racing 40" (102 cm	) LED Light Bar Rack	Maverick X3, Maverick X3 MAX		715003920
	<ul> <li>Enhances the vehicle's race</li> <li>Compatible with Aluminum</li> </ul>	102 cm) Baja Designs OnX6 Arc e-inspired look. Roof, Lonestar Racing Aluminur g Side Mirrors and PowerFlip Wir	n Roof and Spo	rt Roof.
Lonestar Racing Light Rack		Maverick X3, Maverick X3 MAX		715003948
	<ul> <li>Accommodates up to two p</li> <li>Not compatible with Racing</li> </ul>	Designs XL80 LED Light and Baj pairs of XL Lights. g Side Mirrors and PowerFlip Wir Racing Aluminum Roof, Aluminur	dshield.	
Chase Lights		Maverick X3, Maverick X3 MAX		715002887
	<ul> <li>Designed by Can-Am to mariding behind you, especial conditions.</li> <li>Feature in-dash switches to modes and to choose amor colored light patterns (blue</li> <li>Trail Mode: Serves as a tail</li> </ul>	y in dusty or harsh activate one of the two ng 11 different high-visibility red and yellow).	light (brake li applications)	llow installation with rear roll cage mounted
NEW LED Chase Lights		Maverick X3, Maverick X3 MAX		715009887
	<ul> <li>Designed by Can-Am to mariding behind you, especial conditions.</li> <li>High-visibility colored light</li> <li>Three modes available: <ul> <li>Trail Mode: serves as a tai</li> <li>Chasing Mode: displays a</li> <li>Work Mode: white light to</li> </ul> </li> </ul>	ly in dusty or harsh patterns (red, yellow, white). I light and as a brake light. mber light pattern.	accessories. • Plug-and-pla	y installation. ss required (715008210).

Light Support Bar		Maverick X3, Maverick X3 MAX	(	715003529
	<ul> <li>Sleekly styled rugged alumi</li> <li>Accommodates light bars a any roof and windshield cor</li> <li>Full vehicle width to allow th LED light bar.</li> </ul>	nd spotlights with or without nbination.	•	light installation on vehicle's roof. ble with Lonestar Racing Aluminum Roof. eparately.
Mounting Kit for 39" (99 c (Not illustrated)	m) LED Light Bar	Maverick X3, Maverick X3 MAX	í.	715005822
	<ul> <li>Required for installation of t</li> <li>Includes wiring and suppor</li> <li>Light Support Bar required</li> </ul>		.ED Light Bar.	
Light Power Cable (Not illustrated)		Maverick X3, Maverick X3 MAX		715003417
	<ul> <li>Required for installation of LED Light Bars and 4" (10 c</li> <li>For bumper and roof mount</li> </ul>	, 0	ble Stacked	
NEW Integrated LED Side	e Mirror Lights	Maverick X3, Maverick X3 MAX	[	715007185
	<ul> <li>Light up corners.</li> <li>Increase the width of the be wheels for increased visibili</li> <li>Wide flood beam.</li> <li>3,000 lumens for each light.</li> <li>Require Aluminum Side Mir</li> </ul>	ity.	operate the l (715007185) installed.	ess (715008212) required to hook up and ntegrated LED Side Mirror Lights for on/off function when ACM is not ess (715008212) is required for installation.

## **AUDIO & COMMUNICATION SYSTEMS**

Audio				
Can-Am Audio Roof		Maverick X3		715007130
0-00	<ul> <li>Full roof with sleek built-in a</li> <li>Fully sealed and waterproof</li> <li>Easy to install: one wire con vehicle's electronics.</li> <li>Four 8" speakers, one 400 R amplifier, and one Head Uni Fosgate Audio.</li> </ul>	nects the roof to the	each speake • 2.7" color dis Pandora con • Flip Kit-comp • Not compatil Flip Kit is ins	splay with Bluetooth and inectivity. patible. ble with the Adventure Roof Rack if the
Can-Am Audio Roof		Maverick X3 MAX		715006709
	<ul> <li>Full roof with built-in audio.</li> <li>Fully sealed and waterproof</li> <li>Easy to install, one wire con electric system.</li> <li>Six 8" speakers, one 400 RM amplifier, one Head Unit cal Fosgate Audio.</li> </ul>	nects the roof to the vehicle's IS and 800 peak watt	each speake • 2.7" color Dis Pandora con • Not compatil Flip Kit is ins	splay with Bluetooth and inectivity. ble with the Adventure Roof Rack if the
Can-Am Audio Roof Flip Kit		Maverick X3, Maverick X3 MA	x	715007131
		(715007130 or 715006709) for l cing Side Mirrors (715002898).	Flip option.	·
MTX Central Speakers		Maverick X3 MAX		715004748
	<ul> <li>Top mounted central speake two 6.5" (16.5 cm)/100W sp</li> <li>Designed to be Can-Am-tou riding conditions.</li> </ul>	eakers.	7-speaker system the AUX input	on to the Complete MTX Audio System for a stem or as a stand-alone system by plugging It jack directly into your music device. ble with Lonestar roofs.

Complete MTX Audio System		Maverick X3, Maverick X3 MAX		715002873
ne Fa	<ul> <li>Bluetooth 5<sup>†</sup> equipped 400 V system by MTX.</li> <li>Designed to be Can-Am-tou riding conditions.</li> </ul>	spo ligh in the most demanding sul Ad	beakers and h Ibwoofer. dd the Elect	dashboard and rear-roll-cage mounted stereo nead unit with an integrated 6.5" (16.5 cm) ronic Device Holder to securely hold your rice ready to play your favorite tunes.
Can-Am Subwoofer		Maverick X3, Maverick X3 MAX		715004956
G.	<ul> <li>Powerful Rockford Fosgate speaker box.</li> <li>Easy plug-and-play connect</li> <li>Sturdy construction tough e environments and sealed age</li> </ul>	2 s ions to Audio Roof system. • Fit enough to withstand harsh • Wi	subwoofers	ehicle: under driver or passenger seat.
Can-Am Amplifier Kit		Maverick X3, Maverick X3 MAX		715007227
		to feed up to two Underseat Subwoo ions to Audio Roof system and subwo included.		
Electronic Device Holder		Maverick X3, Maverick X3 MAX		715002874

 100	-
12	
124	
in the last	

	Maverick X3, Maverick
• A great in-ride entertainmen	it system platform.
<ul> <li>Robust injected-polypropyle right fit and easy installation</li> </ul>	
	Robust injected-polypropyle

- for
- · Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and
- 10" (25.4 cm) (with protective case).
- Combines seamlessly with Complete MTX Audio System and Rugged Radios Intercom System. Allows the installation of Garmin Montana 680T GPS. · Integrated storage (1 gal [3.8 L] capacity) with access to the dash 12V outlet for device charging.

## **ELECTRICAL & ELECTRONIC ACCESSORIES**

### Electrical

Seat Heater		Maverick X3, Maverick X3 MAX	715006112
	<ul> <li>This kit includes one carbor</li> <li>Installs directly in the origin</li> <li>Heated Accessories Wiring</li> </ul>	ngs allow you to control the desired degree of w n fiber seat heater, foam sheet and in-dash switc	nstallation.
Heated Visor Outlet		Maverick X3, Maverick X3 MAX	715001246
7 1	<ul> <li>Strategically positioned on v</li> <li>Optional visor outlet that de</li> <li>Quick and easy installation.</li> <li>Sold individually.</li> <li>Heated Visor not included.</li> </ul>	5 5	

Heated Accessories Wiring Ha	irness	Maverick X3, Maverick X3 MA	(	710005757
	Electric barpage required to	,		d steering wheel and heated grab bar.
		Harness (715006004) is require		5
Auxiliary Battery Installation K Not illustrated)	π	Maverick X3, Maverick X3 MA	(	715006315
	<ul> <li>Allows you to add a second battery setup necessary to p components such as sound</li> <li>Equipped with an IP67-rate module that will prevent you components from draining y</li> </ul>	power auxiliary electrical I systems or winches. d waterproof electronic ur auxiliary electrical	<ul> <li>necessary w</li> <li>Both batterie behind the p</li> <li>Additional background the back</li></ul>	an additional battery junction block, all iring and the battery holder. Is are perfectly integrated, in stock location assenger seat. attery (410301203), plus battery hardware sold separately.
Electronic				
<b>NEW</b> Cellphone Holder		Maverick X3, Maverick X3 MA	(	715008786
	<ul> <li>Works with almost all charg</li> <li>Does not include cellphone</li> </ul>			
ighted Whip Flag		Maverick X3, Maverick X3 MAX	(	715002886
	<ul> <li>A must for riding the dunes.</li> <li>5 W Cree LED.</li> <li>5 colored lenses to allow pe</li> <li>Glow-through whip, quickly pole.</li> <li>Increases vehicle's visibility</li> </ul>	ersonalization. removable and replaceable	<ul> <li>Die cast alun</li> <li>Includes mod</li> <li>4' (1.2 m) flag</li> </ul>	dune-area requirements. ninum base, acetal hand nut. unting brackets and wiring. g mounts on top of the roll cage. lled on both sides of a vehicle.
Quick Connect Battery Cable				715005408
	<ul> <li>Quickly and easily connect a</li> <li>Included in the Battery Chai</li> <li>Sold individually.</li> </ul>	and charge different batteries w rger/Maintainer.	ith your charge	
Quick Connect Cable with Bat	tery Indicator			715006055
		and charge different batteries w les constant battery health indic		
Digitally Encoded Security Sys Green Key	stem (D.E.S.S.)	 Maverick X3   (Turbo/TurboR/Turbo RR moto	· .· .	710005232

Top-security anti-theft protection for your vehicle.

Encrypted chip technology restricts access to your vehicle's electronic ignition system.

One vehicle/one code.

• A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.

3 programmable modes:

- Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque.

- Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.

- Performance mode: No restrictions.

## **WINCHES & HITCHES**

### **Can-Am HD Winches**

Can-Am HD 4500 Winch		Maverick X3, Maverick X3 MAX		715006416	
	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and b and durability.</li> <li>Automatic 100% load-holdir</li> <li>Sealed solenoid for all-weat</li> <li>Weather sealed corded removable.</li> </ul>	ng brake. her protection.	<ul> <li>43' of <sup>15</sup>/<sub>64</sub>" (1</li> <li>Heavy-duty 4</li> <li>Winch Electr</li> </ul>	t. gth capability of 4,500 lb (2,041 kg). 3.1 m of 6.3 mm) wire steel cable. I-way roller fairlead. ical Harness (715003585) and winch ront bumper are required.	
Can-Am HD 4500-S Winch		Maverick X3, Maverick X3 MAX	[	715006417	
State	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and band durability.</li> <li>Automatic 100% load-holdir</li> <li>Sealed solenoid for all-weat</li> </ul>	ng brake.	<ul> <li>50' of ¼" (15.</li> <li>Corrosion-pr</li> <li>Winch Electr</li> </ul>	gth capability of 4,500 lb (2,041 kg). 2 m of 6.35 mm) synthetic rope. oof aluminum hawse fairlead. ical Harness (715003585) and winch ront bumper are required.	

· Weather-sealed corded remote and dash mounted switch.

WARN <sup>†</sup> VRX Winch	es			
WARN VRX 45 Winch		Maverick X3, Maverick X3 MA	чХ	715006110
	<ul> <li>Extreme IP68-rated waterprelements out.</li> <li>Durable all-metal constructi</li> <li>Black powder-coated finish for corrosion resistance.</li> <li>Robust new clutch design b WARN 4 WD hub lock know.</li> <li>Load-holding brake for great</li> <li>Smooth and reliable all-metal t</li> </ul>	on. and stainless steel fasteners ased on 70+ years of -how. t control.	<ul> <li>Limited lifetin (electrical).</li> <li>Pulling stren</li> <li>50' of ¼" (15)</li> <li>Roller fairlea</li> <li>Winch Electr</li> </ul>	ed rocker control. me warranty (mechanical), 3-year warranty gth capability of 4,500 lb (2,041 kg). m of 6.3 mm) wire steel cable. d. rical Harness (715003585) and winch ront bumper are required.
WARN VRX 45-S Winch		Maverick X3, Maverick X3 MA	AX	715006111
	<ul> <li>Extreme IP68-rated waterpreelements out.</li> <li>Durable all-metal constructive Black powder-coated finish for corrosion resistance.</li> <li>Robust new clutch design b WARN 4 WD hub lock know.</li> <li>Load-holding brake for greative Smooth and reliable all-metal to the second secon</li></ul>	on. and stainless steel fasteners ased on 70+ years of -how. t control.	<ul> <li>Limited lifetin (electrical).</li> <li>Pulling stren</li> <li>50' of ¼" (15)</li> <li>Cast aluminu</li> <li>Winch Electric</li> </ul>	ed rocker control. me warranty (mechanical), 3-year warranty gth capability of 4,500 lb (2,041 kg). m of 6.3 mm) synthetic rope. um hawse fairlead. rical Harness (715003585) and winch ront bumper are required.

Can-Am HD Hawse Fairlead		Can-Am HD Winch	715006426	
will prevent the cable f		ading your winch with a synthetic cable, this corrosion-proof aluminum hawse fairlead ole from snapping in a corner of a roller fairlead and from wearing prematurely due to of the worn roller guide. synthetic cables only.		
WARN Hawse Fairlead		WARN Winch	715007785	
	Double-powder-coated cor Required to use the Synthe To be used with synthetic w	tic Winch Cable on WARN winches.		
		Can-Am HD Winch	715006430	
Synthetic Winch Cable		WARN Winch	715007783	

Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

Wire Dana Danlagement		Can-Am HD Winch	705014978
Wire Rope Replacement		WARN Winch	715006699
$\overline{}$		m) wire rope for Can-Am HD Winch. n) wire rope for WARN winch kit. trength.	
Synthetic Cable Extension			715001120
		liameter, easy to handle and won't rattle in carg ble to provide additional 50' (15.2 m) of distanc ne capacity.	
Winch Electrical Harness (Not illustrated)		Maverick X3, Maverick X3 MAX	715003585
	Required for winch installa	tion.	
Rear Winch Harness (Not illustrated)			715006007
	Required for installation of	a winch on the S3 Rear Winch Bumper.	
Wired Remote Control		Can-Am HD Winch <sup>‡</sup>	715006504
PP	<ul> <li>This kit allows winch owne</li> <li>OEM stock winch is sold se</li> <li>EC compliant.</li> </ul>	rs to add the hand-held remote to vehicles with eparately.	a stock winch.
21		ed to use remote control on a vehicle with a factory inst nd connection socket are included.	alled winch.
Wireless Remote Control		WARN Winch	715002542
	mounting hardware.		
X rc/X mr Rear Tow Hook		Maverick X3, Maverick X3 MAX 2021 & prior	715004450
37	Allows you to attach most s	) steel plate and 5⁄8" (16 mm) steel hook tube.	
Hitches			
Rear Hitch		Maverick X3, Maverick X3 MAX 2021 & prior	<ul> <li>715002883 · Black</li> <li>715003938 · Can-Am Red</li> </ul>
	<ul> <li>Rugged lightweight steel c</li> <li>E-coated finish.</li> <li>Fixed mounting point for transmission.</li> <li>This hitch offers 1,300 lb (5)</li> <li>Hitch ball not included.</li> </ul>	onstruction. ailer ball to provide vehicle with towing capabili	
Front and Rear Hitch Drawb	ar	Maverick X3, Maverick X3 MAX	715008350
27	<ul> <li>Standard on 2" (5 cm) rece</li> <li>It offers 1,650 lb (750 kg) of</li> <li>Hitch ball not included.</li> <li>Forged steel.</li> </ul>		·

## PERFORMANCE

### Smart-Lok Technology

Smart-Lok Differential		Maverick X3 produced after January 1, 2017 Maverick X3 MAX	705402936
Performance Half Shaft	<ul> <li>controlled automatic mo</li> <li>Choose your differential for a fully locked 4 whee</li> <li>Using multiple input sou to procure maximum tra- of confidence.</li> <li>The Smart-Lok Different</li> <li>Mud, Rock and Trail Acti to fine-tune your riding e</li> <li>Requires Performance H</li> <li>High-performance desig</li> </ul>	L-Lok technology constitutes a true fully lockable or ordes. settings according to your riding need: "2x4" for m I drive, and "4x4 Smart Mode" that offers preset, ir irrces, "Smart Mode" will instantaneously engage lo ction while retaining low-speed maneuverability, a ial Kit comes standard with the Trail Mode.	n-the-fly front differential with electronically ear wheel traction only, "4x4 Front Diff Lock" itelligent calibrations for your type of riding. ocking with the right load at the right momer llowing for optimal placement and a feeling Smart Mode Module (sold separately) stallation. 705401634 · 64" 705402048 · 72"
Mud Smart Mode Module	Required to install the Si		715005282
	as an accessory or to ch • The Mud Mode has bee • When high engine torqu • The system will stay lock	to add the Mud Smart Mode to vehicles with the S ange to the Mud Smart Mode on vehicles equippe n specially designed to deliver superior traction in e and/or slippage is detected, Smart-Lok will fully ked until throttle release. lodule can be installed at a time.	ed with a standard Smart-Lok. the deepest mud holes.
Rock Smart Mode Module (Not illustrated)		Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up)	715005283
	accessory or to change to the Rock Mode has bee • The Rock Mode has bee • When high engine torquing engaged until throttle re • The progressive engage	to add the Rock Smart Mode to vehicles with the S to the Rock Smart Mode on vehicles equipped wit in specially designed to help cross challenging roc e is detected at low vehicle speed, Smart-Lok will lease to prevent wheel slippage and provide optim ment allows for easier steering when maneuvering lodule can be installed at a time.	h a standard Smart-Lok. :ks. progressively lock the front end and will stay nal traction.
Trail Activ Smart Mode Mode	ule	Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up)	715005284
	<ul> <li>accessory or to change to the Trail Activ mode has</li> <li>When high engine torqu the front end and maintation.</li> <li>The progressive engage</li> </ul>	to add the Trail Activ Smart Mode to vehicles with to the Trail Activ Smart Mode on vehicles equippe s been designed for aggressive riding, delivering th e and/or an increase in vehicle speed is detected, in it engaged until throttle release or vehicle spee ment allows for smoother and lower steering effor lodule can be installed at a time.	d with a standard Smart-Lok. ne ultimate cornering precision. Smart-Lok will progressively engage d reduction.
Lonestar Racing Mud Flaps	with Brackets	Maverick X3, Maverick X3 MAX	715004865
	<ul> <li>These bolt-on mud flaps</li> <li>Durable chromoly bracked</li> <li>Protect trailing arms, rote</li> <li>Sold in pairs.</li> </ul>	-	

### Lonestar Racing Heavy-Duty Shift Plate & Knob

Maverick X3, Maverick X3 MAX

715004866

 The shift plate is made from durable stainless steel and bolts into place for a secure fit. - The kit comes with a billet aluminum Lonestar Racing shift knob.

Offers improved durability for the performance-oriented driver.

Lonestar Racing Outer To Gussets Roller Fairlead	e Link Boxed	Maverick X3, Maverick X3 MAX 2021 & prior	715004868
Protects and strengthens the middle radius rod links from rough riding conditions.			
	<ul> <li>Includes high-grade steel be</li> </ul>	olts.	



Lonestar Racing Quick R	elease Clutch Cover Pins	Maverick X3, Maverick X3 MAX	715005045
This kit will allow you to take off your clutch cover in seconds to access the belt tool-lessly.			
Includes 4 stainless steel "quick release" pins with clips and tethers.			

Replaces all clutch cover screws.

This product affects the clutch cover sealing.
 It is highly recommended to use this product under dry riding conditions only.

Lonestar Racing Hea	vy-Duty Rear Boxed Radius
Rod Support Plate	

eavy-Duty Rear Boxed Radius			
	Maverick X3, Maverick X3 MAX 2021 & prior	715005046	

- Double-layered radius rod support plate made of high-grade steel.

Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle.

Easy to install.

Yoshimura <sup>†</sup> Slip-on Exhaust		Maverick X3, Maverick X3 M	AX	715002882
C	<ul> <li>Developed in collaboration with Yoshimura.</li> <li>Made from 304-grade stainless steel with brushed aluminum tip.</li> <li>Better sounding, better looking and 19% lighter than stock muffler.</li> </ul>		<ul> <li>USDF/USDA approved spark arrester.</li> <li>Fuel injection system tuning not required.</li> <li>ROHVA and EPA compliant.</li> <li>Not EC compliant.</li> </ul>	
Performance Air Filter by Tw	in AIR <sup>†</sup>	Maverick X3, Maverick X3 M	AX	715002895
lip i	<ul> <li>The best choice for the harshest conditions.</li> <li>Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.</li> </ul>			h high airflow.

· Washable and reusable.

Snorkel Pre-filter		Maverick X3, Maverick X3 MAX (with Snorkel Kit)	715005599	
	Pre-filter specifically for snorkels.			
ARA	<ul> <li>Adds extra protection to your engine in harsh riding conditions.</li> </ul>			
	Helps keep air filter cleaner.			
	Filter blocks particles larger than 0.005" (0.13 mm).			
	<ul> <li>Necessary to maintain vehicle</li> </ul>	cle warranty when tracks are installed.		

		Maverick X3, Maverick X3 MAX (2019 and prior)	ĸ	715003733
Snorkel Kit		Maverick X3, Maverick X3 MAX	K (2020 & up)	715007110
	be semi-submersed in wate taking in water. • Not compatible with S&B P	CVT air intakes so vehicle can er or mud without the engine Particle Separator, LinQ cing Rear Intrusion Bar or any	for installation 1, 2018.	Box 707800780 (sold separately) is required on on models manufactured before January n Maverick X3 X mr models. npliant.
Radiator Relocator		Maverick X3, Maverick X3 MA	ĸ	715004937
<ul> <li>Relocates stock radiator to</li> <li>Protects it from debris and</li> <li>Prevents cooling performar</li> <li>Reduces hot air in the cabir</li> <li>Easy to clean.</li> <li>Includes support hardware</li> </ul>		rocks. nce loss in muddy conditions. n. n. m. m. m. mounted accesso Upper Soft Doors • Radiator (7092007 on 2017 models. • Not compatible wi		ible with full windshield.
WARNING: Any modifications or addition o how to adapt your driving behavior accordir by BRP and they may increase the risk of in	f accessories may affect the handling of you igly. Do not tamper with unauthorized modific jury or loss of control, or render the vehicle ill	r vehicle. It is important to take the time cations or install equipment not specifica legal to ride. Ask your authorized BRP de	e to get familiar wit ally certified by BRI ealer for suitable a	th the vehicle once modifications are made to understar P for the vehicle. These modifications have not been teste vailable accessories for your vehicle.
850 W Magneto Kit		Maverick X3, Maverick X3 MA	K (2021 & up)	715006279
	<ul> <li>Increases the magneto out</li> <li>Includes rotor, stator and re</li> </ul>			
High Output 172 HP Upg	rade Kit X3	Maverick X3, Maverick X3 MAX (2017 models)	K	715004700
	<ul> <li>Gain 18 HP for a total of 177</li> <li>Includes: intercooler with family a state of the /li></ul>	an, fuel pump catalyst and high p y an authorized BRP dealership	performance be	
172 HP Intercooler Upgra	ade Kit	Maverick X3, Maverick X3 MAX 2019)	K (2018 and	715007137
(Not illustrated)		Maverick X3, Maverick X3 MAX	K (2020)	715007277
		Maverick X3 2018 & up. y an authorized BRP dealership de Installation Kit (715007111).	to preserve the	vehicle's warranty.
<b>Emergency Acces</b>	sories			
Lonestar Racing Fire Exti	nguisher Support	Maverick X3, Maverick X3 MA	<	715007320
-	<ul> <li>Quick-release support that extinguisher out in a matter</li> <li>Made of billet anodized bla</li> </ul>	r of seconds in an emergency.	plate and tw	both billet mounts, quick-pull pin, mounting vo clamps. isher sold separately.



- Made of billet anodized black aluminum. • Fits 1.85" (4.7 cm) tubing.
- Can be fixed anywhere on the cage.

Provides riders with the safety and security of knowing they have dependable emergency equipment on board.

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

"Lonestar Racing for Can-Am" branded.

**Emergency Kit** 

Maverick X3, Maverick X3 MAX

715006102



• Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in.

Includes: jumper cables, air compressor, tyre repair kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties, cloth rags.

## **APACHE TRACK SYSTEMS**

### Winter Tracks

### Limited Warranty\*

715004397 64" models

715004394

72" models

Apache Backcountry LT Trac	k System	Maverick X3, Maverick X3 MA	AX	715004734
	<ul> <li>Tracks designed to deliver the on the market with unmatch traction on snow surface.</li> <li>Large contact patch, 37% bit LT.</li> <li>Impressive added ground cl keep the vehicle over the snowmobile-instruction.</li> </ul>	ed flotation level and gger than the Apache 360 earance of 7" (18 cm) helps ow.	<ul> <li>Aggressive track design with 2" (5 cm) lug h maximum traction on snow.</li> <li>Apache Backcountry LT Mounting Kit, Tracl and Engine and CVT Pre-Filter are required</li> <li>Fine-tune your track system using extra Idle Sliders with Vespel Inserts and Rail Ice Scra</li> <li>For winter use only.</li> <li>Track installation will affect vehicle width and</li> </ul>	C DPS Module er Wheels, atcher.

#### Apache Backcountry LT Mounting Kit (Not illustrated)

Maverick X3, Maverick X3 MAX

Required for installation of the Apache Backcountry Track LT System.

DPS Module and Pre-Filter are required and sold separately.

#### **Year-Round Tracks** Limited Warranty\* Apache 360 LT Track System Maverick X3, Maverick X3 MAX 715005103 Multifunctional tracks designed to support heavy loads · EC compliant. and to fit on most Can-Am off-road vehicles. Apache 360 LT Mounting Kit, Track DPS Module and Extra contact patch adjustment for better performance Engine and CVT Pre-Filter Kit are required and sold over rough terrain. separately. · Contact patch is 7 to 9% bigger than the Apache 360's. · Recommended for use on snow only. Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. ī ī

x X3, Maverick X3 MAX	715004393 · 72" models				
Required for installation of the Apache 360 LT Track System.     Track DPS Module and Pre-Filter not included					
Э	360 LT Track System.				

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

## **APACHE TRACK SYSTEMS FITTING GUIDE**

### Apache Backcountry LT

Model Yea	ar / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2017 & Up	Maverick X3, Maverick X3 MAX (64" Models)		715004397	715007338 Maverick X3, Maverick X3 Max 2022 & prior (except Turbo RR		
2017 & Up	Maverick X3, Maverick X3 MAX (72" Models)	715004734	715004394	(except furbo RR Engine) OR 715006266 Maverick X3, Maverick X3 Max 2023, and 2022 & prior with Turbo RR Engines	715005600 (except X mr)	715005599

### Apache 360 LT

Model Yea	ar / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2017 & Up	Maverick X3, Maverick X3 MAX (64" Models)		715004392	715007338 Maverick X3, Maverick X3 Max 2022 & prior (except Turbo RR		
2017 & Up	Maverick X3, Maverick X3 MAX (72" Models)	715005103	715004393	Engine) OR 715006266 Maverick X3, Maverick X3 Max 2023, and 2022 & prior with Turbo RR Engines	715005600	715005599

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Rail Ice Scratchers		Apache Backcountry LT Track System	860201728	
<ul> <li>Provide additional lubrication in hard and icy conditions.</li> <li>Rail mounted, small, light.</li> <li>Design expands on coil concept to allow reversing without damage.</li> <li>Easily stored when not in use.</li> <li>Extends slider life.</li> </ul>				
Apache Backcountry LT Wheel Kit		Apache Backcountry LT Track System	715006293	
1 1	Extends slider life in hard s	esistance in hard snow conditions or when transporting heavier loads. snow conditions. s shaft and mounting hardware per kit to service one track corner.		
Sliders with Vespel <sup>†</sup> Inserts		Apache Backcountry LT Track Systems	503194815	
	<ul> <li>Use DuPont Vespel inserts</li> <li>Longer life.</li> <li>Can be cut to desired leng</li> <li>8 needed per vehicle.</li> <li>Sold individually.</li> </ul>			
Track DPS Module		Maverick X3, Maverick X3 MAX (Turbo RR Engine only)	715006266	
(Not illustrated)		Maverick X3, Maverick X3 MAX (except Turbo RR Engine)	715007338	
	Innovative DPS module that perfect track control and river the second seco	at ensures speedometer accuracy and optimized steering assist, making for ding ease.	15007	

#### **Engine & CVT Air Intake Pre-Filter**

Maverick X3, Maverick X3 MAX (except X mr models)

715005600



Helps keep air filter cleaner.

Adds extra protection to your engine in harsh riding conditions.

- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy installation.
- Not compatible with S&B Particle Separator.
- Necessary to maintain vehicle warranty when tracks are installed.

Required to install the Apache Backcountry LT and Apache 360 LT Track Sytems.

## PROMOUNT PLOWS

	72" Black Steel	72" Yellow Steel	72" Flex2
Blade	715004474	715006021	715004485
Push Frame	715008116	715008116	715008116
Mounting Plate	715008197	715008197	715008197

### **Can-Am ProMount Steel Blades**

Can-Am ProMount Steel 72"	(183 cm) Blade	Fits ProMount Push Frame		715004474 · Black 715006021 · Yellow
Trustill.	<ul> <li>Plow blade made from 12-g.</li> <li>Replaceable wear blade.</li> <li>Large pin designed for easy snow buildup at pivot point.</li> <li>Blade design provides best</li> </ul>	blade rotation to eliminate	<ul> <li>Blade height</li> <li>Compatible v further enhalt</li> </ul>	68 cm) when plow is fully angled. of 17" (43 cm). with Can-Am ProMount Blade accessories to nce plow versatility. ble with S3 High Clearance Front A-Arm.

### Can-Am ProMount Angle Plows

Can-Am ProMount 72" (183 State Blade	cm) Steel Oneway	Fits ProMount Push Frame		715007264
	<ul> <li>Make the job easier with the and make the task easier by out of the way.</li> </ul>		higher.	nged" state plow designed to throw snow (715007299) designed to keep snow away
Wing end of plow measures		26" (67 cm) high and tapers	from the driv	er is offered as accessory (sold separately).

- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- Can-Am branded.

Can-Am ProMount Flex2 72" (1	83 cm) Blade	Fits ProMount Push Frame	715004485
	<ul> <li>Plow blade made of UHMW absorbing material prevent accidental impact occurs.</li> <li>Replaceable wear blade.</li> <li>Large pin designed for easy snow buildup at pivot point</li> </ul>	s damaging your plow when Clears 66 Blade hei y blade rotation to eliminate	sign provides best snow roll-off at any angle. " (168 cm) when plow is fully angled. ght of 17" (43 cm). Je with Can-Am ProMount Blade accessories shance plow versatility.
Can-Am ProMount Plo	w Accessories	1	
Can-Am ProMount Edge Mark	ers	Maverick X3, Maverick X3 MAX	715004206
		roMount Steel and Flex2 Blades with or with Mount Steel 54" (137 cm) Blades).	out Blade Extensions
Can-Am ProMount 72" (183 cm	) Plastic Wear Blade	Maverick X3, Maverick X3 MAX	715004483
	<ul> <li>Ideal to prevent marks on y</li> <li>Compatible with Can-Am P</li> </ul>	our driveway. roMount 72" (183 cm) Blades.	
Can-Am ProMount Drift Cutter	S	Maverick X3, Maverick X3 MAX	715006258
			out Blade Extensions
Can-Am ProMount Blade Exter	nsions	Maverick X3, Maverick X3 MAX	<b>715004205</b> · Black <b>715005319</b> · Yellow
	<ul> <li>These conveniently extend</li> <li>Add 3" (8 cm) each side.</li> </ul>	your Can-Am ProMount Blade. roMount Blades (except for the Can-Am ProI	

Back Drag Blade (Not illustrated)		ProMount Plows (60" and mo	re)	715007794
	<ul> <li>¼ thick steel swivel scraper.</li> <li>Lifts up when the vehicle is affect the scraping.</li> <li>Increased capacity to pull s</li> <li>More aggressive scraping in</li> </ul>	moving forward so as not to now.	<ul> <li>Adjustable in with 60", 66"</li> <li>Compatible in the second s</li></ul>	aper off the ground so that it scrapes evenly. hength for compatibility and 72" blades. with ProMount blades (Flex and Steel). ble with Backcountry Track Kit.
Curved Wear Blade (Not illustrated)		Maverick X3, Maverick X3 MA	AX	<b>715007793</b> · 72" (183 cm)
	<ul> <li>Wear blade designed with a</li> </ul>	folded back bottom lip.		

- The increased surface allows for less digging while plowing uneven surfaces.
- Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

### **Can-Am ProMount Custom Solutions**

<ul> <li>Heavy-duty steel tubes designed to withstand the roughest use.</li> <li>Mid-mount carriage provides ultimate push strength and traction.</li> <li>Designed for maximum plow lift height.</li> <li>Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.</li> <li>Plow Limit Switch recommended to extend wirn lifespan.</li> <li>Can-Am ProMount Mounting Plate required for installation.</li> <li>Blade swivels left or right, 5 positions.</li> <li>Large pin designed for easy blade rotation to el dirt and snow buildup at pivot point.</li> <li>Plow Roller Fairlead included.</li> </ul>	an-Am ProMount Push Fr rith Quick-Attach System	rame	Maverick X3, Maverick X3 MA	AX	715008116
traction.       installation.         Designed for maximum plow lift height.       Blade swivels left or right, 5 positions.         Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle       Large pin designed for easy blade rotation to ell dirt and snow buildup at pivot point.	• •		ed to withstand the roughest		witch recommended to extend winch cable
Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle     Large pin designed for easy blade rotation to el dirt and snow buildup at pivot point.		0 1			Nount Mounting Plate required for
release pedal and an ergonomic handle for plow angle dirt and snow buildup at pivot point.		<ul> <li>Designed for maximum plow li</li> </ul>	ift height.	<ul> <li>Blade swivel</li> </ul>	s left or right, 5 positions.
adjustment.		release pedal and an ergonom			
· Flow Koller Fairleau Included.		adjustment.		Plow Roller F	airlead included.

#### Can-Am ProMount Push Frame Extension

• 12" (30 cm) push frame extension required when plow is installed with Apache Track systems.



Can-Am ProMount Mount	ing Plate	Maverick X3, Maverick X3 MAX	715008197	
	<ul> <li>Mounting plate prec</li> <li>Comes with the Plov</li> </ul>	ne Can-Am ProMount Push Frame with Quick-At ision designed to stay on year round without co v Roller Fairlead. S3 High Clearance Front A-Arm.	,	
Can-Am ProMount Plow A	ngling System	Maverick X3, Maverick X3 MAX	715009241	
	• •	system into an easy-to-control unit from the driv		

Plow Roller Fairlead		Maverick X3, Maverick X3 MAX	<b>715001223</b> • Cylindrical Roller Fairlead
	<ul> <li>For controlling the cable ten</li> <li>Prevents winch, plow push f</li> <li>Sensor relocated for optima</li> </ul>	c	
ProMount Plow Limit Switch (Not illustrated)		Maverick X3, Maverick X3 MAX	715006259
	<ul> <li>Allows you to have full up/down and left/right plow control at your fingertips with the supplied joystick.</li> <li>Using one hand to control all plow motions allows you to easily concentrate and manage your plowing tasks.</li> <li>Compatible with the SxS ProMount Push Frame and Blade.</li> <li>Not compatible with Apache Backcountry LT Track System.</li> <li>Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.</li> <li>Winch and plow sold separately.</li> </ul>		

#### **Plow Roller Fairlead**

	-	
		11
-91		Ų
	÷	

- Larger diameter lower roller reduces wear on wire rope for plow application.
- Can be used with all ProMount plows.

## **COVER & TRAILERING**

Trailering Cover		Maverick X3	715005813
(Not illustrated)		Maverick X3 MAX	715005814
	<ul> <li>Heavy-duty canvas</li> </ul>	made of UV-resistant solution-dyed polyes	er.
	<ul> <li>Inner soft liner prot</li> </ul>	ects windshield and colored panels from al	prasion.
	<ul> <li>All high-abrasion ar</li> </ul>	eas are reinforced with a double canvas lay	er.
	<ul> <li>Weather-resistant t</li> </ul>	railering cover protects your vehicle during	storage and transportation.
	<ul> <li>Opening for fuel ca</li> </ul>	p and cabin access on passenger side.	
	<ul> <li>Quick and easy inst</li> </ul>	allation.	
	<ul> <li>Designed to perfect</li> </ul>	tly fit your vehicle with or without Can-Am a	accessories.
Bolt-On† Retractable Ra	tcheting Tie-Downs		295101072
	<ul> <li>Perfect for transport</li> </ul>	ting your powersport vehicle or securing lo	pads.
	<ul> <li>Mounts easily: bolt</li> </ul>	s on any flat surface (e.g., truck bed or fram	e).
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<ul> <li>1" x 6' (2.5 cm x 1.8 1,500 lb (680 kg) br</li> </ul>		that delivers a 500 lb (226 kg) working load strength and
ALL STREET			ools and stores away strap, while the ratchet mechanism
	•	nugly to secure your vehicle or load into pla	
mate		handle provides firm grip, and the hook is vi	nyl coated to protect whatever surface it hooks into.
Long and	<ul> <li>Sold in pairs.</li> </ul>		
Ratchet Tie-Downs			<b>715008309</b> · Black/Grey
(19-19)	<ul> <li>400 lb (181 kg) safe</li> </ul>	working load.	
	• 1" x 10' (2.5 cm x 3	m) strap with Sea-Doo, Ski-Doo and Can-Ar	n logos.
	<ul> <li>Deluxe ratchet with</li> </ul>	rubber handle.	
	<ul> <li>Coated S hooks.</li> </ul>		
	Pack of 2.		
leavy-Duty Ratchet Tie	e-Down		715008308
	<ul> <li>1,000 lb (454 kg) sa</li> </ul>	fe working load.	
	· · · •·	n x 1.8 mm) strap with BRP brands.	
	<ul> <li>Deluxe ratchet with</li> </ul>	rubber handle.	
	<ul> <li>Black-coated clip h</li> </ul>	ooks.	
	<ul> <li>12" (300 mm) webb</li> </ul>	ing included.	
	Pack of two.	-	

Pack of two.

# SXS KINGS OF THE DESERT

To win the toughest off-road races in the world, you need a reliable machine.

611



2023 TATTS FINKE DESERT RACE WINNERS James Cook & Mitch Aucote, Cook's Concrete Racing Team

# CAN-AM Commander

## **MODEL PACKAGES**

<u>ΜΟΛΟΛΤΙΝΕ ΜΙΛΟΤ</u>	
Can-Am Commander Max XT-P 1000R	145
Can-Am Commander XT 1000R	144
Can-Am Commander DPS 700	143

146

CUMPARALIVE CHARI

Can-Am Commander Lineup

## ACCESSORIES

Roofs	148
Soft Cab Enclosure	148
Windshields & Wind Protection	149
Mirrors	151
Doors	152
Seat Accessories	153
Commander Skid Plates	154
Maverick Trail & Maverick Sport Skid Plate	155
Bumpers & Guards	156
LinQ: Easy On, Easy Off Cargo	159
Cargo & Storage	164
Racks & Holders	166
Lights	169
Audio & Communication Systems	173
Electrical & Electronic Accessories	174
Winches & Hitches	176
Performance	178
Apache Track Systems	180
ProMount Plows	183
Covers	186



## **2024 CAN-AM COMMANDER DPS 700**



#### Tundra Green

ENGINE	700		
Туре	52 hp/42 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled		
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		
Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection L/H/N/R/P		
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok† QE auto-locking front differential		
Driving Assistance	Electronic Hill Descent Control SPORT/ECO <sup>™</sup> modes		
Power Steering	Dynamic Power Steering (DPS™)		
SUSPENSIONS			
Front Suspension	Double A-arm with sway bar/12.5 in. (31.8 cm) travel		
Front Shocks	Twin-tube gas-charged shocks		

Front Suspension	Double A-arm with sway bar/ 12.5 In. (31.8 cm) travel
Front Shocks	Twin-tube gas-charged shocks
Rear Suspension	TTA with sway bar/13 in. (33 cm) travel
Rear Shocks	Twin-tube gas-charged shocks

#### **TYRES & WHEELS**

Front Tyres	XPS Trail Force 27 x 9 x 14 in.
Rear Tyres	XPS Trail Force 27 x 11 x 14 in.
Wheels	14 in. steel

#### BRAKES

Front	Dual 220mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220mm disc brakes with hydraulic twin-piston calipers

#### PACKAGE HIGHLIGHTS

- Premium half doors
- Puncture resistant 8 ply tyres

DIMENSIONS & CAPACITIES

- D.E.S.S^{\ensuremath{\mathsf{TM}}} Key with speed limiting capabilities
- Full Skid Plate
- Rear Differential with Turf mode
  Sport Performance with Utility style tipping tray

DIMENSIONS & CAPACITIES	
Estimated Dry Weight	1,530 lb (694 kg)
Chassis/Cage	Profiled cage, ROPS approved
LxWxH	128.5 x 62 x 70.5 in. (326.4 x 157.5 x 180.2 cm)
Wheelbase	90.6 in. (230.1 cm)
Ground Clearance	12.5 in. (31.8 cm)
Cargo Box Dimensions	29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)
Cargo Box Capacity	600 lb (272.2 kg)
Towing Capacity	2,000 lb (907.2 kg)
Payload Capacity	1,030 lb (467.2 kg)
Storage Capacity	Total: 7.3 gal (27.6 L)
Fuel Capacity	10 gal (38 L)
Person Capacity	2
FEATURES	
Gauge	4.5 in. wide digital display
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Magneto	650 W
Lighting	Front lighting output 110 W LED tail lights
Winch	N/A
Steering Wheel	Adjustable tilt steering
Protection	Premium half doors Full skid plate Mudguards
Hitch Type	2 in. hitch receiver

#### WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

## **2024 CAN-AM COMMANDER XT 1000R**



Triple Black

ENGINE	1000R
Туре	100 hp, Rotax <sup>®</sup> 976 cc, V-twin, liquid-cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	Quick Response System (QRS) CVT with high-airflow ventilation and Electronic Drive Belt Protection Extra-L/H/N/R/P
Drive Train	Selectable Turf Mode/2WD/4WD with Visco-Lok <sup>+</sup> auto-locking front differential
Driving Assistance	Electronic Hill Descent Control SPORT/ECO™ modes
Power Steering	Dynamic Power Steering (DPS™)

SUSPENSIONS

Front Suspension	Arched double A-arm with sway bar/12.5 in. (31.8 cm) travel
Front Shocks	Twin tube gas-charged shocks
Rear Suspension	Arched TTA with sway bar/15 in. (38.1 cm) travel
Rear Shocks	Twin tube gas-charged shocks

#### **TYRES & WHEELS**

Front Tyres	XPS Trail King 28 x 9 x 14 in.	
Rear Tyres	XPS Trail King 28 x 11 x 14 in.	
Wheels	14 in. cast-aluminum	

### BRAKES

Front	Dual 220mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220mm disc brakes with hydraulic twin-piston calipers

#### PACKAGE HIGHLIGHTS

- 28 in. XPS Trail King tyres
- 64 in. wide with high clearance Arched A-Arms
- 7.6 in. digital display with keypad
- Can-Am LED signature lights14 in. cast-aluminium wheels
- XT front bumper
- 4,500 lb (2,041 kg) winch
- Full roof
- Premium half doors
- Puncture resistant 8 ply tyres
- D.E.S.S.™ Key with speed limiting capabilities
- Full Skid Plate
- Rear Differential with Turf mode
- Sport Performance with Utility style tipping tray

#### DIMENSIONS & CAPACITIES

Estimated Dry Weight	1,675 lb (759.8 kg)
Chassis/Cage	Profiled cage, ROPS approved
LxWxH	130 x 64 x 74 in. (330.2 x 162.6 x 188 cm)
Wheelbase	90.6 in. (230.1 cm)
Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)
Cargo Box Capacity	600 lb (272.2 kg)
Towing Capacity	2,000 lb (907.2 kg)
Payload Capacity	1,030 lb (467.2 kg)
Storage Capacity	Total: 7.3 gal (27.6 L)
Fuel Capacity	10 gal (38 L)
Person Capacity	2

#### FEATURES

Gauge	7.6 in. wide digital display with keypad
Instrumentation	DC outlet (10-A)
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button
Magneto	650 W
ighting	Front lighting output 110 W LED signature lights LED tail lights
Vinch	4,500-lb (2,041 kg) winch with roller fairlead
Steering Wheel	Adjustable tilt steering
Protection	Premium half doors Full skid plate Mudguards XT front bumper Full roof
Hitch Type	2 in. hitch receiver

#### WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

# **2024 CAN-AM COMMANDER MAX XT-P 1000R**



Desert Tan & Carbon Black

1000R

ENGINE

Туре

## PACKAGE HIGHLIGHTS • Smart-Lok\* front differential

- FOX<sup>†</sup> 2.5 PODIUM QS3<sup>†</sup> Piggyback shocks
- 7.6 in. digital display with keypad
- LED headlight and Can-Am LED signature lights
- 64 in. wide with arched A-arms
- 30 in. XPS Hammer Force tyres
- 15 in. cast-aluminum beadlock wheels
- XT front bumper
- 4,500 lb (2,041 kg) winch
- Full roof and mirror
- Full skid plate
- Seating for 4 people

Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	Quick Response System (QRS) CVT with high-airflow ventilation and Electronic Drive Belt Protection Extra-L/H/N/R/P	
Drive Train	Selectable Turf Mode/2WD/4WD TRAIL/4WD TRAIL ACTIV with exclusive Smart-Lok* technology	
Driving Assistance	Electronic Hill Descent Control SPORT/ECO™ modes	
Power Steering	Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Arched double A-arm with sway bar/14 in. (35.6 cm) travel	
Front Shocks	FOX <sup>†</sup> 2.5 PODIUM Piggyback with QS3 <sup>†</sup> compression adjustment	
Rear Suspension	Arched TTA with sway bar/14 in. (35.6 cm) travel	
Rear Shocks	FOX <sup>†</sup> 2.5 PODIUM Piggyback with QS3 <sup>†</sup> compression adjustment	

100 hp, Rotax\* 976 cc, V-twin, liquid-cooled

#### **TYRES & WHEELS**

Front Tyres XPS Hammer Force 30 x 10 x 15 in.	
Rear Tyres	XPS Hammer Force 30 x 10 x 15 in.
Wheels	15 in. cast-aluminum beadlock

#### BRAKES

Front	Dual 220mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 220mm disc brakes with hydraulic twin-piston calipers

#### DIMENSIONS & CAPACITIES

Estimated Dry Weight	2,000 lb (907.2 kg)		
Chassis/Cage	Profiled cage, ROPS approved		
LxWxH	160.4 x 64 x 76.7 in. (407.4 x 162.6 x 194.8 cm)		
Wheelbase	120.6 in. (306.3 cm)		
Ground Clearance	13.5 in. (34.3 cm)		
Cargo Box Dimensions	29.5 x 45.2 x 10.6 in. (75.1 x 114.7 x 27 cm)		
Cargo Box Capacity	600 lb (272.2 kg)		
Towing Capacity	2,000 lb (907.2 kg)		
Payload Capacity	1,280 lb (580.6 kg)		
Storage Capacity	Total: 8.5 gal (32.1 L)		
Fuel Capacity	10 gal (38 L)		
Person Capacity	4		

#### FEATURES

2 in. hitch receiver	
Full roof	
XT front bumper	
Full skid plate Mudguards	
Premium half doors	
Adjustable tilt steering	
4,500-lb (2,041 kg) winch with roller fairlead	
LED tail lights	
LED signature lights	
LED headlight	
650 W	
RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button	
DC outlet (10-A)	
7.6 in. wide digital display with keypad	

1-year warranty & unlimited km on the rest of the unit

(	COMMANDER	DPS***	XT***	MAX XT-P***	
cc	DLOUR OPTIONS	Tundra Green	Triple Black	Desert Tan & Carbon Black	
	Turne	700	1000R	1000R	
	Туре	52 hp/42 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid-cooled	100 hp, Rotax® 976 c	c, V-twin, liquid-cooled	
ES	Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)			
ENGINES	Transmission	pDrive primary CVT with engine braking and Electronic Drive Belt Protection, L/H/N/R/P	Quick Response System (QRS) and Electronic Drive Belt F	CVT with high-airflow ventilation Protection, Extra-L/H/N/R/P	
	Drive Train	Selectable Turf Mode/2WD/4WD with Vi	isco-Lok <sup>†</sup> QE auto-locking front differential	Selectable Turf Mode/2WD/4WD TRAIL/4WD TRAIL ACTIV with exclusive Smart-Lok* technology.	
	Driving Assistance	Electronic Hill Descent Control SPORT/ECO™ modes			
	Power Steering	Dynamic Power Steering (DPS™)			
	Front Suspension	Double A-arm with sway bar/ 12.5 in. (31.8 cm) travel	Arched double A-arm with sway bar/ 15 in. (38.1 cm) travel	Arched double A-arm with sway bar/ 14 in. (35.6 cm) travel	
SUSPENSIONS	Front Shocks	Twin-tube gas-charged shocks		FOX <sup>†</sup> 2.5 PODIUM Piggyback with QS3 <sup>†</sup> compression adjustment	
SPEN	Rear Suspension	TTA with sway bar/13 in. (33 cm) travel	Arched TTA with sway bar/15 in. (38.1 cm) travel	Arched TTA with sway bar/14 in. (35.6 cm) travel	
sns	Rear Shocks	Twin-tube gas-charged shocks		FOX <sup>†</sup> 2.5 PODIUM Piggyback with QS3 <sup>†</sup> compression adjustment	
TYRES/ WHEELS	Front/Rear Tyres Wheels	XPS Trail Force 27 x 9/11 x 14 in. 14 in. steel	XPS Trail King 28 x 9/11 x 14 in. 14 in. cast-aluminum	XPS Hammer Force 30 x 10/10 x 15 in. 15 in. cast-aluminum beadlock	
BRAKES	Front & Rear	Dual 220 mm disc brakes with hydraulic twin-piston calipers		ers	
	Estimated Dry Weight	1,530 lb (694 kg)	1,675 lb (759.8 kg)	2,000 lb (907.2 kg)	
	Chassis/Cage		Profiled cage, ROPS approved		
s	LxWxH	128.5 x 62 x 70.5 in. (326.4 x 157.5 x 180.2 cm)	130 x 64 x 74 in. (330.2 x 162.6 x 188 cm)	160.4 x 64 x 76.7 in. (407.4 x 162.6 x 194.8 cm)	
ΞË	Wheelbase	90.6 in. (230.1 cm)		120.6 in. (306.3 cm)	
DIMENSIONS/CAPACITIES	Ground Clearance	12.5 in. (31.8 cm)	13 in. (33 cm)	13.5 in. (34.3 cm)	
s/c/	Cargo Box Dimension				
NOIS	Cargo Box Capacity				
IENS	Towing Capacity	2,000 lb (907.2 kg)			
DIR	Payload Capacity	1,030 lb (467.2 kg)		1,280 lb (580.6 kg)	
	Storage Capacity	Total: 7.3 gal (27.6 L)		Total: 8.5 gal (32.1 L)	
	Fuel Capacity		10 gal (38 L)	1	
	Person Capacity		2	4	
	Gauge	4.5 in. wide digital display 7.6 in. wide digital DC outlet (10-A)		display with keypad	
	Instrumentation		- hate		
	Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button 650 W			
ES	Magneto Lighting	Front lighting output 110 W LED tail lights	Front lighting output 110 W LED signature lights	LED headlight LED signature lights	
FEATURES	JAP	-	LED tail lights	LED tail lights	
FEA	Winch	N/A 4,500 lb (2,041 kg) winch with roller fairlead		Inch with roller fairlead	
	Steering Wheel		Adjustable tilt steering	Promium holf dooro	
	Protection	Premium half doors Full skid plate Mudguards	Premium half doors Full skid plate Mudguards XT front bumper Full roof	Premium half doors Full skid plate Mudguards XT front bumper Full roof	
	Hitch Type		2 in. hitch receiver		

<sup>1</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH. \*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry. \*\*\*3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit



# **ROOFS**

		Commander, Maverick Trail, Maverick Spor	t 715007271
Sport Roof		Commander MAX, Maverick Sport MAX	715007272
	<ul> <li>Excellent protection from th</li> <li>Allows installation of lights a</li> <li>Compatible with all windshi</li> </ul>	on top of the roof.	
ProVent Roof Module Kit		Commander, Maverick Trail, Maverick Spor	rt <b>715005279</b>
	<ul> <li>Provides fresh air in the cab</li> <li>Optimal performance with f</li> <li>4 vents provide infinite adjust and passenger.</li> <li>Filter and pre-filter to limit d</li> <li>Easy cleaning of filter and p</li> <li>Patent pending water mana out of cabin while maintaini</li> </ul>	ull cab enclosure. heavy we stment of air flow for driver Requires Roof. Not com re-filter. and Long gement system to keep water	ug closes air intake completely for winter or eather. ProVent Roof Module Adapter Kit for Sport patible with roof mounted LED bars, roof racks, rs, Bimini Roof, DragonFire Roof estar Racing Roof.
ProVent Roof Module Adapter	Kit for Sport Roof	Commander, Maverick Trail, Maverick Spor	t <b>715005213</b>
	<ul> <li>Adapter for fitting ProVent R</li> <li>Includes roof adapter and h</li> <li>Requires ProVent Roof Mod</li> </ul>		Sport or Maverick Trail Sport Roof.
		Commander, Maverick Trail, Maverick Spor	t <sup>‡</sup> 715003661
Bimini† Roof with Sun Visor		Commander MAX, Maverick Sport MAX	715004792
		UV-resistant solution-dyed polyester. <i>v</i> isor that allows for storage of rolled-up soft	top and mounting auxiliary lights.
	‡Not compatible with Glass Winds	shield with wiper.	
Lonestar Racing <sup>†</sup> Aluminum R	oof	Commander, Maverick Trail, Maverick Spor	t <sup>‡</sup> <b>■ 715005137</b> · Black
	• 0.083" (2.1 mm) thick alumin	ith integrated front visor for eye-popping pe num roof for durable and lightweight protec ndshields, Rigid Rear Window, Can-Am Intr	tion from the elements.

SOFT CAB ENCLOSURE

Ν	Maverick Trail	715003618
- Upper Soft Door Panels - Soft Rear Panel - Door Seal Kit		
and 800 DPS models		
•	Includes: - Sport Roof - Full Windshield – Hardcoated - Upper Soft Door Panels - Soft Rear Panel - Door Seal Kit - Requires Half Doors on 800 l and 800 DPS models	<ul> <li>Sport Roof</li> <li>Full Windshield – Hardcoated</li> <li>Upper Soft Door Panels</li> <li>Soft Rear Panel</li> <li>Door Seal Kit</li> <li>Requires Half Doors on 800 Base</li> </ul>

#### Soft Cab Enclosure

Commander, Maverick Trail, Maverick Sport (except X mr models)

715004724



Can be installed on the Maverick Trail equipped with the Sport Half Doors or on Maverick Sport models.
Includes:

- Sport Roof
- Full Windshield Hardcoated
- Upper Soft Door Panels
- Soft Rear Panel

## WINDSHIELDS & WIND PROTECTION

#### Windshields

#### Commander, Commander MAX, Maverick Trail, Maverick Sport, **Glass Windshield** Maverick Sport MAX 715003653 Curved and laminated glass full windshield in metal frame. · Provides excellent optical clarity. · Seals firmly against the cage and protects rider and passenger from the elements. · Must be used with rear wind protection. • Not EC compliant. Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX **Glass Windshield with Wiper** 715003652 · Curved and laminated glass full windshield in metal · Single-speed wiper with washer fluid dispenser. frame. · Requires the Overhead Switch Panel (715003669) for · Provides excellent optical clarity. installation. · Seals firmly against the cage and protects rider and Must be used with rear wind protection. passenger from the elements. Not EC compliant. Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 715003657 · Clear **Half Windshield** 715005280 · Tinted

Formed polycarbonate construction for enhanced rigidity.

Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.

- Protects driver and passenger from the elements.
- Features reverse angle lip to deflect air flow.
- Quick and easy tool-less installation or removal.

Full Windshield		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003655
	0 1	ble polycarbonate full windshield.	
•	<ul> <li>Formed polycarbonate construction for enhanced rigidity.</li> <li>Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.</li> </ul>		
	•	e and protects rider and passenger from the	
La competente	Must be used with rear wind protection.		
100	<ul> <li>Quick and easy tool-less ins</li> </ul>	stallation or removal.	

Full Windshield - Hardcoated	ł	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003656
	<ul> <li>High-impact-resistant Quantum<sup>†</sup> hardcoated polycarbonate full windshield.</li> <li>Formed polycarbonate construction for enhanced rigidity.</li> <li>Provides excellent optical clarity and better abrasion resistance.</li> <li>Seals firmly against the cage and protects rider and passenger from the elements.</li> <li>Must be used with rear wind protection.</li> <li>Quick and easy tool-less installation or removal.</li> </ul>		
ProVent Windshield		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005210
	<ul> <li>High-impact-resistant Quantum<sup>†</sup> hardcoated polycarbonate full windshield.</li> <li>Controllable vents to manage air flow.</li> <li>Channels air into the cabin, defogs windshield, fully closes to eliminate air flow.</li> <li>One upper vent and one lower vent with pre-filters.</li> <li>Must be used with rear wind protection.</li> <li>Provides excellent optical clarity and better abrasion resistance.</li> <li>Protects driver and passenger from the elements.</li> <li>Quick and easy tool-less installation or removal.</li> <li>Not compatible with wiper kits and Wet Sounds Steai 6 Ultra HD Can-Am Edition Sound Bar.</li> <li>Not compatible with the Defrost, Heat and Ventilation System.</li> </ul>		
PowerFlip Windshield		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003658
	opening at the touch of a bu • Windshield is made of hard • Allows you to quickly adapt • Can be fully opened for opt	coated polycarbonate with a rubber seal conto to changing conditions by adjusting the winds imal visibility and ventilation, fully closed for ma n infinite number of openings.	ur and a tinted top section. hield as you go.
Windshield Wiper and Wash	er Kit	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003654
	<ul> <li>Includes single-speed wipe</li> <li>Must be used with the Glass</li> </ul>	Panel (715003669) for installation.	
NEW Manual Wiper Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715009423
	<ul> <li>Single manual wiper that can be used to clear windshield of debris.</li> <li>Easy to install system that requires no electrical hookup.</li> <li>Large ergonomic handle provides a good grip over the entyre sweeping surface.</li> <li>Compatible with glass and hardcoated windshields that use top mounted wipers.</li> </ul>		
Wind Protection			
Side Wind Deflectors		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008632
	Can be adjusted at three di	reduce fog.	full windshield is installed:

Not compatible with full doors.

Sold in pairs.

1200

Rear Polycarbonate Window		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715006113
Blocks windshield back     Sport Roof is required		nt polycarbonate window. ackdraft or dust and rain from entering for added cabin comfort. d for installation. Bimini Roof with Sun Visor, DragonFire Aluminum Roof and Lonestar Racing Aluminum Roof.	
Rear Wind Screen		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715003664
A Remaining a	<ul> <li>Full rear mesh screen reduces windshield backdraft for added cabin comfort.</li> <li>Installs quickly and easily on roll cage.</li> <li>Large Can-Am branding.</li> </ul>		rt.
Soft Rear Panel		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (except X mr models)	715005887

# **MIRRORS**

Side Mirrors		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003639
FO	,	. ,	
Panoramic Center Mirror		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003638
	<ul> <li>Wide-angle convex mirror.</li> <li>Offers enhanced visibility.</li> <li>Can be used with or without</li> </ul>	t roof or windshield and with cab enclosure.	
Sport Panoramic Center Mir	ror	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004924
	<ul> <li>Convex mirror for wide rearv</li> <li>Ball-joint design with tighter</li> <li>Can be used with or without</li> <li>Not for road use.</li> </ul>	ning knob for steady multi-angle adjustment.	
Rear View Mirror and Camer	a Monitor	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715009410
	This unit replaces the stock	rror and monitor kit. o see with the multiple camera feeds from the r rearview mirror (the screen is integrated in the pht for night vision capabilities.	

# DOORS

Trail Half Doors		Maverick Trail		715004418		
	<ul> <li>Half doors made of molded</li> <li>Steel frame for high level o</li> <li>A must-have for additional</li> <li>Keep the vehicle narrow in</li> <li>Door Trim is required to co</li> <li>Standard on 1000 Base and</li> <li>Sold in pairs.</li> </ul>	f rigidity. cabin comfort. tight trail riding conditio mplete your door kit (sol	ns.			
			Can-Am Red	Left 705012419	Right 705012420	
Door Trim		Maverick Trail	Timeless Black     Octane Blue	705015607 705016447	705015613 705016449	
	<ul> <li>Matching colored panel fo</li> <li>Required to complete the <sup>¬</sup></li> </ul>		arately).			
Sport Half Doors		Commander, Comman Maverick Trail, Maveric Sport MAX		715006217		
	<ul> <li>A must-have for additional cabin comfort.</li> <li>Features rounded shape to increase cabin space.</li> <li>Standard on all Commander &amp; Maverick Sport models.</li> <li>Can be installed on Maverick Trail models for additional cabin space.</li> <li>Door Trim is required to complete your door kit (sold separately).</li> <li>Sold in pairs.</li> </ul>					
		Commander, Commander MAX,	Can-Am Red	Left 705015464	Right <b>705015465</b>	
Door Trim		Maverick Trail, Maverick Sport, Maverick Sport MAX	Timeless Black     Octane Blue	705015608	705015615 705016450	
	<ul> <li>Matching colored panel for</li> <li>Required to complete the S</li> <li>Sold in pairs.</li> </ul>	•				
Inner Coft Deer Denele		Trail, Maverick Sport, N	Maverick Sport MAX	715004718		
Upper Soft Door Panels	Upper canvas portion of th     Seals firmly against the cag     Converts half door into full     Zippered window made of     Easy to remove on hot and     Sport Roof required for ins	ge and protects rider and door for a complete cab laminated polished vinyl sunny days. tallation.	frame. I passenger from the enclosure. material for added ve	ntilation.	• vest	
	†Not compatible with Trail Half E		III GOUS ON WAVENUK ITA			
Upper Soft Door Panels (Not illustrated)		Maverick Trail		715003620		
	<ul> <li>Can only be installed with</li> <li>Not compatible with Sport</li> <li>Sport Roof required for installed in the second /li></ul>	Half Doors or with the st				

Door Seal Kit Not illustrated)		Maverick Trail	715004773		
	<ul> <li>Improves door sealing from the elements and provides additional cabin comfort.</li> <li>Included in the Soft Cab Enclosure Kit (715003618).</li> <li>Not compatible with Sport Half Doors.</li> <li>Compatible with the Trail Half Doors or with the stock doors on the Maverick Trail.</li> </ul>				
Door Knee Pads with Storage		Maverick Trail	715003635		
	Increase cabin comfort.	er legs from direct contact with the doors whil 800 Base and 800 DPS models (715004418). Ill items.	e riding.		
oor Storage with Padding		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004914		
12	<ul> <li>Holds your gear safely and see</li> <li>Each bag is designed as a 0</li> <li>Semi-rigid construction ren</li> <li>Easy to install.</li> <li>Sold in pairs.</li> <li>Bags attach on stock doors of</li> </ul>	age bags with integrated padding. curely and also protects driver and passenger leg 5 gal (2 L) capacity pocket also equipped wit ders them flexible enough to fit odd-shaped lo of the Maverick Sport or on the Maverick Trail eq doors on the Maverick Trail or the Trail Half Dc	h inner netting compartments. bads. uipped with the Sport Half Doors (715006217		


## **SEAT ACCESSORIES**

4-Point Harness		Commander, Commander MAX, Maverick Trail, Maverick Sport,	715008035 · Driver				
4-Point Harness		Maverick Sport MAX	715008036 · Passenger				
40 40		rator technology (patent pending) absorbs ad	ditional energy in case of accident.				
	<ul> <li>Designed to offer maximum</li> </ul>	-					
1-1	<ul> <li>Easy one-click latch and rel</li> </ul>	ease.					
V	<ul> <li>Not EC compliant.</li> </ul>						
	<ul> <li>ROHVA compliant.</li> </ul>						
	Requires 4-point harness ba	Requires 4-point harness bar, ROHVA compliant when used in conjunction with Can-Am harness bars.					
4-Point Harness Bar		Commander MAX, Maverick Sport MAX	715004847				
	• 1.5" (3.8 cm) diameter, thick	-walled steel tubing.					
	Designed for use with Can-Am 4-Point Harness.						
	<ul> <li>Not EC compliant.</li> </ul>						
		Commander, Commander MAX,					
		Maverick Trail, Maverick Sport,					
Seat Belt Shoulder Pads		Maverick Sport MAX	715002894				
	<ul> <li>Provide additional riding co</li> </ul>	mfort by preventing seat belt from rubbing on	neck and shoulder.				
2-BIL	Fit with stock 3-point seat b	elts and 4 point harness.					
181	<ul> <li>Easy Velcro installation.</li> </ul>						

Can-Am branded.

Sold in pairs for driver and passenger.

# **COMMANDER SKID PLATES**



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

High impact strength.

Ultra-sturdy 3/8" (10 mm) thickness.


Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

· Lighter than aluminum.

Offer your Commander the full protection kit or get parts individually	DPS & XT 700	XT 1000, XT-P & X mr
HMWPE Skid Plate Protection Kit		
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate.	<b>715006349</b> (except MAX)	<b>715006350</b> (except MAX)
<ul> <li>HMWPE Rear A-Arm Protectors.</li> <li>HMWPE Underbelly Plates.</li> <li>HMWPE Central Skid Plate.</li> </ul>	<b>715006351</b> (MAX only)	<b>715007303</b> (MAX only)
Individual HMWPE Skid Plates		
1 HMWPE Front Skid Plate	715008279	715008279
2 HMWPE Front A-Arm Protectors	715008276	715008277
3 HMWPE Underbelly Plates Keeps the rollover clearance.	715006273	715006273
HMWPE Rear Skid Plate	715007302	715007302
5 HMWPE Rear A-Arm Protectors	715004271	715006341
HMWPE Central Skid Plate Provides center protection for MAX models.	<b>715004272</b> (MAX only)	<b>715004272</b> (MAX only)

## **COMMANDER, COMMANDER MAX**

# **MAVERICK TRAIL & MAVERICK SPORT SKID PLATES**



#### Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene

Superior stress crack resistance.

High impact strength.

• Ultra-sturdy 3/8" (10 mm) thickness.

	MAVERIO	CK SPORT	<b>&amp; MAVE</b>	RICK SPO	ORT MAX	MAVERICK TRA
Offer your Maverick the full protection kit or get parts individually	2019 Base & DPS	2019 X mr	2020 & Up Base & DPS	2020 & Up X mr & X xc	Any Year X rc	
HMWPE Skid Plate Protect	ction Kit					
Includes: - HMWPE Front Skid Plate. - HMWPE Front A-Arm Protectors. - HMWPE Rear Skid Plate.	715006348 (except MAX)	- 715006353	715006349 (except MAX)	- 715006350	_	<b>715006346</b> (2019 & prior)
<ul> <li>HMWPE Rear A-Arm Protectors.</li> <li>HMWPE Underbelly Plates.</li> <li>HMWPE Central Skid Plate.</li> </ul>	<b>715006352</b> (MAX only)	715000050	<b>715006351</b> (MAX only)	1000000		<b>715006347</b> (2020 & up)
Individual HMWPE Skid P	lates					
1) HMWPE Front Skid Plate	715008279	715008279	715008279	715008279	(Standard on X rc models)	715008279
2 HMWPE Front A-Arm Protectors	715008276	715008277	715008276	715008277	(Standard on X rc models)	715008278
3 HMWPE Underbelly Plates Keeps the rollover clearance.					<b>715006339</b> (2019)	<b>715006339</b> (2019 & prior)
	715006339	715006339	715006273	715006273	<b>715006273</b> (2020 & up)	<b>715006273</b> (2020 & up)
HMWPE Rear Skid Plate	715007302	715007302	715007302	715007302	715007302	715007302
5 HMWPE Rear A-Arm Protectors	715004271	715006341	715004271	715006341	(Standard on X rc models)	715003699
HMWPE Central Skid Plate Provides center protection for MAX models.	<b>715004272</b> (MAX only)	_	715004272 (MAX only)	_	_	

#### 2024

(HMWPE).

Lighter than aluminum.

# **BUMPERS & GUARDS**

### **Commander Bumpers**

X mr Front Bumper		Commander, Commander MAX	715007248 · Black
	<ul> <li>Inside and outside anti-corr</li> <li>Provides additional front bo</li> </ul>	late for winch relocation at a higher position for	easier access in muddy conditions or for
Front Bumper		Commander, Commander MAX	715007631
	<ul> <li>Includes integrated mount</li> </ul>	eter steel tubing with durable powder-coat finis points for seamless light installation. and steel rope winches and hawse fairlead.	h.
Front Corner Protectors		Commander, Commander MAX	715006807
	<ul> <li>Heavy-duty 1.5" (3.8 cm) dia</li> <li>Inside and outside anti-corri</li> <li>Provide additional protectic</li> <li>Requires stock XT, XT-P or 2</li> <li>Sold in pairs.</li> <li>Not EC compliant.</li> </ul>	rosion coating with durable powder-coat finish. on for vehicle's front corners.	
Rear Bumpers		Commander, Commander MAX	715006808
	Protect vehicle bodywork a	rosion coating with durable powder-coat finish.	

Front Trail Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	■ 715003680 · Black ■ 715003681 · Sunburst Yellow			
	Completes the stock bumpe     Inside and outside anti-corr	<ul> <li>Front bumper made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.</li> <li>Completes the stock bumper for more front coverage and essential vehicle protection for trail riders.</li> <li>Inside and outside anti-corrosion coating with durable powder coat finish.</li> <li>Includes integrated mount points for seamless light installation.</li> </ul>				
Rear Trail Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX	<b>715007109</b> · Black			
	<ul> <li>Protects vehicle bodywork a</li> </ul>	of heavy-duty 1.5" (3.8 cm) diameter steel tubing. lywork and exhaust system. nti-corrosion coating with durable powder coat finish.				
Front Corner Protectors		Maverick Trail, Maverick Sport, Maverick Sport MAX	<b>715004912</b> · Black			

	<ul> <li>Heavy-duty 1.5" (3.8 cm) dia</li> </ul>	ameter steel tubing.	
	<ul> <li>Inside and outside anti-corr</li> </ul>	osion coating with durable powder coat finish.	
1000	<ul> <li>Provide additional protection</li> </ul>	n for vehicle's front corners.	
	<ul> <li>Require Front Trail Bumper</li> </ul>	(715003680/715003681) for installation.	
=	<ul> <li>Sold in pairs.</li> </ul>		

Rancher Rear Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004304
	<ul> <li>Heavy-duty protection made steel tubing, perfect for farr applications.</li> <li>Inside and outside anti-corr powder coat finish.</li> </ul>	n, ranch and forestry	<ul> <li>Offers full reprotectors.</li> <li>Not EC complexity</li> </ul>	ar coverage with integrated tail light pliant.
63† Front Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		<b>715005121</b> · Black
	<ul> <li>Made of extra durable 1.5" ( tubing.</li> <li>Inside and outside anti-corr powder coat finish.</li> <li>Replaces stock bumper and mud-riding enthusiasts.</li> </ul>		Hook support	
S3 <sup>†</sup> Rear Bumper		Maverick Trail, Maverick Sport, Maverick Sport MAX		<b>715005122</b> · Black
	<ul> <li>Made of extra durable 1.5" (</li> <li>Inside and outside anti-corr powder coat finish.</li> <li>Added heavy-duty protectio conditions—protects vehicl system.</li> <li>Permits installation of a win improve accessibility in mu- engineered to sustain heavy damaging the vehicle's fram</li> </ul>	osion coating with durable in in extreme driving e bodywork and exhaust ch at a higher location to d-riding conditions. y winch loads without	Rear Winch is required to	Am" branded.
Rear Winch Harness		Maverick Trail, Maverick Sport, Sport MAX	Maverick	715006008
Rock Sliders				
		Commander, Maverick Trail, Ma (except X rc)	averick Sport	<b>715003689</b> · Black
Rock Sliders		Commander MAX, Maverick Sp	oort MAX	<b>715004754</b> · Black
		B cm) diameter steel tubing. iosion coating with durable powe		
Intrusion Bars		Commander, Commander MAX	ζ.	
Front Intrusion Bar		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003872
	<ul> <li>Steel intrusion bar matches styling.</li> <li>Inside and outside anti-corr powder coat finish.</li> <li>Provides additional protecti objects from entering the di</li> </ul>	osion coating with durable on by preventing large	spots for bet	reduces obstructed lines of sight and blind tter visibility. ble with windshields and Soft Door Panels.
Lonestar Racing Rear Intrusi	on Bar	Maverick Trail, Maverick Sport		<ul> <li>715005134 · Black</li> <li>715004874 · Can-Am Red</li> </ul>
	<ul> <li>Race-engineered to Lonest standards for toughness, th accessories will also enhan impact.</li> <li>Made of 1.5" (3.8 cm) diame powder coat finish.</li> </ul>	ese stylishly crafted ce your vehicle with visual	<ul> <li>Not compati windows, All</li> <li>Not compati</li> </ul>	ditional protection for driver and passenger. ble with the Sport Roof, rear panels and I-Terrain Trunk Cover. ble with X mr models or with the Snorkel Kir ble with S&B particle separator.

Fender Flares				
Fender Flares		Commander, Commander MAX		715006814
	<ul> <li>Fender flares made from inje polypropylene.</li> <li>Keep mud and debris out of</li> <li>Designed for quick and easy</li> </ul>	vehicle.	included. Increase veh	ar extensions and mounting hardware icle's overall width by 3" (8 cm) when Commander and Commander MAX models.
2" (51 mm) Fender Flares		Maverick Trail		715004958
17	<ul> <li>Extended fender flares made polypropylene.</li> <li>Keep mud and debris out of</li> <li>Designed for quick and easy</li> </ul>	vehicle.	and Fender F	and rear extensions, mounting hardware Flare Rear Extensions (715004404). icle's overall width by 3.5" (8.9 cm).
Fender Flare Rear Extensions		Maverick Trail		715004404
	<ul> <li>Help tail light stay clean from visible. Can be installed with (715003625).</li> <li>Made from injection-molded and finish.</li> </ul>	2" (51 mm) Fender Flares		n the 2" (51 mm) Fender Flares (715004958) Fender Flare Extensions (715004462).
3" (76 mm) Fender Flares		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004959
	<ul> <li>Fender flares made from inje polypropylene.</li> <li>Keep mud and debris out of</li> <li>Designed for quick and easy</li> <li>Include front and rear extensionardware.</li> </ul>	vehicle. / installation.	installed on M	icle's overall width by 6" (15.3 cm) when Vaverick Trail models. Maverick Sport models.
Fender Flare Rear Extensions		Maverick Trail, Maverick Sport, Maverick Sport MAX		715004462
	<ul> <li>Block terrain debris from kic or damaging your vehicle th Fender Flare Extensions, wh Extensions (715004404) for snow, especially when riding</li> <li>Made from injection-molded and finish.</li> </ul>	anks to these extra-large nich also include Rear added protection from mud/ g with track kits.	Include front For Maverick Flares (71500	ole with 2" (51 mm) Fender Flares. and rear extensions. Trail, must be used with 3" (76 mm) Fender 04959). Maverick Sport X mr models.
Others				
License Plate Holder		Maverick Trail, Maverick Sport, Maverick Sport MAX		715007006
	<ul> <li>Supports your license plate</li> <li>Plate lights can be relocated</li> <li>Require Rear Trail Bumper (1)</li> <li>EC compliant.</li> </ul>	l on bumper to light up license pl	ate.	
Tail Light Protectors		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003692
	<ul> <li>Anti-corrosion coating with</li> <li>Rugged style, aggressive loc</li> <li>Sold in pairs.</li> <li>Not EC compliant.</li> </ul>			
Radiator Protector		Maverick Trail, Maverick Sport, Maverick Sport MAX		715003700
	Perforated steel shield moun     Not recommended for winte	nted over the radiator face, provid	ling protection	

# LINQ: EASY ON, EASY OFF CARGO

## COMMANDER'S LINQ ACCESSORIES

### Mounting location and requirements

<ul> <li>No tools needed: Quickly install and remove accessories by hand.</li> <li>Equip your Can-Am for specialized tasks in no time.</li> <li>Sturdy mounting system that holds up to the roughest terrain.</li> </ul>	Vehicle Standard Cargo Box	LinQ Cargo Rack <b>715006815</b>	Adventure Roof Rack <b>715004095</b>	Deluxe Headache Rack <b>715006823</b>	Rear Adventure Rack <b>715006809</b>	Passenger Seat Base
LinQ Accessories with 16" Base	<ul> <li>Lower loading</li> <li>Can be used or</li> </ul>	nounted 16 inches capacity than the I n Can-Am ATV and craft and Ski-Doos	LinQ with 36" base I SxS vehicles, Car	e accessories.	Ryker vehicles,	
LinQ 4.2 Gal Cooler 295100698 • White 219400964 • Black	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b>			
LinQ Tool Kit 715006829	No further requirements	No further requirements	No further requirements			
LinQ Tool Box 715008111						
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit	Passenger Seat LinQ Anchor Kit <b>715003951</b>
LinQ 4.5 Gal (17 L) Sport Bag 860202447	-			715008125	715008125	112003321
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	No further requirements	No further requirements	No further requirements	-		
LinQ Roll-Top Bag 715008110	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit <b>715008125</b>	LinQ Base Installation Kit <b>715008125</b>			
LinQ Accessories with 36" Base	<ul> <li>Higher loading</li> </ul>	racks often used l capacity than the d to Can-Am ORV	LinQ with 16" bas	chicles. e accessories.		
LinQ 12 Gal (45 L) Cargo Box 715003879		No further				
LinQ 23 Gal (86 L) Trunk Box 715004923	requirements					
LinQ Audio Box 715003018	-	No compatibility	No compatibility	No compatibility	No compatibility	No compatibility
LinQ Cooler 715004778 • Black 715004698 • Grey	No compatibility					
LinQ OGIO <sup>†</sup> Bag 715002923 • Black		No further				
LinQ Heavy Duty Basket 715001215		requirements				
LinQ Low Profile Basket 715004282						
LinQ Holders						
LinQ Gear Grips 715005340	No further	No further	Side wall installation	Side wall installation	Side wall installation	Passenger Seat LinQ Anchor Kit
LinQ Tool Holder 715007358	requirements	requirements	LinQ Adapters 715003058	LinQ Adapters 715003058	LinQ Adapters 715003058	715003951

## MAVERICK'S LINQ ACCESSORIES

### Mounting location and requirements

295 100088 - White 219400984 - Black         Installation Kit 715008125         No compatibility 715008125         Installation Kit 715008125         Ind Aribor Kit 715008125         Ind Aribor Kit 715008125           LinQ Tool Kit 715008111         requirements         No further requirements			wound	ig looution	ununuqui			
Lind Accession (See Sources)         Lower leading concessing with the Lind, with SG* Base accessories. See Doo water-carf and Sick Doo smorthouse.         Use Source Sources         See Doo water-carf and Sick Doo smorthouse.           Und Acta Color 200 (Sources)         Lind Color 200 (Sources)         Lind Color 200 (Sources)         Lind Date (Lind Color 200 (Sources)         Lind Date (Lind Color 200 (Sources)         Lind Date (Lind Color 200 (Sources)         Lind Date (Lind Color 200 (Sources)         Lind Color 200 (Sources)         No further (Regularments)         No further (Regu	<ul><li>accessories by hand.</li><li>Equip your Can-Am for specialized tasks in no time.</li><li>Sturdy mounting system that holds up to the</li></ul>	Standard	Cargo Rack	Roof Rack	Pivoting Rack	Trunk Cover	Passenger Seat Base	
2921000093 - White 292400094 - Black       Installation Kit V15000125       No compatibility V15000125       Installation Kit V15000125       No further requirements       No further V15000125       No further V15000125       No further V15000125       No further requirements       No further re	LinQ Accessories with 16" Base	Lower loading Can be used or	capacity than the I n Can-Am ATV and	LinQ with 36" base SxS vehicles, Car	e accessories.	Ryker vehicles,		
1:0000829         requirinering         requirinerin	295100698 • White	Installation Kit	No compatibility	Installation Kit	Adapter Kit	Installation Kit	LinQ Anchor Kit	
715008111     Lin0 Base Installation Rt B0202449     Lin0 Base Installation Rt T1500812     Lin0 Base Installation Rt T1500812     Lin0 Base Installation Rt T1500812     Lin0 Base Installation Rt T1500812     Lin0 Base Installation Rt T1500811     Lin0 Base Installation Rt T1500811     Lin0 Base Installation Rt T1500811     No further requirements								
Lind X.S. Scall (21 L) Sag Boold202449       Installation Kit Tisos202449       Installation Kit Tisos202449       Ind Adopter Kit Tisos2024       Installation Kit Tisos2024       Ind Adopter Kit Tisos2024       Installation Kit Tisos2024       Ind Adopter Kit Tisos2024       Intellation Kit Tisos2024       Ind Adopter Kit Tisos2024       Intellation Kit Tisos2024       Intellation Kit Tisos2024       Intellation Kit Tisos2024       Intellation Kit Tisos2024       Intellation Kit Tisos2024       Intellation Kit Tisos2024       No further requirements       Intellation Kit Tisos2024       Intellation								
B802022447     Image: Constraint of the	· · •	Installation Kit	No compatibility	Installation Kit	Adapter Kit	Installation Kit	LinQ Anchor Kit	
No further T15000830 · (30 L)     No further requirements     No further requirements </td <td></td> <td colspan="2"></td> <td></td> <td></td> <td></td> <td colspan="2"></td>								
Link Non rolp Bag       Installation Kit       No compatibility       Installation Kit       Adapter Kit       Installation Kit       LinQ Anchor Kit       T15009125       Installation Kit       Campatibility       Installation Kit       Adapter Kit       Installation Kit       Campatibility       Installation Kit       Campatibility       Installation Kit       Campatibility       Installation Kit       Adapter Kit       Installation Kit       T15009125       T15001252       T15009125       T1	715005494 • (10 L) 715007112 • (20 L)							
With 36" Base       Higher locating capacity vian the Lind With 15 base accessories.         Lind 12 Gal (45 L) Cargo Box       Usage is limited to CarA wn ORV vehicles.         Lind 23 Gal (46 L) Trunk Box       No further requirements         116004923       No compatibility         Lind 23 Gal (86 L) Trunk Box       No compatibility         116004923       No compatibility         Lind 23 Gal (121 L) Trunk Box       No compatibility         116004923       No compatibility         Lind Cooler       No compatibility         7150001747       No compatibility         Lind Cooler       No compatibility         715002180       No compatibility         Lind Coil Bag       No compatibility         715002150       No further requirements         No further       No further requirements         No further       No further requirements         116002150       No further requirements         Lind Cear Grips       No further requirements         7150032840       No further requirements         Vehandlese       No compatibility         No further requirements       No further requirements         116002870       No further requirements         116002840       No further requirements         116004282<		Installation Kit	No compatibility	Installation Kit	Adapter Kit	Installation Kit	LinQ Anchor Kit	
715003879       Image: Construction of the constener of the constr		Higher loading	capacity than the	LinQ with 16" base				
LinQ 23 Gal (86 L) Trunk Box         715004923         LinQ 32 Gal (121 L) Trunk Box         715001747         LinQ Audio Box         715003018         LinQ Cooler         T15004778 - Black         T15004778 - Black         LinQ GGIO Bag         715002923 - Black         LinQ Collo Bag         T15002923 - Black         LinQ Low Profile Basket         T15004785         LinQ Holders         LinQ Holders         LinQ Gear Grips         71500493         LinQ Forlie Basket         Tis003240         LinQ Gear Grips         Tis00475         LinQ Tool Holder	· · •							
715001747       Image: A market in the second			requirements					
T15003018     requirements     No compatibility			No compatibility					
LinQ Cooler       No compatibility       No compatibility       requirements       No compatibility       requirements       No compatibility       No compatibility       requirements       No compatibility       requirements       No compatibility       No compatibility       requirements       No compatibility								
715002923 · Black       LinQ Heavy Duty Basket       Image: Amage: Amage	715004778 • Black	No compatibility	No compatibility	No compatibility		No compatibility	No compatibility	
715001215     requirements     requ		-						
No further requirements     Side wall installation (when installed on side walls)     Side wall installation T150035340     No further requirements								
LinQ Gear Grips 715005340No further requirements (when installed on side walls)No compatibilitySide wall installation LinQ Adapters 715003058No further requirementsLinQ Base Installation Kit 715008125No further requirements								
715005340     No further requirements (when installed on side walls)     No compatibility No compatibility     Side wall installation 715003058     No further requirements     LinQ Base Installation Kit 715008125     LinQ Base Installation Kit 715008125     No further requirements     No further requirements     No further requirements     No further requirements	LinQ Holders							
LinQ Tool Holder (when installed on side walls) 715003058 715003058 715008125		requirements	No compatibility	installation				
					requirements		requirements	

### LinQ Accessories with 16" Base

#### **LinQ Modular Box**

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX **715005494** · (10 L) **715007112** · (20 L) **715006830** · (30 L)



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Mode	ular Box (10 L)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	219401110	
	<ul> <li>Insulated liner.</li> <li>Fits very well in the LinQ</li> <li>Can contain seven 355 m</li> <li>Keeps ice cold for one da</li> <li>Interior dimensions: 9" L</li> </ul>	Il cans. y.		
LinQ Tool Box		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008111	
	<ul> <li>5 gal (19 L) maximum cap</li> <li>Weather-resistant, sealed</li> <li>Easy one-second on/off t</li> <li>All the benefits of LinQ—</li> </ul>	d and lockable cover. ool-less system.	and durability.	
LinQ Tool Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006829	
	<ul> <li>Includes:</li> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location (belt not included)</li> </ul>	<ul> <li>%" drive - 6 pts</li> <li>Socket 18 mm %" drive</li> <li>Long-socket 17 mm</li> <li>%" drive - 6 pts</li> <li>Socket 15 mm %" drive</li> <li>Socket 13 mm %" drive</li> <li>Socket 10 mm %" drive</li> </ul>	<ul> <li>Socket 8 mm %" drive</li> <li>Combined wrench 19 mm</li> <li>Combined wrench 18 mm</li> <li>Combined wrench 15 mm</li> <li>Combined wrench 13 mm</li> <li>Combined wrench 10 mm</li> <li>Combined wrench 8 mm</li> <li>Socket Torx T40 %" drive</li> </ul>	<ul> <li>Socket Torx T30 %" drive</li> <li>Socket Torx T20 %" drive</li> <li>Breaker bar %" drive</li> <li>See table for installation location and requirements</li> </ul>
LinQ 4.2 Gal (16 L) Cooler		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	■ 21940090 29510065	
S. A	<ul> <li>All the benefits of LinQ—</li> <li>Rotomolded construction and durability.</li> <li>Premium-quality foam inside retention.</li> <li>Uses LinQ mounting syst (Patent US 8777531 and</li> </ul>	n for exceptional rigidity sulation for optimal em	<ul> <li>Easy one-second on/off too</li> <li>Can contain twenty 355 ml</li> <li>Keeps ice cold for three day</li> <li>Exterior dimensions: 13" L</li> <li>Interior dimensions: 9" L x</li> <li>See table for installation loop</li> </ul>	cans. ys. x 20" W x 10" H. 17" W x 7" H.
LinQ 4.5 Gal (17 L) Sport Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	860202447	

See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	860202449
	<ul> <li>All the benefits of LinQ—sir</li> <li>Semi-rigid expandable bag.</li> <li>5.5 gal (21 L) capacity.</li> <li>Utilizes LinQ mounting syst</li> <li>Easy one-second on/off too</li> <li>See table for installation loc</li> </ul>	em (Patent US 8777531 and US 8875830). I-less system.	
inQ Roll-Top Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008110
	<ul> <li>LinQ mounted using heavy-</li> <li>High capacity storage solut</li> <li>Bottom foam liner for additi</li> </ul>	ion (40 L). onal equipment protection. ransportation on/off the vehicle. adjustable H.	pment.
LinQ Accessories wit	h 36" Base		
inQ Premium Storage Bag by	OGIO	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	<b>715002923</b> · Black
	• 17.2 gal (65 L) capacity sem		-
	See table for installation loc		
inQ 12 Gal (45 L) Cargo Box			715003879
inQ 12 Gal (45 L) Cargo Box		ation and requirements.  Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX easy-off installation. urely while riding.	715003879
	See table for installation loc     LinQ mounted for easy-on,     Holds cargo safely and secu	ation and requirements.  Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX easy-off installation. urely while riding.	715003879 715004923
inQ 12 Gal (45 L) Cargo Box	See table for installation loc     LinQ mounted for easy-on,     Holds cargo safely and secu	Ation and requirements.  Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX easy-off installation. urely while riding. ation and requirements.  Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX easy-off installation. urely while riding.	

	<ul> <li>An affordable and quick solution for adding music and storage to your next ride.</li> <li>The rear installation does not use up any cab space and allows easy listening at an average speed.</li> </ul>		<ul> <li>Water-resistant speakers.</li> <li>The Bluetooth<sup>†</sup> enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.</li> </ul>	
	<ul> <li>Mounts on/off easily to hold/carry cargo safely and securely.</li> </ul>		Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.	
	<ul> <li>Backlit control panel perfect for</li> </ul>	or night riding.	<ul> <li>See table for</li> </ul>	installation location and requirements.
LinQ 8 Gal (30 L) Cooler Box	1	Commander, Commander MA> Maverick Trail, Maverick Sport, Maverick Sport MAX		■ 715004778 · Black 715004698 · Grey
0 3	· LinO mounted for easy-on, eas	av-off installation	<ul> <li>Integrated full</li> </ul>	Illy removable compartment protects food

		Maverick Trail, Maverick Sport, Maverick Sport MAX	715001747 · Black (Rear tail light included)
inQ 32 Gal (121 L) Trunk Bo	<u>د</u>	European Version (EC compliant)	<b>715001748</b> (No rear tail light)
	<ul> <li>32 gal (121 L) load capa</li> <li>Made of injection-mold</li> <li>The fully sealed lid prote</li> <li>Trunk Box Panels availa</li> </ul>	system, the rear trunk box plugs in and out in s icity with unobstructed space to maximize stora ed polyethylene, double walled in critical areas. ects your belongings from dust, moisture and th ble in many colors to match your vehicle (sold s n location and requirements.	age room and access to the trunk's interior. ne elements.
inQ 32 Gal (121 L) Trunk Bo	Panels	Maverick Trail, Maverick Sport, Maverick S	port MAX
	Color panels to match the second	he LinQ 32 gal (121 L) to your vehicle (7150017	47 / 715001748).
	715001391 · Black 715001392 · Vellow 715001395 · Viper Re 715002481 · White 715002484 · Octane I 715002988 · Manta G 715002988 · Can-Am 715006119 · Orange ( 715006120 · Squadro 715007074 · Tundra (	d 71500 71500 71500 ey 71500 Blue 71500 ireen 71500 Red 71500 Crush 71500 n Green	Version (EC compliant). No rear tail light. 1397 · Black 1398 · Yellow 12483 · White 16121 · Can-Am Red 16122 · Manta Green 16123 · Orange Crush 16124 · Viper Red
LinQ Heavy-Duty Basket		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001215
	<ul> <li>Made of high-strength,</li> <li>LinQ mount for easy-on,</li> <li>See table for installation</li> </ul>	-	
LinQ Low Profile Basket		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004282
	<ul> <li>Multiple bungee cord an</li> <li>Made of impact-resistant</li> </ul>	t increases cargo space. to tools, rope, winch and plow accessories. nd tie-down anchor points. nt injected polypropylene. n location and requirements.	
LinQ Holders			
LinQ Tool Holder		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007358
	<ul> <li>Sold in pairs.</li> </ul>	er. allows tools to be stored in any orientation. n location and requirements.	
LinQ Gear Grips		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005340
44	<ul> <li>Heavy-duty design for c</li> <li>Quick-release button op</li> <li>Heavy-duty base system</li> </ul>	os provide a custom fit for a variety of items fror arrying bows, fishing poles, rakes, farm tools ar pens grip quickly for easy access to gear. n built for the toughest adventures. tools a snap by combining the Gear Grips with	nd more.

LinQ Adapter (Not illustrated)		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003058
	<ul> <li>Sold in pack of 4.</li> </ul>		
LinQ Base Installation Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008125
80	Unique mounting fastener u     Included: 2 cargo LinQ base	usable on any LinQ system accessory. es and hardware.	
LinQ Lock		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	860201968
	<ul> <li>Simple way to securely lock</li> <li>Lock cover protects lock fro</li> <li>Corrosion resistant.</li> <li>Pack of 1, includes 2 keys.</li> <li>Not compatible with LinQ 4</li> </ul>		l Holder and LinQ Gear Grips.
LinQ Replacement Part		Maverick Trail, Maverick Sport, Maverick Sport MAX	715001707
<b>~</b>	Unique mounting fastener of Tool-less installation and re     Sold in pairs.	usable on any LinQ system accessory. moval.	
LinQ Anchor Adapter kit		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004960
	<ul> <li>Allows the installation of Lin</li> <li>Tool-less installation and ren</li> <li>LinQ pivoting rack is required</li> </ul>	Q accessories with 16" base on LinQ racks. noval.	/15004960

# **CARGO & STORAGE**

LinQ Cargo Rack		Commander, Commander MA	x	715006815
ATTA	<ul> <li>Strong, durable steel rack %</li> <li>Easy and tool-less installatio</li> <li>Allows the installation of Lin</li> <li>Allows multi-level storage or</li> <li>Helps keep cargo securely in</li> <li>Multiple bungee cord and tio</li> </ul>	on with LinQ system. IQ accessories. n cargo bed. n place.		inQ Base 36". e under the rack for other cargo. ole with 715006816.
Integrated Tailgate Extension		Commander, Commander MA	x	715006810
	Integrated design that lets the Steel construction for rugge     Not EC compliant.	he extension fold away inside tl ad durability.	ne tailgate when	not needed.
		   Commander, Commander MA	x	715006816
Tonneau Cover				

All-Terrain Trunk Cover		Maverick Trail, Maverick Sport (except X mr), Maverick Sport MAX	715003701
	Gas spring assisted openir     Integrated mounting locati     Rotomolded construction r     LinQ accessories can be ir	o area into a fully enclosed and weather-resistang. on inside the trunk cover for Dome Light (7150 provides exceptional rigidity. Installed on or inside the trunk cover. equired for installation on the trunk cover.	
ixed Tailgate		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004357
	Rigid rotomolded construc Encloses the rear cargo op Matches the vehicle's styli	pening perfectly and helps keep cargo securely	/ in place.
Storage			
oft Storage Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003759
	<ul> <li>11.8 gal (45 L) capacity sof</li> <li>3-section bag.</li> <li>Transport gear in a weathe</li> </ul>	t cargo bag designed with vehicle's rear in mir rproof bag.	nd to maximize potential storage.
torage 2.6 Gal (10 L) Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	269502121
0	Roll-top dry bag for fully pre	otecting your cargo from the elements.	
verhead Storage Bags		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005018
	<ul> <li>Include 2 overhead soft ba</li> <li>2.4 gal (9 L) total capacity.</li> <li>Bimini Roof with sun visor</li> </ul>	or Sport Roof needed for installation.	
houlder Storage Bag		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005019
	-	id bag holds your gear safely and securely whi ace between the seats to increase your vehicle	-
emovable Central Storage	Bag	Commander MAX, Maverick Sport MAX	715004794
- 0	<ul> <li>Both front and rear passen</li> <li>Designed as a 1.3 gal (5.2 l</li> </ul>	s your gear safely and securely while riding. gers can access the bag's content. L) capacity pocket, also equipped with inner ne ls and includes shoulder strap for transportation on and off your vehicle.	

NEW Passenger Storag	e Seat Bag	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008080		
	This weather-resistant bag h	This weather-resistant bag holds your gear safely and securely while you ride.			
	<ul> <li>Bag settling on the passeng</li> </ul>	er seat to increase the vehicle's cargo capacity			
	• This had features a 14 5 dal	(55 L) storage capacity and is divided into two	compartmente		

Т

- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
  - Additional pocket inside for additional storage, such as a cell phone.
  - The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.

ı.

 $\boldsymbol{\cdot}$  The detachable pocket at the front of the bag can be used as a garbage bag.

Soft Cooler		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003728	
0	Soft cooler made of durable	e canvas.		
1000	<ul> <li>Removable shoulder strap a</li> </ul>	and carry handles.		

- · Foam insulation and water-resistant interior liner.
- 2.2 gal (4.5 L) capacity.

# **RACKS & HOLDERS**

#### Adventure Roof Rack

Rea

<ul> <li>Ideal cargo solution for packing everything you need to live your off-road experience fully and completely.</li> <li>Built with heavy-duty 1.5" (3.8 cm) and 1.25" (3.2 cm) diameter steel tubing.</li> <li>Loads of up to 75 lb (34 kg).</li> <li>LinQ support plates allow for installation of accessories with 16" base.</li> </ul>	<ul> <li>(99 cm) Doul</li> <li>Features and</li> <li>Spare Tyre T</li> <li>Add the Carg in the rack.</li> </ul>	ounting points for the installation of the 39" ole Stacked LED Bar (front). chor points for spare tyre attachment. ie-Downs sold separately. go Box Net to secure and confine your cargo lled without a roof or with Sport Roof only.

ar Adventure Rack		Commander, Commander MA	x	715006809
The second secon	<ul> <li>Made of heavy-duty steel.</li> <li>Increases the cargo versatil</li> <li>Allows a Commander 2-up t</li> </ul>	,	MAX Advent	nmander 2-up to fit ure Roof Rack to increase ca ble with other bed installed a

· · · · · · · · · · · · · · · · · · ·
Bimini Roof on top to protect the cargo area.

MAX Adventure Roof Rack to increase cargo capacity.
Not compatible with other bed installed accessories.

Adventure Rack Enclosure		Commander Commander MAX		715006818 715008246
	<ul> <li>Works with Rear Adventure</li> <li>Rear-panel zip-type window</li> <li>Covers all accessories mou Adventure Rack.</li> <li>Compatible only with Sport</li> </ul>	is with roll-down feature. nted inside of the Rear	configuration • Track Kit and configuration	Pre-filter are not compatible with the SUV

#### **Cargo Bed Rails** Commander, Commander MAX 715006824 Add an integrated tie-down area to your cargo box. Heavy-duty 1" (2.5 cm) diameter steel tube construction. • Adds height to the bed side wall and serves as a tie-down point. Added cargo box protection. · Inside and outside anti-corrosion coating with durable Sold in pairs. powder-coat finish.

Deluxe Headache Rack		Commander, Commander MAX (except X mr models)	715006823
	<ul> <li>Protects cab from cargo loa</li> </ul>	d.	
	Compatible with cargo bed	rails	

- Compatible with cargo bed rails.
- Not compatible with Snorkel Kit (715003705).

LinQ Pivoting Rack		Maverick Trail, Maverick Sport, Maverick Sport MAX	715008297
	<ul> <li>Includes custom tie-down s</li> <li>Gas-cylinder pivot action, lo</li> </ul>	ail (715003703), Lonestar Racing and Dragonl nd LinQ Cargo Rack.	tyre not included).
LinQ Rack Extension		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003771
	<ul> <li>Made of strong and durable</li> <li>Helps to keep cargo secure</li> <li>Easy and tool-less installation</li> </ul>	ly in place.	
LinQ Cargo Rack		Maverick Trail, Maverick Sport, Maverick Sport MAX	715003702
-am	Allows the installation of Lin	uminum and strong aluminum tubing frame. nQ Trunk Boxes on top and the addition of mor on thanks to the LinQ system.	e LinQ accessories in cargo box.
Spare Tyre Carrier		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004471
	<ul> <li>Rear bumper mounted, doe</li> <li>Made of heavy-duty 1.5" (3.</li> <li>Inside and outside anti-corr</li> </ul>	diameter (tyre is not included). s not encumber the cargo area.	
Cargo Box Net		Commander, Commander MAX, Maverick Sport MAX	715001371
	Solid net designed to secur	e and ensure the compact confinement of you	r Adventure Roof Rack.
LinQ Tool and Gun Holder		Commander, Commander MAX	715005466
	rubber grips and retention s mat with gunstock shaped	rely hold tools and guns using Can be atta straps at the top and a rubber cab.	ched at multiple positions along the cargo acing inside or outside the bed. ched on the inside of the cargo, behind the tible with Headache Rack.
LinQ Gun Case		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004968
	<ul> <li>Adapt to different weapons</li> <li>LinQ-mounted for efficients</li> <li>No mount required on Communication</li> </ul>	to store shotguns and rifles up to 52" (132 cm) shapes and features with foam cushions that c and secure storage, locked in place with only a imander and Commander MAX. erick Trail, Maverick Sport and Maverick Sport	an be repositioned. quarter turn.
LinQ Gun Case Mounting Kit		Maverick Sport, Maverick Sport MAX, Maverick Trail	715006444
	<ul> <li>Required to install the Can-</li> <li>Allows you to install up to to</li> </ul>	, Am Gun Case on a Maverick Sport, Maverick S wo LinQ gun cases.	port MAX and Maverick Trail.

Stronghold Gun Boot Impact <sup>†</sup>	by Kolpin <sup>†</sup>	Maverick Trail, Maverick Sport, I Sport MAX	Maverick	705011442
	<ul> <li>Compact low-profile design styling securely holds up to shotguns with optics.</li> <li>Includes a removable, shock Impact liner.</li> </ul>	52" (132 cm) long rifles and	access along	ed opening with an attached lid for quick g with an integrated closure strap. the Kolpin Stronghold Auto-Latch m.
Stronghold Auto-Latch Mount	by Kolpin	Maverick Trail, Maverick Sport, I Sport MAX	Maverick	715003899
-	<ul> <li>Auto-latching design provid attachment to your vehicle.</li> <li>Bracket is made from rugge nylon and coated steel.</li> </ul>			Stronghold Gun Boot (705011442). ar Rail (715003703).
Gear Rail		Maverick Trail, Maverick Sport, I Sport MAX	Maverick	715003703
5	<ul> <li>Offers mounting points for t</li> <li>Can hold up to two gun boo</li> </ul>	C-clamps attached on the roll ca he Stronghold Auto-Latch Moun ts. n Boot 6.0 Impact by Kolpin (7150	t or for the Univ	versal Saw Press by Kolpin.
Jniversal Saw Press by Kolpin		Maverick Trail, Maverick Sport, I Sport MAX	Maverick	715001423
re-m-am	<ul> <li>Specially crafted for transpo and safely aboard your side</li> <li>Heavy-duty, black powder-c designed to attach any chai (51 cm) bar.</li> <li>Rubber pads provide cushic</li> </ul>	oated metal bracket nsaw model with up to a 20"	<ul><li>Holds saw in direction.</li><li>Requires Gear</li></ul>	gn for quick removal. vertical position or 45° angle in either ar Rail (715003703). neath included.
Spare Tyre Ratchet Tie-Downs	5	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	,	280000955
M	<ul> <li>3-way ratcheting tie-down s</li> <li>Designed to securely hold s equipped with integrated sp</li> <li>Adjustable to accommodate sizes.</li> </ul>	pare tyres on accessories pare tyre attachment points.	Required for	unction ring made of durable zinc-plated stee spare tyre attachment on Adventure Roof Q Pivoting Rack.
Heavy-Duty Ratchet Tie-Down	I	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX		715008308
	<ul> <li>1,000 lb (454 kg) safe workin</li> <li>1.5 in. x 6 in. (38 mm x 1.8 m</li> <li>Deluxe ratchet with rubber l</li> <li>Black-coated clip hooks.</li> </ul>	nm) strap with BRP brands.	<ul> <li>12" (300 mm</li> <li>Pack of two.</li> </ul>	) webbing included.
Bolt-On⁺ Retractable Ratchetir	ng Tie-Downs	Commander, Commander MAX, Maverick Trail, Maverick Sport, I Sport MAX		295101072
	<ul> <li>Perfect for transporting you or securing loads.</li> <li>Mounts easily: Bolts on any frame).</li> </ul>	flat surface (e.g., truck bed or	slackens, spo mechanism t vehicle or loa	
CONTRO	• 1" x 6' (2.5 cm x 1.8 m) tie-du stitching that delivers a 500 strength and 1,500 lb (680 k	lb (226 kg) working load		eting handle provides firm grip, and the hool d to protect whatever surface it hooks into.
Ratchet Tie-Downs		Commander, Commander MAX, Maverick Trail, Maverick Sport, I Sport MAX		<b>715008309</b> · Black/Grey
	<ul> <li>400 lb (181 kg) safe working</li> <li>1" x 10' (2.5 cm x 3 m) strap Can-Am logos.</li> <li>Deluxe ratchet with rubber l</li> </ul>	with Sea-Doo, Ski-Doo and	<ul> <li>Coated S hot</li> <li>Pack of 2.</li> </ul>	oks.

# **LIGHTS**

				O Cho	ose you	r lights			
1 Choose	<b>BAJA DESIGNS<sup>+</sup> LIGHTS</b>		CAN-AM LIGHTS						
your mount point	10" (25 cm) LED Light Bar	XL Sport LED Lights (sold in pairs)	Squadron Sport LED Lights (sold in pairs)	XL80 LED Lights (sold in pairs)	10" Double Stacked LED Bar	15" Double Stacked LED Bar	39" Double Stacked LED Bar	4" Round LED Lights (sold in pairs)	3.5" Spot or Flood LED Lights (sold in pairs)
XT & X mr Front Bumper (Stock on XT, XT-P and X mr)	710006819 + 715007049 (Power Cable)	710006821 + 715008865 (Power Cable)	<b>710006820</b> + <b>715008865</b> (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	715002933 + 715003670 (Power Cable)	<b>715002934</b> + <b>715003670</b> (Power Cable)	NA	715003665 ( 715003666	6 (4" Round), 3.5" Flood) or 6 (3.5" Spot) + Power Cable)
Trail Bumper	NA	710006821 + 715008865 (Power Cable)	<b>710006820</b> + <b>715008865</b> (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	715002933 + 715003670 (Power Cable)	NA	NA	715003665 ( 715003666	i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable)
Commander Front Bumper	<b>710006819</b> + <b>715007049</b> (Power Cable)	<b>710006821</b> + <b>715008865</b> (Power Cable)	<b>710006820</b> + <b>715008865</b> (Power Cable)	<b>710005041</b> + <b>715007049</b> (Power Cable)	NA	715002934 + 715003670 (Power Cable)	NA	715003665 ( 715003666	i (4" Round), 3.5" Flood) or 5 (3.5" Spot) + Power Cable)
Sport Roof & Bimini Roof	710006819 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669	710006821 + 715008865 (Power Cable) *Optional Overhead Switch Panel 715003669	710006820 + 715008865 (Power Cable) *Optional Overhead Switch Panel 715003669	710005041 + 715007049 (Power Cable) *Optional Overhead Switch Panel 715003669	<b>715002933</b> + <b>715003670</b> (Power Cable) + <b>715003669</b> (Overhead Switch Panel)	<b>715002934</b> + <b>715003669</b> (Overhead Switch Panel)	715004007 + 715005822 (Mounting Kit) *Optional Overhead Switch Panel 715003669	715003665 ( 715003666 - 71500	; (4" Round), 3.5" Flood) or 5 (3.5" Spot) + <b>33669</b> witch Panel)
Top Roll Cage	NA	NA	NA	NA	NA	NA	<b>715004007</b> + <b>715005822</b> (Mounting Kit)	NA	NA
Sport Roof Back Position	NA	NA	NA	NA	NA	NA	NA	NA	715003665 or 715003666 + 715003669 + 715004910
<b>3</b> Order		*Note:		er all part nu			<b>j box</b> mounting kit is red	guired.	

\*All lights are intended for off-road use only.

Baja Designs Light Power Cable (Not illustrated)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008865		
<ul> <li>Required for installation of Baja Designs LED lights onto roof or bumper.</li> <li>Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights.</li> </ul>				
Baja Designs Light Power Cable       Commander, Commander MAX, Maverick         (Not illustrated)       Trail, Maverick Sport, Maverick Sport MAX				
<ul> <li>Required for installation of Baja Designs LED lights onto roof or bumper.</li> <li>10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights.</li> </ul>				

Baja Designs 10" (25 cm) OnX6 LED Light Bar	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710006819
	12,460 lumens -25 -50 0 100 200 300 400 500 600 m
<ul> <li>108 W light bar producing 12,460 lumens.</li> <li>Equipped with 6 Cree XM-L2 LEDs.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	<ul> <li>Dual intensity (high/low) settings.</li> <li>Requires Baja Designs Light Power Cable.</li> <li>See table for installation location and requirements.</li> </ul>
aja Designs XL80 LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710005041
	9,500 lumens <sup>50 m</sup> <sup>25</sup> <sup>0</sup> <sup>25</sup> <sup>50 m</sup> <sup>25</sup> <sup>50 m</sup> <sup>50 m</sup> <sup>25</sup> <sup>50 m</sup> <sup>50 /sup>
<ul> <li>80 W per spot producing 9,500 lumens.</li> <li>Equipped with 4 Cree XHP50 LEDs per spot.</li> <li>Dual intensity (high/low) settings.</li> <li>Driving/combo light pattern for smooth blend of light for both near field applications and distance.</li> </ul>	<ul> <li>Require Baja Designs Light Power Cable.</li> <li>Sold in pairs.</li> <li>Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).</li> <li>See table for installation location and requirements.</li> </ul>
Baja Designs Squadron Sport LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710006820
	3,150 lumens -25 0 100 200 300 400 500 600 m
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.</li> </ul>	<ul> <li>Require Baja Designs Light Power Cable.</li> <li>Sold in pairs.</li> <li>Dimensions: 3" x 3" (7.6 cm x 7.6 cm).</li> <li>See table for installation location and requirements.</li> </ul>
Baja Designs XL Sport LED Lights	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 710006821
	3,150 Jumens 25 0 -25 -50 0 100 200 300 400 500 600 m
<ul> <li>26 W per spot producing 3,150 lumens.</li> <li>Equipped with 4 Cree XP-G2 LEDs per spot.</li> <li>High Speed Spot features a longer and narrower beam focus for illumination farther down.</li> </ul>	<ul> <li>Require Baja Designs Light Power Cable.</li> <li>Sold in pairs.</li> <li>Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).</li> <li>See table for installation location and requirements.</li> </ul>
0" (25 cm) Double Stacked LED Light Bar (60 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX 715002933
REFERE	5,400 lumens 20 m 0 -20 0 100 200 300 400 500 600 700 800 m
<ul> <li>Equipped with twelve 5 W Cree LEDs.</li> <li>5,400 lumens.</li> <li>Packs a big punch for its size.</li> <li>Rugged and waterproof.</li> <li>Can be installed in stock XT and XT-P bumpers.</li> </ul>	<ul> <li>Requires light power cable for installation.</li> <li>Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side.</li> <li>EC compliant.</li> <li>See table for installation location and requirements.</li> </ul>

15" (38 cm) Double Stacked LED Light Bar (90 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 715002934
• Equipped with 18 5 W Cree LEDs.	8,400 100 $20 \text{ m}$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$ $0$
<ul> <li>8,400 lumens.</li> <li>Complements the Light Racks and most bumpers.</li> <li>Rugged and waterproof.</li> </ul>	wide on each side.  • EC compliant.  • See table for installation location and requirements.
39" (99 cm) Double Stacked LED Light Bar (270 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 715004007
	24,300 lumens -20 m -20 m -20 m 0 100 200 300 400 500 600 700 800 m
<ul> <li>Equipped with 54 5 W Cree LEDs.</li> <li>24,300 lumens.</li> <li>Lights up to more than 2,900 ft. (900 m) in front of the vehicle and around 115 ft. (35 m) wide on each side.</li> <li>Compatible on the Adventure Roof Rack.</li> </ul>	<ul> <li>Maverick Trail, Maverick Sport, Maverick Sport MAX: Requires Light Mounting Kit for 39" (99 cm) LED Light Bar (715005822) and/or Lonestar Racing Mounts for 39" (99 cm) Double Stacked LED Light Bar (715004877) for installation.</li> <li>Commander 2021 &amp; up: Requires Light Mounting Kit for 39" (99 cm) LED Light Bar (715005822) and/or Lonestar Racing Mounts for 39" (99 cm) Double Stacked LED Light Bar (715004877) for installation.</li> <li>See table for installation location and requirements.</li> </ul>
4" (10 cm) Round LED Lights (2 x 25 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max <b>715002935</b>
	1,800 lumens 0 -20 m -20 m 0 -20 m
<ul> <li>25 W LED spotlights.</li> <li>1,800 lumens.</li> <li>Rugged and waterproof.</li> <li>Includes basic wiring and switch.</li> <li>Can-Am branded grill.</li> </ul>	<ul> <li>Requires light power cable.</li> <li>Sold in pairs.</li> <li>Not EC compliant.</li> <li>See table for installation location and requirements.</li> </ul>
3.5" (9 cm) LED Driving Lights (2 x 14 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 715003666
	1,260 lumens -15 0 15 30 45 60 75 90 105 m
<ul> <li>14 W LED lights producing 1,260 lumens each.</li> <li>Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.</li> <li>Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.</li> </ul>	<ul> <li>Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.</li> <li>Sold in pairs.</li> <li>EC compliant.</li> <li>See table for installation location and requirements.</li> </ul>
3.5" (9 cm) LED Flood Lights (2 x 14 W)	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport Max 715003665
	1,260 lumens -15 0 15 30 45 60 75 90 105 m
<ul> <li>14 W LED lights producing 1,260 lumens each.</li> <li>Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions.</li> <li>Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.</li> </ul>	<ul> <li>Features two attachment points. If one attachment point fails due to a collision, rotate to the next channel point and remount the light.</li> <li>Sold in pairs.</li> <li>EC compliant.</li> <li>See table for installation location and requirements.</li> </ul>

Light Power Cable		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX	715003670
·	Power cable for installation	n of compatible Can-Am light kits on front bump	bers or roof.
LED Headlights Assembly		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003667
	• • •	rade kit draw a maximum of 40 W (2 x 20 W) of p n and longer lasting than standard halogen bulb	
LED Signature Lights		Commander, Commander MAX	715006896
	• The stylish LED set adds a	finishing touch, accentuating its aggressive sta	ince.
Can-Am LED Signature Lights	5	Maverick Trail, Maverick Sport, Maverick Sport MAX	715003673
Dome Light	<ul> <li>Use bright and energy effic</li> <li>Do not give additional light</li> </ul>		715002455
<b>V</b>	<ul> <li>LED array integrates perfe</li> <li>Wiring included.</li> <li>Can be installed on cage, \$</li> </ul>	·	11002405
Mounting Kit for 39" (99 cm)	LED Light Bar	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005822
	<ul> <li>Required for installation of</li> <li>Includes wiring and suppo</li> <li>Light Support Bar required</li> </ul>		
Roof Power Cable		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003094
	<ul> <li>Brings power from the batt</li> <li>Required for installation of</li> </ul>	tery. some electrical accessories.	
Rear Lights Power Cable		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004910
	<ul> <li>Use in conjunction with the</li> <li>This set-up will illuminate y</li> </ul>	u to install rear cargo lights on your vehicle. e 3.5" (9 cm) LED Flood Lights (2 x 14 W) (sold s your rear cargo area and surroundings. Switch Panel (715003669) required.	separately).

# **AUDIO & COMMUNICATION SYSTEMS**

#### Audio

Complete Wet Sounds† Aud	io System	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX		715003672	
	playlists of champions. • Built-in 200 W amplifier with low end bass response. • Built-in Bluetooth† connecti	Built-in 200 W amplifier with D-Bass Tech for improved		<ul> <li>Turns itself off after 10 minutes of inactivity to save battery power.</li> <li>Designed to be Can-Am-tough in the most demanding riding conditions.</li> <li>Includes 4.5" (11.4 cm) front and 6.5" (16.5 cm) rear-roll-cage mounted stereo speakers and console integrated backlit control panel.</li> </ul>	
Wetsound Stealth XT 6 Can	-Am Edition Sound Bar	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX		715008282	
	<ul> <li>Built-in Bluetooth connectiv</li> <li>Built-in Broadcast mode.</li> <li>Backlit control panel with In lights.</li> <li>Integrated LED Dome.</li> <li>IP67 rated RF wireless remoted and the second s</li></ul>	tegrated LED RGB cabin	<ul> <li>2 marine-rate</li> <li>Operating vo</li> <li>IP rated: IP67</li> <li>Length: 21.31</li> <li>Width: 4.04'</li> <li>Height: 3.85"</li> </ul>	ltage: 12 V.	
Sound Bar Mount Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX		715004745	
Can-Am Subwoofer	Required mount kit for the V	Vet Sounds Stealth 6 Ultra HD Ca Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX		Sound Bar (715008282).	
	<ul> <li>Easy plug-and-play connect</li> </ul>	bwoofer speakerbox that fits in th ions to Wet Sounds audio system enough to withstand harsh enviro	1.		
Electronic Device Holder		Commander, Commander MAX , Maverick Trail, Maverick Sport, Maverick Sport MAX	,	715005212	
	<ul> <li>A great in-ride entertainmer</li> <li>Robust injected-polypropyle</li> </ul>	• •		nplements the Wet Sounds audio systems adios Intercom System to play music with	

Robust injected-polypropylene construction allows for right fit and easy installation.
 Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).
 Allows the installation of Garmin Montana 680T GPS.
 Allows the installation of Garmin Montana 680T GPS.

# **ELECTRICAL & ELECTRONIC ACCESSORIES**

### Electrical

Electrical			1
Defrost, Heat and Ventilation	System	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003678
<ul> <li>Best integrated system on the market with 3 ventilation speeds and in-dash adjustable temperature.</li> <li>Adjustable/directional vents.</li> <li>5 vents specially positioned for better windshield defrosting and passenger comfort.</li> <li>Automotive-style heater core and fan for best heating performance.</li> <li>Smart-Lok equipped vehicles require Adapter Kit (715007241).</li> <li>Not compatible with the ProVent Windshield.</li> </ul>			
Heated Steering Wheel		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004283
	<ul> <li>Perfect for making hand mo</li> <li>Replaces stock steering whe</li> <li>This kit includes the heated</li> </ul>	steering and in-dash switch. Harness (710005757) is required.	
Heated Grab Bar Cover		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004500
	<ul><li>securely gripped during longer</li><li>Easy to install and remove.</li><li>This kit includes the heated</li></ul>	grab bar cover and in-dash switch. Harness (710005757) is required.	ill keep your passenger's hands warm and
Seat Heater		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006112
	<ul> <li>This kit includes one carbor</li> <li>Installs directly in the origin</li> <li>Heated Accessories Wiring</li> </ul>	ngs allow you to control the desired degree of w n fiber seat heater, foam sheet and in-dash swit	installation.
Heated Visor Outlet		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001246
7 1	<ul> <li>Strategically positioned on v</li> <li>Optional visor outlet that de</li> <li>Quick and easy installation.</li> <li>Sold individually.</li> <li>Heated Visor not included.</li> </ul>	vehicle to maintain your agility. livers fog-free riding.	
Heated Accessories Wiring H	arness	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	710005757
	Electric harness required to	hook up and operate front heated seats, heate	ed steering wheel and heated grab bar.
Heated Accessories Wiring H	arness	Commander MAX, Maverick Sport MAX	715006004
	Electric harness required to	hook up and operate rear heated seats.	
Heater Adapter Kit for Smart-	Lok	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007241

NEW Cellphone Holder		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715008786
	<ul> <li>Features capacitive and</li> <li>Spring system in back p</li> <li>Fits all cellphones within</li> <li>Works with almost all ch</li> <li>Does not include cellph</li> <li>Requires the RAM GPS</li> </ul>	verse for perfect phone positioning. resistive touch screen technology. late automatically adjusts for thickness. n 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dime larger wires.	ensions. ard for the Cellphone Holder to be supported
RAM <sup>†</sup> GPS Mount		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003325
	<ul> <li>Allows for GPS integrati</li> <li>Standard AMPS hole pa</li> </ul>		
Dverhead Switch Panel		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003669
	<ul> <li>Required for Can-Am lig</li> <li>Optional for Baja Design</li> </ul>	ad Switch Panel gives additional switch spots for e hts installation on the roof and for other top-moun is lights. Bimini Roof with Sun Visor for installation.	
0 Ah Battery Holder		Maverick Trail, Maverick Sport, Maverick Sport MAX	715004431
	<ul> <li>Fixation plate designed</li> <li>30 Ah Battery sold separation</li> </ul>	to hold the 30 Ah Battery (515176151). rately.	
Quick Connect Battery Cable		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005408
	<ul> <li>Quickly and easily connected</li> <li>Included in the Battery C</li> <li>Sold individually.</li> </ul>	ect and charge different batteries with your charge Charger/Maintainer.	r.
Quick Connect Cable with Bat	tery Indicator	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006055
		ect and charge different batteries with your charge ovides constant battery health indication.	er.

#### Digitally Encoded Security System (D.E.S.S.) Keys

### Maverick Trail, Maverick Sport 2024 (except 700 engine)

#### 715002458

- · Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle's electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 3 programmable modes:
- Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque.
- Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.
- Performance mode: No restrictions.

### **NEW** Digitally Encoded Security System

(D.E.S.S.™) Keys	Maverick Trail 2024 (with 700	0 engine)	715009300
	Top-security anti-theft protection for Can-Am vehicles.	Comes with	three programmable keys, including:
	<ul> <li>The encrypted chip technology restricts access to the unit's electronic ignition system.</li> </ul>	system. 30 kph (18 mph) and maximum v	
	One code per vehicle.	not limit en	gine torque.
	<ul> <li>Features a vibration/shock-resistant ball-and-socket design that ensures a reliable connection.</li> </ul>		r: Limits vehicle speed to 70 kph (44 mph) rque reduction on Maverick Trail models.
<b>SO</b>	···· <b>g</b>	- Performand	ce key: No restrictions.

## WINCHES & HITCHES

### **Can-Am HD Winches**

Can-Am HD 4500 Winch		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX		715006416
	<ul> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and l and durability.</li> <li>Automatic 100% load-holdir</li> <li>Sealed solenoid for all-weat</li> <li>Weather sealed corded rem switch.</li> <li>EC compliant.</li> </ul>	ng brake. her protection.	<ul> <li>43' of <sup>15</sup>⁄<sub>64</sub>" (1</li> <li>Heavy-duty 4</li> <li>Winch Electrinstallation.</li> </ul>	gth capability of 4,500 lb (2,041 kg). 3.1 m of 6.3 mm) wire steel cable. I-way roller fairlead. ical Harness (715003777) is required for X mr front bumper requires Winch Electrical 5008218).
Can-Am HD 4500-S Winch		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX		715006417
A CONTRACTOR OF A CONTRACTOR O	Fragpomic clutch bandle		Dulling stron	ath canability of 4 500 lb (2 041 kg)

	Ergonomic clutch handle.	<ul> <li>Pulling strength capability of 4,500 lb (2,041 kg).</li> </ul>
A Real and A Real Property lies and a real property lies of the second sec	<ul> <li>Rugged all-steel gears and bushings for more torque</li> </ul>	<ul> <li>50' of ¼" (15.2 m of 6.35 mm) synthetic rope.</li> </ul>
	and durability.	<ul> <li>Corrosion-proof aluminum hawse fairlead.</li> </ul>
can-am	<ul> <li>Automatic 100% load-holding brake.</li> </ul>	<ul> <li>Winch Electrical Harness (715003777) is required for</li> </ul>
	<ul> <li>Sealed solenoid for all-weather protection.</li> </ul>	installation.
	<ul> <li>Weather sealed corded remote and dash mounted switch</li> </ul>	Commander X mr front bumper requires Winch Electrical Harpess (715008218)

### WARN<sup>†</sup> VRX Winches

WARN VRX 45 Winch		Commander, Commander MAX Maverick Trail, Maverick Sport, Maverick Sport MAX		715006110
	<ul> <li>Extreme IP68-rated waterprodelements out.</li> <li>Durable all-metal construction</li> <li>Black powder-coated finish a for corrosion resistance.</li> <li>Robust new clutch design ba WARN 4 WD hub lock know-</li> <li>Load-holding brake for great</li> <li>Smooth and reliable all-meta gear train.</li> </ul>	on. and stainless steel fasteners ased on 70+ years of how. control.	<ul> <li>Limited lifetii 3-year warrar</li> <li>Pulling stren</li> <li>50' of ¼" (15</li> <li>Roller fairlea</li> <li>Winch Electr installation.</li> </ul>	ical Harness (715003777) is required for X mr front bumper requires Winch Electrical

WARN VRX 45-S Winch		Commander, Commander MA Maverick Trail, Maverick Sport Maverick Sport MAX	X, ;,	715006111
	<ul> <li>Extreme IP68-rated waterprelements out.</li> <li>Durable all-metal construct</li> <li>Black powder-coated finish for corrosion resistance.</li> <li>Robust new clutch design t WARN 4 WD hub lock know</li> <li>Load-holding brake for great</li> <li>Smooth and reliable all-metagear train.</li> </ul>	ion. and stainless steel fasteners based on 70+ years of r-how. it control.	<ul> <li>Limited lifetin (electrical).</li> <li>Pulling stren</li> <li>50' of ¼" (15)</li> <li>Cast aluminu</li> <li>Winch Electrinstallation.</li> </ul>	ed rocker control. me warranty (mechanical), 3-year warranty gth capability of 4,500 lb (2,041 kg). m of 6.3 mm) synthetic rope. Jm hawse fairlead. rical Harness (715003777) is required for X mr front bumper requires Winch Electrical 5008218).
Winch Accessories				
Can-Am HD Hawse Fairlead		Can-Am HD Winch		715006426
		0		
Roller Fairlead		Can-Am HD Winch		715007082
Wire Rope Replacement	Heavy-duty replacement fai			705014070
	Can-Am HD Winch         705014978           • 47' of ¼" (14.3 m of 6.3 mm) wire rope.         • 4,500 lb (2,041 kg) pulling strength.			
Synthetic Winch Cable		Can-Am HD Winch		715006430
I A A A A A A A A A A A A A A A A A A A		n) synthetic cable for Can-Am H J (715006426) is required when		synthetic cable to avoid premature cable
Synthetic Cable Extension		Commander, Commander MA Maverick Trail, Maverick Sport Maverick Sport MAX		715001120
	<ul> <li>Lightweight ¼" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.</li> <li>Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.</li> <li>4,500 lb (2,041 kg) single line capacity.</li> </ul>			

Wired Remote Control		Can-Am HD Winch	<b>715006504</b> (2020 & up)
		rs to add the hand-held remote to vehicles with d Remote Control are sold separately.	a stock winch.
Wireless Remote Control		WARN Winch	715002542
	mounting hardware.	sy to install, thanks to a wiring harness with an i winch from anywhere within a 50' (15.2 m) radiu rproof.	
Hitches			
Front Receiver Hitch		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715003642
P	Heavy-duty 1,500 lb (680 kg     Perfect for precision towing	ı) towing capacity 2" (5 cm) receiver hitch. j in small spaces.	

Commander, Commander MAX

715008350

Front and	Rear H	itch Dra	awbar



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.

# PERFORMANCE

### Smart-Lok Technology

Smart-Lok Differential		Maverick Trail, Maverick Sport, Maverick Sport MAX (2021 & prior)	705402936	
- ANT	<ul> <li>Can-Am-exclusive Smart-Lok technology constitutes a true fully lockable on-the-fly front differential with electronically controlled automatic modes.</li> </ul>			
	<ul> <li>Choose your differential settings according to your riding need: "2x4" for rear wheel traction only, "4x4 Front Diff. Lock" for a fully locked 4 wheel drive, and "4x4 Smart Mode" that offers preset, intelligent calibrations for your type of riding.</li> </ul>			
	<ul> <li>Using multiple input sources, "Smart Mode" will instantaneously engage locking with the right load at the right moment to procure maximum traction while retaining low-speed maneuverability, allowing for optimal placement and a feeling of confidence.</li> </ul>			
	The Smart-Lok Differential Kit comes standard with the Trail Mode.			
	<ul> <li>Mud, Rock and Trail Activ modes can be added by installing an additional Smart Mode Module (sold separately) to fine-tune your riding environment.</li> </ul>			
	Requires Performance Half Shafts (2x) and Smart-Lok Installation Kit for installation.			
		Maverick Trail	705402423	
Performance Half Shaft		Maverick Sport, Maverick Sport MAX	705402281	
- Mar	• • •	deal for off-road use, with superior protection ots with the best suited geometry for your Car rt-Lok Differential Kit.		

Mud Smart Mode Module (Not illustrated)		Models with Smart-Lok Differential	715005282
	sold as an accessory or to c • The Mud Mode has been sp		uipped with a standard Smart-Lok. the deepest mud holes.
Rock Smart Mode Module		Models with Smart-Lok Differential	715005283
	<ul> <li>The Rock Mode has been s</li> <li>When high engine torque is and will stay engaged until to</li> </ul>	he Rock Smart Mode on vehicles equipped wit pecially designed to help cross challenging roc detected at low vehicle speed, Smart-Lok will throttle release to prevent wheel slippage and p nt allows for easier steering when maneuvering ule can be installed at a time.	ks. progressively lock the front end provide optimal traction.
Trail Activ Smart Mode Mod	ule	Models with Smart-Lok Differential	715005284
	sold as an accessory or to c • The Trail Activ Mode has be • When high engine torque and the front end and keep it en	dd the Trail Activ Smart Mode to vehicles with hange to the Trail Activ Smart Mode on vehicle een designed for aggressive riding, delivering tl nd/or an increase in vehicle speed is detected, gaged until throttle release or vehicle speed re nt allows for smoother and lower steering effor ule can be installed at a time.	es equipped with a standard Smart-Lok. ne ultimate cornering precision. Smart-Lok will progressively engage duction.

Exhaust and Air Intake							
Yoshimura <sup>†</sup> Slip-On Exhaust		Maverick Sport, Maverick Sport MAX (models with 1000R engine)		715004452			
	<ul> <li>Developed in collaboration with Yoshimura.</li> <li>Made from 304-grade stainless steel.</li> <li>Sporty sound from a lighter-than-stock muffler.</li> </ul>		<ul> <li>USDF/USDA approved spark arrester.</li> <li>EPA compliant.</li> <li>Not EC compliant.</li> </ul>				

Performance Air Filter by Twi		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX (models with 1000R engine) Maverick Trail, Maverick Sport (except models with 1000R engine)	715002895 715003630		
	<ul> <li>The best choice for the harshest conditions.</li> <li>Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.</li> <li>Washable and reusable.</li> </ul>				
Engine and CVT Pre-Filter Kit		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004290		
	<ul> <li>Adds extra protection to your engine and CVT</li> <li>Recommended for winter riding conditions.</li> <li>Not compatible with Snorkel Kit.</li> <li>Not compatible with Adventure Roof Rack.</li> <li>Nandatory to maintain the vehicle's warranty when tracks are installed.</li> <li>Recommended for winter riding conditions.</li> <li>Not compatible with Adventure Roof Rack.</li> </ul>				
Snorkel Pre-Filter		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715005598		
Øø	<ul> <li>Helps keep air filter cleaner.</li> <li>Filter blocks particles larger</li> </ul>	ur engine in harsh riding conditions.			

Snorkel Kit		Commander, Commander MAX (except 700 engines), Maverick Trail (except 700 engines), Maverick Sport, Maverick Sport MAX	715003705		
	<ul> <li>Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water/mud without taking in water to the engine.</li> <li>Not compatible with S&amp;B Particle Separator, LinQ Pivoting Rack, Lonestar Racing Rear Intrusion Bar and all rear panels and windows.</li> <li>Standard on Maverick Sport and Commander X mr models.</li> <li>Not EC compliant.</li> </ul>				
Heavy-Duty Spring Kit		Maverick Trail	715004961		
	<ul> <li>This set of heavy-duty springs will stiffen your suspension.</li> <li>Perfect for reducing vehicle overall sag when shocks are under heavy demand: heavy loading and hauling or for snow clearing.</li> <li>Complete kit of 4 springs.</li> </ul>				
Shock Covers (Not illustrated)		Maverick Sport, Maverick Sport MAX	715002368		
	<ul> <li>Soft covers for shocks with ventilation holes.</li> <li>Eliminate dust and dirt intrusion into the shock cylinder, reducing risk of damage.</li> <li>Sold in pairs.</li> </ul>				

#### **Emergency Accessories**

**Emergency Kit** 

Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX

715006102



 Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts can find themselves in.

- Includes: Jumper Cables, Air Compressor, Tyre Repair Kit, Ratchet Tie-Down, Duct Tape,
- Tow Strap 3,300 lb (1,500 kg), Zip-Ties, Cloth Rags.

# **APACHE TRACK SYSTEMS**

### Winter Tracks

#### Apache Backcountry Track System



- · Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Provides an impressive average ground clearance increase of 7" (18 cm), keeps the vehicle out of deep snow.

#### Apache Backcountry LT Track System See table for specific models



- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- · Large contact patch, 37% bigger than the Apache 360 LT. Impressive added ground clearance of 7" (18 cm) helps
- keep the vehicle over the snow. · Lightweight snowmobile-inspired rail design.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.

### Limited Warranty\*

715005891

- See table for specific models 715005247 · Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. Apache Backcountry Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter are required. · For winter use only.

  - Track installation will affect vehicle width and length.

## · Apache Backcountry LT Mounting Kit, Track DPS Module,

- Engine and CVT Pre-Filter are required. Fine-tune your track system using extra Idler Wheels,
  - Sliders with Vespel Inserts and Rail Ice Scratcher. · For winter use only.
    - · Track installation will affect vehicle width and length.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Apache Backcountry Mounting K (Not illustrated)	See table for specific models           Maverick Trail	715004834 715004285
- N	Required for installation of the Apache Backcountry Track System. Not compatible with HMWPE Front and Rear A-Arm Protectors and Skid Plates. DPS Module and Pre-Filter not included.	
Apache Backcountry LT Mountin (Not illustrated)	g Kit See table for specific models	715005493
	Required for installation of the Apache Backcountry Track LT System. DPS Module and Pre-Filter are required and sold separately.	

Not compatible with HMWPE Front and Rear A-Arm Protectors and Skid Plates.

Accessories			
Track DPS Module (Not illustrated)		Commander, Commander MAX 2021 & up, Maverick Trail, Maverick Sport	715007338
	make for perfect track cont	t ensures speedometer accuracy and optimized steering assist which rol and riding ease. :he and Backcountry Track Systems.	
Rail Ice Scratchers		Apache Backcountry and Apache Backcountry LT track systems	860201728
110	<ul> <li>Provide additional lubrication</li> <li>Rail mounted, small, light.</li> <li>Design expands on coil cor</li> <li>Easily stored when not in use</li> </ul>	ncept to allow reversing without damage.	

- Extend slider life.

s my

#### Limited Warranty\* **Year-Round Tracks**

Apache 360 LT Track System		Commander, Commander MA Maverick Trail, Maverick Sport		715005103
	<ul> <li>Multifunctional tracks desig and to fit on most Can-Am o</li> <li>Extra contact patch adjustm over rough terrain.</li> <li>Contact patch is 7 to 9% big</li> <li>Average ground clearance o lugs in the front and 1.25" (3)</li> </ul>	ff-road vehicles. ient for better performance ger than the Apache 360's. of 16" (41 cm). 1" (2.5 cm)	<ul> <li>EC compliant.</li> <li>Apache Backcountry LT Mounting Kit, Track Engine and CVT Pre-Filter are required.</li> </ul>	. DPS Module,
Anache 360 LT Mounting Kit		See table for specific models		715004755

Apache 360 LT Mounting Kit		See table for specific models	715004755
(Not illustrated)		Maverick Trail	715004833
	Required for installation of t	he Apache 360 LT Track System.	
	DPS module and Pre-Filter r	not included.	
	Not compatible with HMWP	E Front and Rear A-Arm Protectors and Skid Plates.	
Apache 360 LT Mounting Kit			
(Not illustrated)		See table for specific models	715005492
	Required for installation of t	he Apache 360 LT Track System.	
	• DPS module and Pre-Filter r	act included	

DPS module and Pre-Filter not included.

Not compatible with HMWPE Front and Rear A-Arm Protectors and Skid Plates.

\*The limited warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty.

Idler Wheel Kit		Apache Backcountry Track System, rear tracks	only	860201230 141 mm
00	<ul> <li>Reduces drag and rolling re-</li> <li>Includes 2 wheels, brackets</li> <li>Add up to 2 kits per rear trac</li> <li>Can extend slider life in hard</li> </ul>	and hardware. ck.		
Apache Backcountry LT Whe	el Kit	Apache Backcountry and Apache Backcountry LT	Track Systems	715006293
11-20	<ul> <li>Reduces drag and rolling res</li> <li>Extends slider life in hard sn</li> </ul>	for Backcountry LT rear tracks. Iling resistance in hard snow conditions or when transporting heavier loads. hard snow conditions. , cross shaft and mounting hardware per kit to service one track corner.		
		Apache Backcountry and Apache		



- Use DuPont Vespel inserts for less friction.
- Longer life.
- Can be cut to desired length.
- 8 needed per vehicle.
- Sold individually.

## APACHE TRACK SYSTEMS FITTING GUIDE

## Apache Backcountry and Backcountry LT

Model Yea	r / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Up	Maverick Trail	715005247	715004285			
2021 & Up	Commander DPS & Commander XT 700 60"	715005247	715004924	-		
2019 & Up	Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models) 60"	(Backcountry) 715004834 (doesn't fit 64") 715005891 (Backcountry LT) 715005493		715007338	<b>715004290</b> (except X mr)	715005598
2021 & Up	Commander, Commander MAX (except Commander DPS & Commander XT 700) 64"					
2019 & Up	Maverick Sport X mr, X rc, X xc 64"	- (doesn't fit 60")	loesn't fit 60")			

## Apache 360 LT

Model Yea	ar / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Up	Maverick Trail 50"		715004833			
2021 & Up	Commander DPS & Commander XT 700 60"					
2019 & Up	Maverick Sport, Maverick Sport MAX (except X mr, X rc, X xc models) 60"	715005103	715004755 715005103		715004290	715005598
2021 & Up	Commander, Commander MAX (except Commander DPS & Commander XT 700) 64"		715005492	-		
2019 & Up	Maverick Sport X mr, X rc, X xc 64"					

# **PROMOUNT PLOWS**

## **PROMOUNT PLOW KITS**

## **Reference Chart**

	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel	66" Flex2	72" Flex2	
Blade	715006337	715006338	715004474	715006021	715006265	715004485	
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752	
Mounting Plate	715007742	715007742	715007742	715007742	715007742	715007742	

## **Can-Am ProMount Steel Blades**

Can-Am ProMount Steel 66	" (168 cm) Blade	Fits ProMount Push Frame		<b>715006337</b> · Black <b>715006338</b> · Yellow
<ul> <li>Plow blade made from 12-ga</li> <li>Replaceable wear blade.</li> <li>Large pin designed for easy snow buildup at pivot point.</li> <li>Blade design provides best statements</li> </ul>		easy blade rotation to eliminate point.	<ul> <li>Clears 60" (152 cm) when plow is fully angled.</li> <li>Blade height of 17" (43 cm).</li> <li>Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.</li> <li>Not compatible with S3 High Clearance Front A-Arm</li> </ul>	
Can-Am ProMount Steel 72	" (183 cm) Blade	Fits ProMount Push Frame		T15004474 · Black T15006021 · Yellow
And a state of the	Plow blade made from 1	0 0		168 cm) when plow is fully angled.

Replaceable wear blade.

- · Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- · Blade design provides best snow roll-off at any angle.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Not compatible with S3 High Clearance Front A-Arm.

## **Can-Am ProMount Angle Plows**

Can-Am ProMount 66" (168 cm) Steel Oneway State Blade Can-Am ProMount 72" (183 cm) Steel Oneway State Blade		Fits ProMount Push Frame		715007263
		Fits ProMount Push Frame		715007264
	<ul> <li>Make the job easier with the and make the task easier by out of the way.</li> <li>Wing end of plow measures down to 16" (41 cm).</li> </ul>	sending the snow further	higher. • Rubber Flap (715007299) designed to keep snow away	

- down to 16" (41 cm).
- **Can-Am ProMount Flex2 Blades** Can-Am ProMount Flex2 66" (168 cm) Blade Fits ProMount Push Frame 715006265 Plow blade made of UHMWPE, flexible and impact · Blade design provides best snow roll-off at any angle.
- absorbing material prevents damaging your plow when · Clears 60" (152 cm) when plow is fully angled. accidental impact occurs. Blade height of 17" (43 cm). · Replaceable wear blade. · Compatible with Can-Am ProMount Blade accessories to · Large pin designed for easy blade rotation to eliminate further enhance plow versatility. snow buildup at pivot point. Can-Am ProMount Flex2 72" (183 cm) Blade Fits ProMount Push Frame 715004485 Plow blade made of UHMWPE, flexible and impact Blade design provides best snow roll-off at any angle. absorbing material prevents damaging your plow when · Clears 66" (168 cm) when plow is fully angled. accidental impact occurs. Blade height of 17" (43 cm). Replaceable wear blade. Compatible with Can-Am ProMount Blade accessories to · Large pin designed for easy blade rotation to eliminate further enhance plow versatility. snow buildup at pivot point.

## **Can-Am ProMount Plow Accessories**

Can-Am ProMount Edge	Markers	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004206
			it Blade Extensions
Can-Am ProMount 66" (1	68 cm) Plastic Wear Blade	Maverick Trail, Maverick Sport, Maverick Sport MAX	715004482
Can-Am ProMount 72" (1	83 cm) Plastic Wear Blade	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715004483
	<ul> <li>Ideal to prevent leaving mar</li> <li>Compatible with Can-Am Pr</li> </ul>		
Can-Am ProMount Drift (	Cutters	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006258
			t Blade Extensions
Can-Am ProMount Blade	Extensions	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	■ 715004205 · Black ■ 715005319 · Yellow
	<ul> <li>Add 3" (8 cm) each side.</li> <li>Compatible with Can-Am Pr</li> </ul>	your Can-Am ProMount Blade. roMount Blades (except for the Can-Am ProMo nstalled to go over the extra length given by th	
Back Drag Blade		ProMount Plows (60" and more)	715007794
	<ul> <li>¼-in. thick steel swivel scrap</li> <li>Lifts up when the vehicle is as to not affect the scraping</li> <li>Increased capacity to pull si</li> <li>More aggressive scraping in</li> </ul>	moving forward so . Adjustable and 72" bla now Compatible	aper off the ground so that it scrapes evenly in length for compatibility with 60", 66" des. with ProMount blades (Flex and Steel).
Curved Wear Blade		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007792 · 66" (168 cm)           715007793 · 72" (183 cm)
		r folded back bottom lip. vs for less digging while plowing uneven surfacel el, grass, paver stone and other soft surfaces.	ces.

## **Can-Am Promount Custom Solutions**

Can-Am ProMount Push Fram with Quick-Attach System	ie	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007752			
Mark and	<ul> <li>Mid-mount carriage</li> <li>Allows 16" (41 cm) o</li> </ul>	y steel tubes designed to withstand the roughest use. t carriage provides ultimate push strength and traction. ' (41 cm) of plow lift on ATVs and 14" (36 cm) on Maverick Trail. I self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for e adjustment.				
Can-Am ProMount Push Fram	e Extension	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006257			
T.	• 12" (30 cm) push fra	me extension required when plow is installed with Ap	oache Track systems.			
Plow Roller Fairlead		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715001223 • Cylindrical Roller Fairlead			
	<ul> <li>Larger diameter low</li> <li>Can be used with all</li> </ul>	er roller reduces wear on wire rope for plow applicati ProMount plows.	on.			
Can-Am ProMount Plow Angl	ing System	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007801			
*	<ul> <li>Using one hand to c</li> <li>Not compatible with</li> <li>Can-Am ProMount F</li> </ul>	system into an easy-to-control unit from the driver's s ontrol all plow motions will allow you to easily concer Apache Backcountry LT Track System. Push Frame (715007752) is required. on (715006257) is required for installation with the Fr d separately.	ntrate and manage your plowing tasks.			
ProMount Plow Limit Switch		Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715006259			
	-	able tension when over-raising your plow system. w push frame and vehicle damage. r optimal lift height.				
Can-Am ProMount Mounting	Plate	Commander, Commander MAX, Maverick Trail, Maverick Sport, Maverick Sport MAX	715007742			
		ne Can-Am ProMount Push Frame with Quick-Attach ision-designed to stay on year round without compro included.	-			
<u>COVERS</u>						
		Commander	715006817			
		Commander MAX	715007108			
Trailering Cover		Maverick Trail, Maverick Sport	715003706			
	<ul> <li>Heavy-duty canvas r</li> <li>Inner soft liner prote</li> </ul>	eas are reinforced with a double canvas layer. ).	d transportation.			

 Designed to perfectly fit your vehicle with or without Can-Am accessories except with Adventure Roof Rack and track kits.

# **CAN-AM ATV**s

## **MODEL PACKAGES**

Can-Am Outlander MAX 6x6 DPS 450	188
Can-Am Outlander MAX 6x6 DPS 450 Competitive Chart	189
Can-Am Outlander MAX 6x6 DPS 650	190
Can-Am Outlander MAX 6x6 DPS 650 Competitive Chart	191
Can-Am Renegade 110 EFI	192
Can-Am Renegade 110 EFI Competitive Chart	193

194

# **COMPARATIVE CHART** Can-Am ATV Lineup

## **ACCESSORIES**

ATV Accessory Compatability Guide	197
LinQ: Easy On, Easy Off Cargo	198
Racks & Holders	203
Cargo & Storage	204
Can-Am Windshields	206
Handlebars & Mirrors	207
Seats	208
HMWPE Skid Plates	209
Aluminum Skid Plates	210
HMWPE & Aluminum Skid Plates	212
Bumpers & Guards	213
Lights & Electrical	216
Winches	219
Hitches	221
Performance	222
Covers, Decals & Add-Ons	224
Apache Track Systems	226
ProMount Plows	228





# **2024 CAN-AM OUTLANDER MAX 6X6 DPS 450**



Tundra Green

ENGINE	450
Туре	38 hp, Rotax <sup>®</sup> 427 cc single cylinder, liquid-cooled
Fuel Delivery System	Electronic Fuel Injection (EFI)
Transmission	CVT, standard engine braking Extra-low L/H/N/R/P
Drive Train	Selectable 4WD/6WD with Visco-Lok <sup>†</sup> QE auto-locking front differential
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)
SUSPENSIONS	
Front Suspension	Double A-arm/9 in. (22.9 cm) travel
Front Shocks	Twin-tube
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar/8.8 in. (22.4 cm) travel
Rear Shocks	Twin-tube
TYRES & WHEELS	
Front Tyres	Carlisle <sup>†</sup> ACT HD 26 x 8 x 12 in.
Rear Tyres	Carlisle <sup>†</sup> ACT HD 26 x 10 x 12 in.
Wheels	12 in. cast-aluminum

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

#### PACKAGE HIGHLIGHTS

- Unmatched uphill and downhill stability
- Incredible traction and soft ground performance
- Selectable 4WD/6WD
- Tri-Mode Dynamic Power Steering (DPS<sup>™</sup>)
- Continuously Variable Transmission (CVT) with extra low L-gear
- Double Torsional Trailing arm Independent (TTI2) rear suspension
- Quick release rear sway bar
- 12 in. cast-aluminum wheels
- 26 in. Carlisle<sup>†</sup> ACT HD 6-Ply tyres
- Rear bed with cargo extenders
- RF Digitally Encoded Security System (D.E.S.S.™)
- Passenger seat Extended wheelbase
- Raised floorboards

#### **DIMENSIONS & CAPACITIES**

Estimated Dry Weight*	1,000 lb (454 kg)
LxWxH	118 x 46 x 57 in. (300 x 117 x 145 cm)
Wheelbase	90 in. (228.5 cm)
Ground Clearance	10.5 in. (26.7 cm)
Seat Height	33.8 in. (85.8 cm)
Rack Capacity	Front: 120 lb (54.4 kg)/Rear: 350 lb (159 kg)
Storage Capacity	2.9 gal (10.9 L)
Towing Capacity	1,650 lb (750 kg)
Fuel Capacity	5.4 gal (20.5 L)
Person Capacity	2

#### FEATURES

0	A E in all site ballen have
Gauge	4.5 in. digital display
Instrumentation	DC outlet, 15-A connector
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	70 W headlights
Winch	Prewired for available winch
Seat	Convertible Rack System (CRS)
Handlebar	Standard
Protection	Central skid plate

#### WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

		Can-Am Outlander Max 6X6 DPS 450	Polaris Ranger SP530	Honda Pioneer 520
Engine Size (cc)		427 cc	530 cc	518 cc
No. of Cylinders	=	1	1	1
Horsepower	+	38 hp	32 hp	Not listed
Transmission	=	CVT with extra low L-range	Automatic PVT; shaft	5 speed with reverse; manual and automatic modes
Traction Options	+	4WD or 6WD selectable (ultimate traction)	On Demand True AWD/2WD/Versatrac turf mode	2WD or 4WD
Power Steering	+	Tri-Mode Dynamic Power Steering (DPS™)	No	No
Front Suspension	=	Double A-arm	MacPherson Strut	Independent Double-Wishbone
Rear Suspension		Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar	Dual A-arm IRS	Independent Double-Wishbone
Wheel Size	=	12"	12"	12"
Wheel Material	+	Aluminium	Steel	Steel
Tyre Diameter	+	26"	25"	24"
Tyre Ply Rating	=	6 ply	6 ply	4 ply
Towing Capacity	+	750 kg	680 kg	454 kg
Total Cargo Capacity		213 kg	227 kg	204 kg
Ground Clearance		27 cm	28 cm	22 cm
Overall Length	+	300 cm	279 cm	267 cm
Overall Width	+	117 cm	147 cm	127 cm
In-Line Vineyard Ready Seating	+	Yes	No	No
Vehicle Dry Weight	=	454 kg	525 kg	482 kg - Kerb
Fuel Capacity		20.5 L	35.9 L	15.4 L
Speed Limiting Device	+	Programmable speed limiting safety key	No	No
Anti Theft Device	+	RF Digitally Encoded Security System (D.E.S.S.™)	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km
Seating Capacity	=	2	2	2
Display	=	4.5" Digital Display	4" LCD	Analog speedo with LCD insert

# **2024 CAN-AM OUTLANDER MAX 6X6 DPS 650**



#### PACKAGE HIGHLIGHTS

- Unmatched uphill and downhill stability
- Incredible traction and soft ground performance
- $\boldsymbol{\cdot}$  Towing and cargo carrying capability to rival most mid sized SSVs
- Selectable 4WD/6WD
- Tri-Mode Dynamic Power Steering (DPS<sup>™</sup>)
- $\boldsymbol{\cdot}$  Continuously Variable Transmission (CVT) with extra low L-gear
- Visco-Lok<sup>†</sup> QE auto-locking front differential
- Double Torsional Trailing arm Independent (TTI2) rear suspension
- Quick release rear sway bar
- 14 in. cast-aluminum wheels
- 26 in. ITP Terracross<sup>†</sup> radial tyres
- Dump dual-level cargo box with removable sidewalls and tailgate
- 2 person capability, with removable passenger seat

Tundra Green

ENGINE	650	
Туре	62 hp, Rotax <sup>®</sup> 650 cc V-twin, liquid-cooled	
Fuel Delivery System	Electronic Fuel Injection (EFI)	
Transmission	CVT, standard engine braking Extra-low L/H/N/R/P	
Drive Train	Selectable 4WD/6WD with Visco-Lok <sup>†</sup> QE auto-locking front differential	
Power Steering	Tri-Mode Dynamic Power Steering (DPS™)	
SUSPENSIONS		
Front Suspension	Arched double A-arm with front sway bar/9.2 in. (23.3 cm) travel	
Front Shocks	Twin-tube	
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar/9.9 in. (25.1 cm) travel	
Rear Shocks	Twin-tube	
TYRES & WHEELS		
Front Tyres	ITP <sup>+</sup> Terracross 26 x 8 x 14 in.	
Rear Tyres	ITP <sup>+</sup> Terracross 26 x 10 x 14 in.	
Wheels	14 in. cast-aluminum	
BRAKES		
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers	
Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers	

#### **DIMENSIONS & CAPACITIES**

Estimated Dry Weight*	1,100 lb (499 kg)
LxWxH	124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm)
Wheelbase	90 in. (228.5 cm)
Ground Clearance	11 in. (27.9 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Front: 100 lb (45 kg)/Rear: 700 lb (318 kg)
Storage Capacity	Dual-level cargo box with removable sidewalls and tailgate 18.5 gal (70 L)
Towing Capacity	1,650 lb (750 kg)
Fuel Capacity	5.4 gal (20.5 L)
Person Capacity	2

#### FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC outlet, 15-A connector
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	Prewired for available winch
Seat	Convertible Rack System (CRS)
Handlebar	Standard
Protection	Central Skid Plate

#### WARRANTY

Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

		Can-Am Outlander Max 6X6 DPS 650	Polaris Ranger 570 HD EPS (ADC)	Honda Pioneer 700-2
Engine Size (cc)		650 cc	567 cc	675 cc
No. of Cylinders	+	2	1	1
Horsepower	+	62 hp	44 hp	36.1 hp
Transmission	=	CVT with extra low L-range	Automatic PVT; shaft	3 speed with reverse; manual and automatic modes
Traction Options	+	4WD or 6WD selectable (ultimate traction)	On Demand True AWD/2WD/Versatrac turf mode	2WD, 4WD, 4WD Lock
Power Steering	+	Tri-Mode Dynamic Power Steering (DPS™)	Electronic Power Steering	Electric Power Steering
Front Suspension	+	Arched double A-arm with front sway bar	MacPherson Strut	Independent Double-wishbone
Rear Suspension	+	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar	Dual A-arm IRS	Independent Double-wishbone
Wheel Size	+	14"	12"	12"
Wheel Material	=	Aluminium	Aluminium	Steel
Tyre Diameter	+	26"	25"	25"
Tyre Ply Rating	=	6 ply	6 ply	4 ply
Towing Capacity	+	750 kg	680.4 kg	680 kg
Total Cargo Capacity		363 kg	453.6 kg	408 kg
Ground Clearance	+	27.9 cm	25.4 cm	27 cm
Overall Length	+	317 cm	279 cm	291 cm
Overall Width	+	123 cm	147 cm	152.5 cm
Vehicle Dry Weight	=	499 kg	499 kg	583 kg - Kerb
Fuel Capacity		20.5 L	34.1 L	30 L
Speed Limiting Device	+	Programmable speed limiting safety key	Drivers seatbelt limiter 25kph	Drivers seatbelt limiter 25kph
Anti Theft Device	+	RF Digitally Encoded Security System (D.E.S.S.™)	No	No
Warranty Period		3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit	2 year unlimited km	3 years unlimited km
In-Line Vineyard Ready Seating	+	Yes	No	No
Seating Capacity	+	2	2	2
Display	+	4.5" Digital Display	2" LCD	Analog speedo with LCD insert

# **2024 CAN-AM RENEGADE 110 EFI**



#### PACKAGE HIGHLIGHTS

- For ages 10 and up
- Heavy duty design capable of 100+ kg riders
- 4-stroke engine with Electronic Fuel Injection (EFI)
- Fully automatic continuously variable transmission (CVT) Independent A-arm front suspension
- Electric start
- Built-in throttle limiter

Catalyst Grey & Neo Yellow

ENGINE	110 EFI
Туре	112 cc 4-stroke single cylinder, air cooled
Fuel Delivery System	Electronic Fuel Injection (EFI) with built-in throttle limiter
Transmission	CVT, F/N/R
Drive Train	Chain driven/2WD Electric starting system
Power Steering	N/A
SUSPENSIONS	
Front Suspension	Single A-arm/5 in. (12.7 cm) travel
Front Shocks	Twin-tube
Rear Suspension	Swingarm/6 in. (15.2 cm) travel
Rear Shocks	Twin-tube
TYRES & WHEELS	
Front Tyres	19 x 7 x 8 in.
Rear Tyres	18 x 9.5 x 8 in.
Wheels	8 in. steel

#### BRAKES

BRAKES		
Front	Dual drum brakes	
Rear	Single drum brake	

## **DIMENSIONS & CAPACITIES**

Estimated Dry Weight*	295 lb (134 kg)
LxWxH	60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)
Wheelbase	41 in (105 cm)
Ground Clearance	8.3 in. (21.1 cm) under frame/4.5 in. (11.4 cm) under rear axle
Seat Height	28 in. (71 cm)
Rack Capacity	N/A
Storage Capacity	N/A
Towing Capacity	N/A
Fuel Capacity	1.6 gal (6 L)
Person Capacity	1

#### FEATURES

Gauge	Neutral, reverse, fuel level, and check engine lights
Instrumentation	N/A
Ignition	Mechanical key
Lighting	Halogen running headlights
Winch	N/A
Seat	Standard
Handlebar	Ergonomy & controls sized for ages 10 years and up
Protection	Front bumper

#### WARRANTY


Factory Warranty	3-year unlimited km powertrain & Rotax® engine warranty and
	1-year warranty & unlimited km on the rest of the unit

0		Can-Am Renegade 110 EFI	Yamaha YFM90R - 2023	Suzuki Quadsport Z90	Kawasaki KFX 90	CFMoto Cforce 110
Engine Size (cc)	+	112 cc	89.9 cc	80 cc	90 cc	110 cc
No. of Cylinders	=	1	1	1	1	1
Transmission	=	CVT (no gears)	CVT (no gears)	CVT (no gears)	CVT (no gears)	CVT (no gears)
Front Suspension		Single A-arm	Single A-arm	Single A-arm	Single A-arm	Independent double A-arm
Rear Suspension	=	Swingarm	Swingarm	Swingarm	Swingarm	Mono mid-placed shock absorber
Wheel Size		8"	8"	8"	8"	10"/8"
Wheel Material	=	Steel	Steel	Steel	Steel	Steel
Tyre Size	=	19"/18"	18"	19"	18"	19"/18"
Ground Clearance		21.1 cm under frame/ 11.4 cm under rear axle	10 cm	15 cm	10 cm	11 cm
Overall Length	+	154 cm	148.5 cm	150.5 cm	142.5 cm	149 cm
Overall Width	+	103 cm	102 cm	87.5 cm	90.5 cm	95 cm
Fuel Capacity		6 L	6.6 L	6 L	5.3 L	6.4 L
Fuel Delivery System	=	Electronic Fuel Injection	Carburetor	Carburetor	Carburetor	Electronic Fuel Injection
Seat Height		71 cm	75 cm	65 cm	65 cm	69 cm
Starter		Electric	Electric with backup kickstart	Electric with backup recoil	Electric with backup kickstart	Electric
Overall Weight		Dry 134 kg	Wet 126.5 kg	Dry 127 kg	Dry 122 kg	Wet 125 kg
Ages		10 and up	10 and up	12 and up	12 and up	10 and up
Maximum Rider Weight	+	102 kg	82 kg	90 kg	85 kg	Not listed

		OUTLANDER M	IAX 6x6 DPS***	RENEGADE 110 EFI***	
				a free	
со	OUR OPTIONS	Tundra	Green	Catalyst Grey & Neo Yellow	
	_	450	650	110 EFI	
	Туре	38 hp, Rotax® 427 cc single cylinder, liquid-cooled	62 hp, Rotax® 650 cc, V-twin, liquid-cooled	112 cc 4-stroke single cylinder, air cooled	
NES	Fuel Delivery System	Electronic Fuel	I Injection (EFI)	Electronic Fuel Injection (EFI) with built-in throttle limiter	
ENGINES	Transmission	CVT, standard engine brak	ring, extra-low L/H/N/R/P	CVT, F/N/R	
	Drive Train	Selectable 4WD/6WD with Visco-Lo	ok⁺ QE auto-locking front differential	Chain driven/2WD electric starting system	
	Power Steering	Tri-Mode Dynamic Po	wer Steering (DPS™)	N/A	
s	Front Suspension	Double A-arm/9 in. (22.9 cm) travel	Arched double A-arm with front sway bar/9.2 in. (23.3 cm) travel	Single A-arm/5 in. (12.7 cm) travel	
NOIS	Front Shocks		Twin-tube		
SUSPENSIONS	Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar/8.8 in. (22 cm) travel	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar/9.9 in. (25.1 cm) travel	Swingarm/6 in. (15.2 cm) travel	
าร	Rear Shocks		Twin-tube	I	
TYRES/ WHEELS	Front Tyres Rear Tyres Wheels	Carlisle <sup>†</sup> ACT HD 26 x 8 x 12 in. Carlisle <sup>†</sup> ACT HD 26 x 10 x 12 in. 12 in. cast-aluminum	ITP Terracross <sup>1</sup> 26 x 8 x 14 in. ITP Terracross <sup>1</sup> 26 x 10 x 14 in. 14 in. cast-aluminum	19 x 7 x 8 in. 18 x 9.5 x 8 in. 8 in. steel	
	Front	Dual 214 mm disc brakes with	Dual drum brakes		
BRAKES	Rear	Single 214 mm disc brake with hydraulic twin-piston caliper	Dual 214 mm disc brakes with hydraulic twin-piston calipers	Single drum brake	
	Estimated Dry Weight	1,000 lb (454 kg)	1,100 lb (499 kg)	295 lb (134 kg)	
	LxWxH	118 x 46 x 57 in. (300 x 117 x 145 cm)	124.8 x 48.5 x 55.3 in. (317 x 123 x 140 cm)	60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)	
TIES	Wheelbase	90 in. (22	28.5 cm)	41 in (105 cm)	
DIMENSIONS/CAPACITIES	Ground Clearance	10.5 in. (26.7 cm)	11 in. (27.9 cm)	8.3 in. (21.1 cm) under frame/ 4.5 in. (11.4 cm) under rear axle	
NS/C	Seat Height	33.8 in. (85.8 cm)	34.5 in. (87.7 cm)	28 in. (71 cm)	
INSIO	Rack Capacity	Front: 120 lb (54.4 kg)/Rear: 350 lb (159 kg)	Front: 100 lb (45 kg)/Rear: 700 lb (318 kg)	N/A	
DIM	Storage Capacity	2.9 gal (10.9 L)	Dual-level cargo box with removable sidewalls and tailgate/18.5 gal (70 L)	N/A	
	Towing Capacity	1,650 lb	(750 kg)	N/A	
	Fuel Capacity	5.4 gal (	(20.5 L)	1.6 gal (6 L)	
	Person Capacity	2	2	1	
	Gauge	4.5 in. digi	tal display	Neutral, reverse, fuel level, & check engine lights	
	Instrumentation	DC outlet, 15-A connector		N/A	
<i>(</i> <b>6</b>	Ignition	RF Digitally Encoded Security System (D.E.S.S.™)		Mechanical Key	
FEATURES	Lighting	70 W headlights LED headlights		Halogen running headlights	
FEAT	Winch	Prewired for available winch		N/A	
	Seat	Convertible Rac	sk System (CRS)	Standard	
	Handlebar	Stan	Ergonomy and controls sized for ages 10 years and up		
	Protection	Central Skid Plate Front bumper			

<sup>†</sup>Visco-Lok is a trademark of GKN Viscodrive GmbH. \*\*\*\*3-year unlimited km powertrain & Rotax® engine warranty and 1-year warranty & unlimited km on the rest of the unit

# (and **ATV ACCESSORIES**



# CUSTOMISING MADE EASY 1 2 3

Select the model. Select the package.

Customise colour, engine, and accessories (or accessory bundles) for your vehicle. Click "Save" or "Send to dealer."

4



If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above. BUILD Yours Now

## **ATV ACCESSORY COMPATIBILITY GUIDE**

## We've made things super simple.

- Check your model year
- Choose engine and model
- Learn your PLATFORM CODE

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.

Model year	Model	Engine configuration	Platform code
2015	Outlander L	450, 500	G2L
2010	Outlander	500, 650, 800, 1000	G2
	Outlander L MAX	450, 500	G2L
	Outlander MAX	500, 650, 800, 1000	G2
	6x6	650, 1000	G2
	Renegade	500, 800, 1000	G2S
2016	Outlander L	450, 570	G2L
2010	Outlander	570, 650, 850, 1000	G2
	Outlander L MAX	450, 570	G2L
	Outlander MAX	570, 650, 850, 1000	G2
	6x6	650, 1000	G2
	Renegade	570, 850, 1000	G2S
2017	Outlander	utlander 450, 570	
2018	Outlander	650, 850, 1000	G2
2010	Outlander MAX	450, 570	G2L
	Outlander MAX	650, 850, 1000	G2
	6x6	650, 1000	G2
	Renegade	570, 850, 1000	G2S
2019	Outlander	450, 570	G2L
2020	Outlander	650, 850, 1000R	G2
2021	Outlander MAX	450, 570	G2L
2022	Outlander MAX	650, 850, 1000R	G2
2022	6x6	450	G2L
2023	6x6	650, 1000	G2
2024	Renegade	570, 650, 850, 1000R	G2S





# LINQ: EASY ON, EASY OFF CARGO

## **LINQ ACCESSORIES**

## Compatibility/requirements

<ul> <li>No tools needed: Quickly install and remove accessories by hand.</li> <li>Equip your Can-Am for specialized tasks in no time.</li> <li>Sturdy mounting system that holds up to the roughest terrain.</li> </ul>	OUTLANDER 450/570	OUTLANDER	
LinQ Accessories with 16" Base	<ul> <li>LinQ anchors mounted 16 inches apart, ce</li> <li>Lower loading capacity than the LinQ with</li> <li>Can be used on Can-Am ATV and SxS vehi Sea-Doo watercraft and Ski-Doo snowmob</li> </ul>	36" base accessories. cles, Can-Am Spyder and Ryker vehicles,	
LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White	_		
LinQ Tool Box 715008111	-		
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Adapter Plate	LinQ Anchor Adapter Kit	
LinQ 4.5 Gal (17 L) Sport Bag 860202447	715007273 &	715004960 &	
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125	
LinQ Tool Kit 715006829			
LinQ Roll-Top Bag 715008110			
LinQ Accessories with 36" Base	Mount on LinQ racks often used by Can-Au     Higher loading capacity than the LinQ with     Usage is limited to Can-Am ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	LinQ Base		
LinQ 23 Gal (86 L) Trunk Box 715004923	715002350		
LinQ 32 Gal (121 L) Trunk Box 715001747 (1-up) 715001749 (MAX)	No compatibility		
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	LinQ Base 715002350	No further requirements	
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black / 715004698 • Grey	No compatibility		
LinQ Premium Storage Bag by OGIO 715002923 • Black			
LinQ Heavy Duty Basket 715001215	LinQ Base 715002350		
LinQ Low Profile Basket			
LinQ Holders			
LinQ 4" (10 cm) Rack Extension 715001711 • Silver / 715001665 • Black	Not compatible *Alternative 5" or 8" Rack Extensions	No further requirements	
LinQ 6" (15 cm) Rack Extension 715001712 • Silver / 715001671 • Black	( <b>715001913</b> or <b>715001914</b> ) are available for G2L		
LinQ Mounted Gear Grips 715005340	LinQ Base		
LinQ Tool Holder 715007358	715002350		
LinQ Gun Boot Rack 715002112 715002113	Not compatible *Alternative Gun Boot Racks ( <b>715001918</b> or <b>715001919</b> ) are available for G2L		

## LinQ Accessories with 16" Base

<b>715005494</b> · (10 L)
715007112 · (20 L)
715006830 · (30 L)



LinQ Modular Box

- G2, G2L, G2S 715

   Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ Base with a 16" width.
- See table for installation location and requirements.

<ul> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %" drive</li> <li>6" ratchet extension</li> <li>6" ratchet extension</li> </ul>	Thermal Insert for LinQ Mod	ular Box (10 L)	G2, G2L, G2S	219401110
<ul> <li>Includes:         <ul> <li>Cutter pliers</li> <li>Cutter pliers</li> <li>Long-socket 19 mm</li> <li>Socket 18 mm %" drive - 6 pts</li> <li>Socket 18 mm %" drive</li> <li>Combined wrench 19 mm</li> <li>Combined wrench 19 mm</li> <li>Combined wrench 18 mm</li> <li>Combined wrench 19 mm</li> <li>Combined wrench 10 mm</li> <li>Combined wrench 10 mm</li> <li>Combined wrench 10 mm</li> <li>Combined wrench 10 mm</li> <li>Socket 10 mm %" drive</li> /ul></li></ul>		<ul> <li>Fits very well in the LinQ Me</li> <li>Can contain seven 355 ml c</li> <li>Keeps ice cold for one day.</li> </ul>	cans.	
<ul> <li>Cutter pliers         <ul> <li>Cutter pliers             <ul> <li>Long-nose pliers</li></ul></li></ul></li></ul>	LinQ Tool Kit		G2, G2L, G2S	715006829
Ling 4.2 Gal (16 L) Cooler       G2, G2L, G2S       295100698 · White <ul> <li>All the benefits of LinQ—simple, fast and secure.</li> <li>Rotomolded construction for exceptional rigidity and durability.</li> <li>Premium-quality foam insulation for optimal ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US 8875830).</li> </ul> <ul> <li>Exterior dimensions: 9" L x 17" W x 7" H.</li> <li>Interior dimensions: 9" L x 17" W x 7" H.</li> <li>See table for installation location and requirements.</li> </ul> <ul> <li>High precision injected HDPE construction provides rigidity and durability.</li> <li>S gal (19 L) maximum capacity.</li> <li>Weather-resistant, sealed and lockable cover.</li> <li>Marinized for salt water purposes.</li> <li>See table for installation location and requirements.</li> </ul>		<ul> <li>Cutter pliers</li> <li>Long-nose pliers</li> <li>Locking pliers</li> <li>Ratchet wrench %" drive</li> <li>6" ratchet extension</li> <li>Integrated CVT belt storage location</li> </ul>	%" drive - 6 pts - Socket 18 mm %" drive - Long-socket 17 mm %" drive - 6 pts - Socket 15 mm %" drive - Socket 13 mm %" drive - Socket 10 mm %" drive	<ul> <li>Combined wrench 18 mm</li> <li>Combined wrench 15 mm</li> <li>Combined wrench 15 mm</li> <li>Combined wrench 13 mm</li> <li>Combined wrench 10 mm</li> <li>See table for installation</li> </ul>
<ul> <li>Rotomolded construction for exceptional rigidity and durability.</li> <li>Premium-quality foam insulation for optimal ice retention.</li> <li>Uses LinQ mounting system (Patent US 8777531 and US 8875830).</li> <li>LinQ Tool Box</li> <li>G2, G2L, G2S</li> <li>Piso08111</li> <li>High precision injected HDPE construction provides rigidity and durability.</li> <li>5 gal (19 L) maximum capacity.</li> <li>Weather-resistant, sealed and lockable cover.</li> <li>Marinized for salt water purposes.</li> <li>See table for installation location and requirements.</li> </ul>	LinQ 4.2 Gal (16 L) Cooler		G2, G2L, G2S	
<ul> <li>High precision injected HDPE construction provides rigidity and durability.</li> <li>5 gal (19 L) maximum capacity.</li> <li>Weather-resistant, sealed and lockable cover.</li> <li>Marinized for salt water purposes.</li> <li>See table for installation location and requirements.</li> </ul>	S.J.	<ul> <li>Rotomolded construction for durability.</li> <li>Premium-quality foam insulice retention.</li> <li>Uses LinQ mounting system</li> </ul>	or exceptional rigidity and lation for optimal	<ul> <li>Can contain twenty 355 ml cans.</li> <li>Keeps ice cold for three days.</li> <li>Exterior dimensions: 13" L x 20" W x 10" H.</li> <li>Interior dimensions : 9" L x 17" W x 7" H.</li> </ul>
<ul> <li>• 5 gal (19 L) maximum capacity.</li> <li>• Weather-resistant, sealed and lockable cover.</li> <li>• Marinized for salt water purposes.</li> <li>• See table for installation location and requirements.</li> </ul>	LinQ Tool Box		G2, G2L, G2S	715008111
LinQ Roll-Top Bag G2, G2L, G2S 715008110		<ul> <li>5 gal (19 L) maximum capace</li> <li>Weather-resistant, sealed a</li> <li>Marinized for salt water put</li> </ul>	city. nd lockable cover. rposes.	lity and durability.
	LinQ Roll-Top Bag		G2, G2L, G2S	715008110

	<ul> <li>Fully waterproof Roll-Top dry bag will securely store and confine your equipment.</li> </ul>	<ul> <li>Integrated handle for easy transportation on/off the vehicle.</li> </ul>
una	<ul> <li>LinQ mounted using heavy-duty rigid plastic base.</li> <li>High capacity storage solution 10.6 gal (40 L).</li> <li>Bottom foam liner for additional equipment protection.</li> </ul>	<ul> <li>Marinized for salt water purposes.</li> <li>Dimensions: 14" L x 19" W x adjustable H.</li> <li>See table for installation location and requirements.</li> </ul>

SR 5.5 Gal (21 L) LinQ Bag		G2, G2L, G2S	860202449
	Semi-rigid expandable bag.		

860202447

715004923

715001747

5.5 gal (21 L) capacity.

· See table for installation location and requirements.

#### LinQ 4.5 Gal (17 L) Sport Bag

#### G2, G2L, G2S

- 4.5 gal (17 L) capacity. Rigid bottom, semi-rigid top.
- Rigid bottom, semi-rigid top.
- See table for installation location and requirements.

## LinQ Accessories with 36" Base

LinQ 12 Gal (45 L) Cargo Box		G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S	715003879
	LinQ mounted for easy on, e	asy off installation.	

G2 (except 6x6 models), G2L, G2S

G2 (except MAX models & 6x6), G2S

- Holds cargo safely and securely while riding.
- See table for installation location and requirements.

#### LinQ 23 Gal (86 L) Trunk Box

LinQ mounted for easy on,	easy off installation.

- Lockable and weather-resistant.
- Holds cargo safely and securely while riding.
- Comfort pads for passenger.
- · See table for installation location and requirements.

## LinQ 32 Gal (121 L) Trunk Box

ox	European Version (EC compliant)	715001748 · No rear tail light.

- LinQ Retrofit Adapter Plate (715001334) is required for G1 models.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trun	k Box for Outlander Max	G2 (MAX models only except 6x6 models) European Version (EC compliant)	715001749 715001750 · No rear tail light.
Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically des		rides thanks to the ergonomically designed	

Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed
passenger padding, which is comfort-fitted with a portion made of closed cell foam that won't absorb water.

- Very easy to embark even when driver is seated.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).

#### LinQ 32 Gal (121 L) Trunk Box Panels

G2 (except 6x6 models), G2S

Color panels to match the LinQ 32 Gal (121 L) Trunk Box to your vehicle.			
715001391 · Black	<b>715002985</b> · Manta Green		
<b>715001392</b> · Yellow	<b>715002986</b> · Can-Am Red		
<b>715001395</b> · Viper Red	<b>715006119</b> · Orange Crush		
715002481 · White	<b>715006120</b> · Squadron Green		
715002480 · Light Grey	<b>715007074</b> · Tundra Green		
<b>715002984</b> · Octane Blue			

	Color panels to match the Lin	) 32 Gal (121 L) Trunk Box to v	ourvehicle	
	No rear tail light.		our vernicie.	
•	715001397 · Black 715001398 · Yellow 715006124 · Viper Red 715002483 · White	-	715006122 · Ma 715006121 · Car 715006123 · Ora	n-Am Red
LinQ 11.5 Gal (43 L) Audio Ca	argo Box	G2 (front only for 6x6 & MAX 2013-2014), G2L, G2S	models	715003018
	<ul> <li>Mounts on/off easily to hold and securely.</li> <li>The Bluetooth enabled rece speakers are smartly conce in the cover.</li> <li>Automatic shut-off function turning the system off after</li> </ul>	eiver and 6.5" (16.5 cm) aled and integrated protects your battery by	<ul> <li>Water-resista</li> <li>Delivers the l your ride cou amplifier.</li> </ul>	ol panel perfect for night riding. ant speakers. pest sound quality on the market to sweeten rtesy of a built-in full range high-efficiency installation location and requirements.
LinQ 8 Gal (30 L) Cooler Box		G2 (except 6x6 models), G2S		<b>715004778</b> · Black <b>715004698</b> · Grey
		the cover tightly closed.	-	
LinQ Premium Storage Bag b	y OGIO	G2 (except 6x6 models), G2L	, G2S	<b>715002923</b> · Black
	LinQ mounted for easy on, e     Holds cargo safely and secu     See table for installation loc	urely while riding.		
inQ Low Profile Basket		G2, G2L (front only for MAX &	6x6 models), G2S	715004282
	Low profile, open basket ind     Perfect for easy access to to     Multiple bungee cord and t     Made of impact-resistant in     See table for installation loc	ools, rope, winch and plow acc ie-down anchor points. jected polypropylene.	essories.	
LinQ Heavy-Duty Basket		G2, G2L (front only for MAX &	6x6 models), G2S	715001215
	<ul> <li>Made of high-strength, low-</li> <li>LinQ mount for easy on, eas</li> <li>Can be placed on both fron</li> <li>See table for installation loc</li> </ul>	sy off installation. t and back racks of vehicle.		
Large Cargo Box		G2 , G2L (except 6x6)		715007001
	Also has a mat for the floor the rear vertical lip.	Q fixtures for tool holder, and m and slot to enable the installat	ion of a divider ar	installation of a 16" accessory. Id a slot for a divider to close the recess on it easily installable and removable.

LinQ Tool Holder		G2, G2L, G2S	715007358
11	Ultra-versatile tool holder     Convenient swivel-latch a     Sold in pairs.	Illows tools to be stored in any ori	ientation.
-inQ Gear Grips		G2, G2L, G2S	715005340
YY	<ul> <li>Heavy-duty design for car</li> <li>Quick-release button ope</li> <li>Heavy-duty base system</li> </ul>	s provide a custom fit for a variety rrying bows, fishing poles, rakes, ans grip quickly for easy access to built for the toughest adventures. pols a snap by combining the Gea	o gear.
LinQ Mounting			
LinQ Anchor Adapter Kit		G2, G2S	715004960
•••	<ul> <li>Tool-less installation and</li> </ul>	accessories with LinQ Base of 16 removal. ge Rack (715001734) is required 1	
LinQ Base		G2L	715002350
68	<ul> <li>Made of glass fiber reinforced polypropylene.</li> <li>Allows you to install LinQ accessories.</li> <li>Sold in pack of 4.</li> </ul>		
LinQ Lock		G2, G2L, G2S	860201968
	<ul> <li>Simple way to securely lo</li> <li>Lock cover protects lock</li> <li>Corrosion resistant.</li> <li>Pack of 1, includes 2 keys</li> <li>Not compatible with LinG</li> </ul>	from the elements.	ool Box, LinQ Tool Holder and LinQ Gear Grips.
LinQ Replacement Parts			715001707
-	<ul> <li>Unique mounting fastene</li> <li>Tool-less installation and</li> <li>Sold in pairs.</li> </ul>	er usable on any LinQ system acco removal.	essory.

# **RACKS & HOLDERS**


LinQ Rack Extension – 4" (10	cm)	G2, G2S	<ul> <li>715001711 · Silver</li> <li>715001665 · Black</li> </ul>
	<ul> <li>Fits front or rear.</li> <li>Strong and durable.</li> <li>Helps keep cargo securely in place.</li> <li>Easy and toolless installation thanks to the LinQ system.</li> <li>Anti-corrosion coating with durable powder coat finish.</li> <li>LinQ Luggage Rack (715001734) is required for G2S.</li> </ul>		
LinQ Rack Extension – 6" (15	cm)	G2, G2S	<b>715001712</b> · Silver <b>715001671</b> · Black
	<ul> <li>Fits front or rear.</li> <li>Strong and durable.</li> <li>Helps keep cargo securely</li> <li>Easy and toolless installatic</li> <li>Anti-corrosion coating with</li> <li>LinQ Luggage Rack (71500</li> </ul>	on thanks to the LinQ system. durable powder coat finish.	
Rack Extension – 5" (13 cm)		G2L	715001913
	<ul> <li>Fits front or rear.</li> <li>Made of carbon steel.</li> <li>Provides tie-down points to secure cargo on racks.</li> <li>Easy installation on tubular rack.</li> <li>Anti-corrosion coating with durable powder coat finish.</li> </ul>		
Rack Extension – 8" (20 cm)		G2L	715001914
	<ul> <li>Fits front or rear.</li> <li>Made of carbon steel.</li> <li>Provides tie-down points to secure cargo on racks.</li> <li>Easy installation on tubular rack.</li> <li>Anti-corrosion coating with durable powder coat finish.</li> </ul>		
LinQ Luggage Rack		G2S (except X mr models)	715001734
	Bolt-on rack.     Enables use of LinQ mount	ed accessories on the G2S.	
LinQ Base Plate		G2L	715007273
0	<ul> <li>Enables use of 16" wide LinQ Base accessories on G2L to extend cargo options and journey opportunities.</li> <li>Requires LinQ Base Kit (715008125).</li> </ul>		
LinQ Base Plate		G2S	715007274
	Enables use of 16" wide Lin     Requires LinQ Base Kit (715	Q Base accessories on G2S to extend cargo o 5008125).	ptions and journey opportunities.

		G2L (except MAX models)		715001918
Gun Boot Rack		G2L (MAX models only)		715001919
2 la	<ul> <li>Made of steel.</li> <li>Designed for the tubular rad</li> <li>For use with Gun Boot 6.0 In</li> <li>Can be mounted to either site</li> </ul>	mpact by Kolpin.		
Gun Boot 6.0 Impact <sup>†</sup> by Kolpin	t	G2, G2L		715001419
	<ul> <li>Extra room for pistol-grip-ty small bipods.</li> <li>Easily fits firearms up to 51<sup>1</sup></li> <li>Provides ample room for 2<sup>3</sup></li> <li>Hatchback design allows ea</li> <li>Ergonomically designed has points for sling.</li> </ul>	' (130 cm) in total length. %" (60 mm) scopes. asy access.	<ul> <li>Designed to rifles and sho</li> <li>Includes rem impact liner f</li> </ul>	cover with locking capability. accommodate left and right hand bolt-action otguns. iovable, shock absorbing foam and nylon for superior interior protection. propriate mounting kit for installation.
LinQ Gun Boot Rack		G2 (except MAX, 6x6 & X mr 1000)		715002112
(Not illustrated)		G2 (MAX & X mr 1000 models	only)	715002113
	This lightweight Gun Boot Rack can be mounted on either     For use with Gun Boot 6.0 Impact by Kolpin.     side of your Outlander using the toolless LinQ system.			
				715002354 · Single
Multi-Fit Holder		G2, G2L		715001945 · Double
	but easily accessible.	carrying tools (shovel, axe) bow) that are safely secured, rack, extension racks, basket	<ul> <li>For G2, the L</li> <li>Sold in pairs.</li> </ul>	inQ Rack Extension (715001711) is required.
LinQ Gear Grips		G2L		715001421
<b>99</b>	in diameter.	s from 1" to 4" (2.5 cm to 10 cm) g bows, fishing poles, rakes, farm	adventures.	•

# **CARGO & STORAGE**

gear.

Log Bars	G2 (6x6 models only)	715001987			
	<ul> <li>Log bars allow you to convert the cargo bed into a perfect transport space for 4' (120 cm) timber.</li> <li>The driver's safety is guaranteed by the protective front screen.</li> </ul>				
Hard Top	G2 (6x6 models only)	715002394			
	The hard top provides a 116 gal (440 L) cargo box.				



The cover raises assisted by gas cylinders.

Cargo Box Pool		G2L (6x6 models only)	715005256
	Made of durable formed HI	a large capacity cargo box for increased loa DPE and shaped to maximize cargo space. water-resistant rear compartment. d easy installation.	ading possibilities.
Tailgate Extension/Divider		G2 (6x6 models only)	715002017
	Thanks to the longer cargo	on provides a 10" (25 cm) extension to the c bed, even large loads pose no problem. locks, the extension also acts as a solid spa	
Tarpaulin		G2 (6x6 models only)	715002416
	<ul> <li>Fitted to cover all of the iter</li> <li>Prevents splash from enter</li> <li>Easily removable for quick</li> </ul>		
18 Gal (70 L) Utility Box		G2 (6x6 models only)	715001999
		ever you do, this handy 18 gal (70 L) utility b ent safe from the elements in all conditions. th handles for easy access.	-
Cargo Box Net		G2 (6x6 models only)	715001371
	Solid net designed to hook	to the bottom of the cargo box for secure an	nd compact confinement of your cargo.
Soft Storage Bag		G2, G2L, G2S	715003759
	<ul> <li>3 -section bag.</li> <li>Transport gear in a weathe</li> <li>11.8 gal (45 L) capacity soft</li> <li>LinQ Luggage Rack (71500</li> </ul>	t cargo bag designed with vehicle's rack in r	nind to maximize potential storage.
Storage 2.6 Gal (10 L) Bag			269502121
	Roll-top dry bag for fully pro     Fits in rear compartment of	tecting your cargo from the elements. f your vehicle.	

-----

# **CAN-AM WINDSHIELDS**

Deluxe Fairing		G2 (except X mr & 6x6), G2L	<ul> <li>715001232 · Black</li> <li>715000935 · Yellow 2000</li> <li>715002479 · Light Grey</li> <li>715006125 · Squadron Green</li> <li>715007073 · Tundra Green</li> </ul>
	<ul> <li>Innovative, richly featured w</li> <li>Quick toolless removal once on handlebar.</li> <li>Two cup holders.</li> <li>Ready for GPS mounting kit</li> </ul>	e base brackets are mounted	Optional mirrors and auxiliary lighting. Requires low, high or extra high windshield. Tapered Handlebar Adapter Kit is required for vehicles with 1%" (28 mm) tapered aluminum handlebars.
Tapered Handlebar Adapter Ki (Not illustrated)	t	Deluxe Fairing	715002470
	<ul> <li>Required to install Deluxe F aluminum handlebars.</li> </ul>	airing on an Outlander X-TP and or	any vehicle equipped with 1½" (28 mm) tapered
Extra High Windshield		Deluxe Fairing	715000936
	<ul> <li>16" (41 cm) windshield prov</li> <li>For wind protection and wir</li> <li>Tool-less installation and re</li> </ul>		t the elements while touring.
High Windshield		Deluxe Fairing	715001211
Low Windshield		Deluxe Fairing	715001227
		of enjoying directional lighting.	sporty while giving you some protection from the
Accessories			
Auxiliary Windshield Lighting		Deluxe Fairing	715003115
	<ul> <li>1,800 lumens.</li> <li>2 x 10 W LED Cree light kit.</li> </ul>	eluxe Fairing for both increased ou to 350' (107 m), drawing less than	
Deluxe Mirror Kit		Deluxe Fairing	715002353
	<ul> <li>Improved mounting system.</li> <li>Wide rear view.</li> <li>Perfect fit with your Deluxe</li> </ul>		

## Windshield Kits

Extra High Windshield Kit		G2, G2L, G2S (except X mr mo	odels)	715003023
			<ul> <li>Steering Cov Mossy Oak n</li> <li>16" (41 cm) v</li> </ul>	
High Windshield Kit		G2, G2L, G2S (except X mr mo	odels)	715006382
	<ul> <li>Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.</li> <li>Quick toolless removal once base brackets are mounted on handlebar.</li> <li>Fits straight and tapered handlebars.</li> </ul>		<ul> <li>Steering Cov</li> <li>Mossy Oak n</li> <li>11" (28 cm) v</li> </ul>	
Low Windshield Kit		G2, G2L, G2S (except X mr mo	odels)	715003021
			<ul> <li>Steering Cov Mossy Oak n</li> <li>6" (15 cm) with Allows you to</li> </ul>	

# **HANDLEBARS & MIRRORS**

Handlebar Wind Deflectors		G2, G2L, G2S			
	<ul> <li>Rugged injected plastic con</li> <li>Include removable cap for a</li> <li>Mounting kit sold separately</li> </ul>	ir flow adjustment.			
CMR-Barry	715000537 · White / Black         7150038           715001706 · Black / Black         7150061		<ul> <li>3 · Orange / Black</li> <li>4 · Octane Blue / Black</li> <li>7 · Squadron Green / Black</li> <li>8 · Viper Red / Black</li> </ul>		
Passenger Wind Deflectors		G2 and G2L (MAX models only)	715001669		
	<ul> <li>These wind deflectors fit on the passenger handles and provide greater comfort while riding.</li> <li>Easy to install and remove.</li> </ul>				
Full Wrap Aluminum Mountin	ng Kit	G2, G2L, G2S	715001378		
	<ul> <li>Lightweight black die cast aluminum construction.</li> <li>Includes complete hardware.</li> <li>Handlebar wind deflectors sold separately.</li> </ul>				

Aluminum Tapered Handlebar	G2, G2L, G2S	715000550
• 7%" - 11%" (22 mm - 28 mm) ta • Includes all hardware, cente	apered handlebar made of 6061-T6 aluminum. er steering foam and cover.	

XT Handlebar Protector Kit		G2, G2L		703100352	
	Not compatible with Mud S	trap (715003053).			
Mirrors Left - ¾" (10 mm)		G2, G2L, G2S		708200963	
	<ul> <li>True vision surface 5" x 3" (13 cm x 8 cm).</li> <li>Matte finish.</li> <li>Stem includes %" (10 mm) thread.</li> <li>Bracket (715000190) is required for installation on DS 450.</li> <li>Bracket not required for installation on Outlander and Renegade.</li> </ul>				
Mirrors Right – 3/8" (10 mm) (Not illustrated)		G2, G2L, G2S		709400523	
	<ul> <li>True vision surface 5" x 3" (*</li> <li>Matte finish.</li> <li>Stem includes %" (10 mm) t</li> </ul>	·	<ul> <li>Bracket (715 right hand br</li> </ul>	000190) required except for vehicles with ake.	
Handlebar Mirrors		G2, G2L, G2S		715005366	
and f	<ul> <li>Adjustable handlebar mounted convex mirrors.</li> <li>The convex surface allows improved visibility with a wider field of view.</li> <li>Doesn't require a windshield or fairing to be mounted.</li> <li>Works with all windshield options.</li> </ul>				

# **SEATS**

	G2L (except MAX models)	715003941
	G2 (except 6x6 & MAX models)	715003940
Driver Backrest	G2 (6x6 models only, except MAX)	715003611

Provides the rider's back with that extra support that makes riding that extra mile way more comfortable.

G2 2015 & up, G2L (MAX models only)

715002373


- Adjusts horizontally to match the driver's height and preference.
  - Mounts and locks firmly onto the vehicle.

#### **Outlander Max Passenger Seat Kit**

Perfect to replace used or damaged passenger seat.



## **HMWPE SKID PLATES**



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- High impact strength.

## OUTLANDER, RENEGADE

		G2				G	2L	Gź	2S		
		2016 8	& Prior	2017 <sup>.</sup>	-2018	2019	& Up			2017- 2018	2019- 2022
		Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except Max & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		
HMW	PE Skid P	late Pro	tection	Kit							
		715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
Individ	dual HMW	<b>VPE</b> Ski	d Plates	5							
① A-Ar Prot	rm tectors	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
Footwe	lerbelly es rell portion mpatible with rade X mr	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
	ling Arm tectors	-	-	715003466	715003466	715004823	715004823	715003466 (2015 to 2020 models only)	715003466 (2015 to 2020 models only)	715003466	715004823

## **ALUMINUM SKID PLATES**



For ultimate durability and strength, all our Aluminum Skid Plates are made with ¾6" (4.5 mm) thick High Strength 5052 H32 Aluminum.


Ultimate durability.

High strength.

## **OUTLANDER**

	G2						G2L	
	2016 & prior		2017-2018		2019 & up		Any	year
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only
Aluminum Skid Plate Protection Kit								
	715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
Individual Aluminum Skid Plat	es							
1 A-Arm Protectors	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
2 Front Skid Plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
Footwell Protector Plates	715000922	715000922	715000922	715000922	715000922	715000922	715000922	715000922
5 Trailing Arm Protectors	_	_	715008595	715008595	715004821	715004821	715008595	715008595
6 Rear Differential Protectors	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
⑦ Rear Skid Plate	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

## **ALUMINUM SKID PLATES**




For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/16" (4.5 mm) thick High Strength 5052 H32 Aluminum.

Ultimate durability.

• High strength.

	RENEGADE						
	G2S						
	2016 & prior	2017-2018	2019-2022	2023 & up			
Aluminum Skid Plate Protection	on Kit						
Not compatible on X mr models	715002139	715004201	715004808	715009730			
Individual Aluminum Skid Plat	es						
2 A-Arm Protectors	715001667	715001667	715004820	715004820			
2 Front Skid Plate	715000925	715000925	715000925	715001906			
③ Central Skid Plate	715002078	715002078	715002078	715002078			
Footwell Protector Plates     Not compatible on X mr models	715001359	715001359	715001359	715001359			
<b>5</b> Trailing Arm Protectors	715001129	715008595	715004821	715004821			
Rear Differential Protectors	715000920	715000920	715000920	715000920			
⑦ Rear Skid Plate	715002028	715002028	715002028	715002028			

## **HMWPE & ALUMINUM SKID PLATES**



**Our Plastic and Aluminum Plates** glide smoothly and silently over obstacles, offering great protection in rough terrain.

#### HMWPE

Made of ¼" (6 mm) thick abrasion resistant thermoformed High Molecular Weight Polyethylene (HMWPE). Lighter than aluminum.

Superior stress crack resistance.

· High impact strength.

### ALUMINUM

Made with High Strength <sup>3</sup>/<sub>6</sub>" (4.5 mm) thick 5052 H32 Aluminum.

- Ultimate durability.
- High strength.

	OUTLANDER 6X6						
		G2 6x6					
	2016 & prior	2017 - 2018	2019 & up	Any year			
Individual HMWPE Skid Plates	S						
(1) HMWPE A-Arm Protectors	715002924	715002924	715004822	715002924			
O HDPE Full Underbelly Skid Plate	<b>715005290</b> (except Max)	715005290	<b>715005290</b> (except Max)	715005259			
	<b>715005320</b> (MAX only)	715005320	<b>715005320</b> (MAX only)	(MAX only)			
③ HMWPE Trailing Arm Protectors	-	715003466	715004823	715003466 (2020 models & prior only)			
Individual Aluminum Skid Plat	tes						
(1) Aluminum A-Arm Protectors	715001667	715001667	715004820	715001667			
Aluminum Full Underbelly Skid Plate	-	-	-	-			
③ Aluminum Trailing Arm Protectors	-	715008595	715004821	715008595			

# **BUMPERS & GUARDS**

## **Bumpers**

Bumpers			1		
Expedition Front Bumper	G2 202	, G2L (except X mr models & X xc models 22 & up)	715007233		
	<ul> <li>Made of 1.5" profiled steel tubes for complete protection of the vehicle's front.</li> <li>Protects and doesn't obstruct the vehicle's headlights.</li> <li>Integrated mounting spots for lights.</li> <li>Inside and outside anticorrosion coating with a durable powder coat finish.</li> </ul>				
xpedition Rear Bumper	G2, G2L 715007234				
	<ul> <li>Made of 1.5" profiled steel tubes for complete protection of the vehicle's rear.</li> <li>Protects and doesn't obstruct the vehicle's taillights.</li> <li>Inside and outside anticorrosion coating with a durable powder coat finish.</li> <li>G2 base and DPS rear bumper installation requires 705008164 and 705008165.</li> </ul>				
( mr Front Bumper	G2	S 2023 & up	715008198		
	Enhanced vehicle front protectio	on. Required as a mounting point for Radia	tor Relocator (715008898).		
T Front Bumper	G2		715004837		
	<ul> <li>Standard on XT, XT-P, Mossy Oal</li> </ul>	d on base Outlander model to convert veh	icle into XT model.		
T Rear Bumper	G2		715004920		
	<ul> <li>Provides additional protection against obstacles.</li> <li>Tough and durable, can be added on base Outlander model to convert vehicle into XT model.</li> <li>Standard on XT, XT-P, Mossy Oak and Limited models.</li> <li>Large tube construction with textured black finish and metal corners.</li> </ul>				
T Front Bumper	G2	L	715001910		
	<ul> <li>Winch compatible.</li> <li>Large tube construction.</li> <li>Protects vehicle against obstacles.</li> <li>Standard on XT models.</li> </ul>				
(T Rear Bumper	G2	L	715001911		
	<ul> <li>Large tube construction.</li> <li>Protects vehicle against obstacle</li> </ul>	98.			

		1	
Extreme Front Bumper		G2 G2L	<mark>715001286*</mark>
	Ultra-sturdy build.     Enhances front-vehicle prof     Compatible with XT Front B     Fits the Apache <sup>™</sup> 360 Tracl     *Not compatible with Front Hitch.	l tection. iumper. < System (when side panels are removed).	710004273
Rancher Front Bumper		G2, G2L (except X mr models)	715003461
	vehicle and the animals. <ul> <li>The flat front portion facilita</li> <li>The full frontage coverage of the full frontage coverage of the full frontage and outside anti-corr</li> </ul>	n and plates allow you to use your ATV within ates gently prodding cattle or pushing light ob extends to provide an extra layer of defense to rosion coating with durable powder coat finish ystems, plows and front hitch.	jects, e.g. closing a fence. your headlights and radiator.
Rancher Rear Bumper		G2, G2L (except 6x6 models)	715003462
	Coverage extends to provid	hin cattle herds and guarding the safety of bo e an extra layer of defense to your tail lights. rosion coating with durable powder coat finish ystems.	
Renegade Extreme Front Bu	mper	G2S 2022 and prior (except X mr models)	715002469
	<ul> <li>Enhanced vehicle front pro-</li> <li>Required as a mounting poi</li> </ul>	tection. int for Radiator Relocator (715008898).	
Guards			
	G2 2012 to 2018 with stock X G2L with Rancher Bumper, (e)	F Bumper, G2 2012 & up with Rancher Bumper, ccept X mr and 6x6 models)	715003459
Body Side Protector	G2 2019 & up with XT Bumpe	rs, (except X mr and 6x6 models)	715004940*
520	the look of your ATV.	rd designed to pull double duty, protecting you to deliver a rugged appearance, this fender gu	-

rancher and forestry applications. Durable and bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.

- Not compatible with Self Clearing Footwell.
- XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation.
- Requires Body Side Protector Extensions (715003460) for installation on MAX models.

\*Not compatible with Front and Rear Rancher Bumpers.

## **Body Side Protector Extensions**

(Not illustrated)	G2, G2L (MAX models only)	715003460	
<ul> <li>This specially designed extension for the Body Side Protector is made specifically to fit and seamlessly integrate into the look of Outlander MAX models.</li> </ul>			

Vlud Flaps		G2 (with stock fender flares)	715007089	
6	<ul> <li>Keeps mud, snow and debris out of cargo area and protects trailer and vehicles behind you.</li> <li>Adds aesthetic appearance to your vehicle.</li> <li>Requires stock fender flare.</li> <li>Sold in pairs.</li> </ul>			
	G2 2012-2018 (except with 30	)" tyres) (except 6x6 models)	715001764*	
	G2 2019 & up (with 30" tyres) (except 6x6 models)		715004250**	
	G2L		715001909***	
ender Flares	G2L European vehicles only 2	:015 & up	715004487	
	<ul> <li>Kit designed to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud.</li> <li>Made of injected plastic that hugs your vehicle fenders perfectly.</li> <li>Gives vehicle added flair for that rugged cool look.</li> <li>Includes front and rear extensions and all mounting hardware.</li> <li>*Comes stock on G2 models 2019 &amp; up (except X mr models).</li> <li>**Standard on G2 X mr 1000R.</li> <li>**Not compatible with European vehicles.</li> </ul>			
ender Flare Extensions		G2 (except 6x6 models)	715005111*	
ender Flares	Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with track kits.     Made of High Molecular Weight Polyethylene (HMWPE) for advanced abrasion resistance.     Include front and rear extensions.     "Must be used with Fender Flare for G2 (715001764).     G2S (except X mr models)     To5012695     Integrated extended Fender Flares for sporty look and full body protection from dirt and water.     Include front and rear extensions and all mounting hardware.			
latbed Protection Tubes		G2 (6x6 models only)	715002030	
	<ul> <li>Bolt-on bumpers for the sic</li> <li>Protect the exterior plastic areas or loading cargo onto</li> </ul>	components of the flatbed from rocks, trees a	and other obstacles when traversing enclose	
-latbed Protection Tubes		G2L (6x6 models only)	715005266	
43	<ul> <li>Bolt-on bumpers for the sic</li> <li>Protect the exterior plastic areas or loading cargo onto</li> </ul>	components of the flatbed from rocks, trees a	and other obstacles when traversing enclose	

# **LIGHTS & ELECTRICAL**

Integrated Heated Grips &	Thumb Throttle Combo	G2, G2L, G2S (2024 & up)		715005072
	<ul> <li>Heat levels for grips and the vehicle screen.</li> <li>Ergonomic button integrate</li> <li>Single button for both grip</li> <li>Five temperature settings</li> <li>Adjustable heat ratio between the set of the set</li></ul>	ed on LH grip. s and thumb heat selection.	<ul> <li>Remembers</li> <li>IP67-rated w</li> <li>ECE complia</li> <li>Plug-and-pla</li> </ul>	
	G2, G2L, G2S (except 2020 & and 2019 & up models with 1	up models equipped with 850 eng 000R engine, T Category models)	gine	715003250 Not compatible with Intelligent Throttle Control (iTC)
Heated Grips & Thumb Throttle Combo	G2, G2L, G2S (2020 & up mo and 2019 & up models with 1	dels equipped with 850 engine 000R engine, T Category models)		715008739 Compatible with Intelligent Throttle Control (iTC)
	<ul> <li>LED dimmer facilitates rea</li> <li>4 temperature settings wit and grips.</li> <li>Returns to previous heat set</li> </ul>	h individual controls for thumb	<ul> <li>One-touch s</li> <li>Wiring Cable only.</li> </ul>	hutdown. is required for installation on G2L models
Wiring Cable				
(Not illustrated)	Required for installation of	G2L Heated Hand Grips and Throttle	Combo	710004567
Heated Visor Outlet		G2, G2L		715001246
Heated Passenger Grips &	<ul> <li>Optional visor outlet that d</li> <li>Quick and easy installation</li> <li>Sold individually.</li> <li>Heated Visor not included.</li> </ul>			715008794
	Replace your stock passer	nger handles. Integrated into seat arm for 3-zone	heated handle	
USB Power Outlet Kit		G2, G2L, G2S		219400510
Ó	Dual port USB connectors	devices while riding* (smartphon pable of recharging all device type		g gear, etc.).
Seat Heater		G2, G2L		715007211
	<ul> <li>25 W seat heater delivers of</li> <li>One temperature only.</li> <li>Heated pad and electrical</li> </ul>	-		

Bluetooth Handlebar Soundba	ar by MTX	G2, G2L, G2S		219400840
	<ul> <li>Bluetooth speaker with the fingertip control.</li> <li>Rugged IP66-rated weather</li> </ul>		port and 3.5"	ut, ground and ignition wires, plus auxiliary ' (8.89 cm) connector cable. ble with XT Handlebar Protector Kit.
	for outdoor use. <ul> <li>Driven by 150 watts of quali</li> </ul>	tu audio powor	<ul> <li>EC complian</li> </ul>	
	Seamless integration and openabled devices.	•	AIFF, WAV forma	mend you use 320 Kbps MP3 - 192-256 Kbps AAC ats to match the potential of the speaker. More mats will probably have degraded sound quality.
lectronic Device Holder		G2, G2L (except 6x6 & X mr mc	dels)	715004919
	<ul> <li>Robust injected-polypropyle the right fit and easy installa</li> </ul>		<ul> <li>Guiding wire the lid.</li> </ul>	grooves to pass charging cable through
	<ul> <li>Adjustable unit safely holds</li> </ul>	smartphones or small h mesuring between 2.9" (7.5 or without protective case.	<ul> <li>Possibility of USB outlet in sold separate</li> </ul>	relocating 12V power outlet or installing storage compartment (USB power outlet ely). ble with windshields or Snorkel Kit.
3.5" (9 cm) LED Lights (2 X 14 Lights	W) LED Driving	G2, G2L (except X mr models)		715003666
	14 W LED lights producing		<ul> <li>Sold in pairs.</li> </ul>	
$\mathcal{D}$	Equipped with 6 high power	r LEDs in a heavy-duty die	• EC complian	
	<ul><li>cast aluminum housing.</li><li>Features 2 attachment poin</li></ul>	ts — if one attachment point		a narrow and long light beam spread, ideal at higher speeds.
	fails due to a collision, rotate and re-mount the light.	e to the next channel point		ront Bumper (715007233) and Light Power 07275) required for installation.
8.5" (9 cm) LED Lights (2 X 14	W) LED Flood Lights	G2, G2L (except X mr models)		715003665
A 4	14 W LED lights producing	,	Sold in pairs.	
Q.Y	<ul> <li>Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.</li> <li>Features 2 attachment points — if one attachment point</li> </ul>		<ul> <li>EC compliant.</li> <li>Flood lens for a wide light beam spread, ideal for working applications like plowing or for cornering, dusty or foggy riding a panditions.</li> </ul>	
	fails due to a collision, rotate and re-mount the light.	e to the next channel point	riding conditions. • Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.	
l" (10 cm) Round LED Lights	(2 x 25 W)	G2, G2L (except X mr models)		715002935
	25 W LED spotlights.		Sold in pairs.	
	<ul> <li>1,800 lumens.</li> <li>Rugged and waterproof.</li> </ul>		<ul> <li>Not EC comp</li> <li>Expedition F</li> </ul>	pliant. ront Bumper (715007233) and Light Power
and the second se	<ul> <li>Includes basic wiring and st</li> <li>Can-Am branded grill.</li> </ul>	witch.		07275) required for installation.
0" (25 cm) Double Stacked LE	D Light Bar (60 W)	G2, G2L (except X mr models)		715002933
	Equipped with twelve 5 W C	Cree LEDs.	Requires light	nt power cable for installation.
CONTRACT OF BUSIC	<ul><li> 5,400 lumens.</li><li> Packs a big punch for its siz</li></ul>	0	<ul> <li>Lights up to more than 1,500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side.</li> </ul>	
3.3.2.0	<ul> <li>Rugged and waterproof.</li> </ul>		• EC-compliant.	
4	Can be installed on front bu and Bimini roof with sun vis			
ight Power Cable		G2, G2L		715007275
	Required for installation of t	he 10" (25 cm) LED Light Bar, th	e 3.5'' (9 cm) ar	
Baja Designs High Beam Kit		G2 (2022 and prior)		715004284
	your stock high beam lights <ul> <li>Each spot is equipped with</li> </ul>		Squadron Pro I mens at 40 wat	
2" (5 cm) Square LED Lights (	2 X 10 W)	G2, G2L, G2S		715004293
	<ul> <li>2 x 900 lumens 10 W LED C</li> <li>Long-range illumination up</li> <li>Multi-Position Light Mount</li> <li>Not EC compliant.</li> </ul>	to 350' (107 m), drawing less tha	an 1 amp per lig	ht.

Multi Position Light Mount Ki	t	G2, G2L, G2S		715004274
		mps that fit on various tubing size on of the 2" (5 cm) Square LED Li nounts and power cables.	-	19 mm to 38 mm).
RAM <sup>†</sup> LED Spotlight		G2, G2L, G2S		710005423
	• 540-lumen LED light (9 W rubber-coated double ba	/) heavy-duty spotlight standard-e II and socket system.	equipped with 1"	(2.5 cm) diameter
Battery Charger/Maintainer				715005061
	Microprocessor controlled multi-stage charging for added precision, safety and battery life.     Content: 3 an adapter, 24" (		splay button to show the charge progress. mp battery charger, clamp adapter, DC (61 cm) fused ring leads harness with o, owner's manual.	
lump Starter				715005062
	<ul> <li>IPX3 water-resistant and</li> <li>4 LED battery indicators to charge level.</li> <li>Compact design, will conglove box or any other states and the state of the states of the s</li></ul>	or easy read on battery veniently fit in your backpack, orage compartment. for fast charging of all	short circuit reverse char • Built-in LED • Content: 300	light (3 modes). DCA jump starter, SA858 smart cable clamp, USB charging cable, travel bag, user manual
Quick Connect Battery Cable				715005408
		ct and charge different items with harger/Maintainer (715005061).	your charger.	`
Quick Connect Cable with Ba	ttery Indicator			715006055
		ct and charge different batteries v vides constant battery health indi		r.
GPS RAM <sup>†</sup> Mount for Handleb	bar	G2, G2L, G2S		715001985
	Convenient bracket for in	stalling the Garmin Montana GPS	6 (not included) o	onto your unit's handlebar.
Digitally Encoded Security Sy Green Key	stem (D.E.S.S.™)	G2, G2S (2018 & up)		710005232
0	<ul><li>(D.E.S.S) key snaps easily riders easy and quick state</li><li>The key communicates was a state of the state of th</li></ul>	jitally Encoded Security System on the vehicle and provides	to 3 modes: - Work mode but does n	nmable D.E.S.S. Key can also be programme e: Limits vehicle speed to 40 kph (25 mph) ot limit engine torque. ode: Limits vehicle speed to 70 kph (44 mph)

• The key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.

5

- Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.

- Performance mode: No restrictions.

### **WINCHES**


#### **Can-Am HD Winches**

Can-Am HD 2500 Winch	G2, G2L			715006414
Carr-am	<ul> <li>Heavy-duty four-way roller fairlead.</li> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and bushings p and longer life.</li> <li>Automatic 100% load-holding brake.</li> <li>Sealed solenoid for all-weather protec</li> <li>Wired Remote Control sold separately.</li> </ul>	tion.	<ul> <li>Weather-sea</li> <li>Pulling stren</li> </ul>	y wiring and attachment brackets. led handlebar-mounted switch. gth capability of 2,500 lb (1,134 kg). 15.2 m of 4.8 mm) wire steel cable. It.
Can-Am HD 3500 Winch	G2, G2L			715006415
	<ul> <li>Heavy-duty four-way roller fairlead.</li> <li>Ergonomic clutch handle.</li> <li>Rugged all-steel gears and bushings p</li> </ul>	rovide more torque	<ul> <li>Weather-sea</li> </ul>	y wiring and attachment brackets. led handlebar-mounted switch. gth capability of 3,500 lb (1,588 kg).

- and longer life.
- Automatic 100% load-holding brake.
- · Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately.
- + 50 ft. of  $7_{32}$ " (15.2 m of 5.4 mm) wire steel cable.
- EC-compliant.

#### WARN<sup>†</sup> VRX Winch

#### WARN VRX 35-S Winch



G2, G2L, G2S

- · Load-holding brake for great control.
- · Smooth and reliable all-metal three-stage planetary gear
- train.

#### 715006109

- · Limited lifetime warranty (mechanical), 3-year warranty
- Pulling strength capability of 3,500 lb (1,361 kg).
- 50 ft. of 3/16" (15 m of 4.8 mm) synthetic rope.

715002409

- EC-compliant.

#### **Winches Accessories**

Wireless Remote Control		WARN Winches	715002542
	mounting hardware.		

	WARN Winches		715006378
	Can-Am HD Winches (715006414 & 715006415)		715006555
Wired Remote Control	Can-Am HD Winches (715008140 & 715008141)		715008121
2%	<ul> <li>This kit allows winch owners to add the hand-held remote to their winch.</li> <li>This kit allows winch owners to add the handheld remote to vehicles with a stock winch.</li> </ul>		junction with the mini-rocker switch. te and Remote Socket included. t.

- · Get the most out of your winch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order. Includes tree straps, snatch block, shackle and winching gloves.

CAN-AM ATV ACCESSORIES 219

#### **WARN Hawse Fairlead**

#### WARN Winches

Double powder-coated construction.

- Required to use the Synthetic Winch. Cable (715004254) on WARN winches.

 ${\boldsymbol{\cdot}}$  To be used with synthetic winch cables only.

		WARN Winches	715007699
Roller Fairlead		Can-Am HD Winch	710007459



· Features top, bottom and side rollers for less cable wear and smoother operation from any direction for easier winching.

715007698

Hook with Safety Latch & Strap Kit (Not illustrated)	Can-Am HD Winches	705014949
<ul> <li>Heavy-duty winch-rope hook with stainless steel snap.</li> <li>Includes a nylon safety strap.</li> </ul>		

	705014983
Replacement Wire Rope – Can-Am HD	705014984

• Play it safe, always carry a replacement wire rope.

- 2,500 lb (1,134 kg) pulling strength with 50 ft of 3/6" (15.2 m of 4.8 mm) wire rope for 705014983.
- 3,500 lb (1,588 kg) pulling strength with 50 ft of 7/32" (15.2 m of 5.5 mm) wire rope for 705014984.

Replacement Wire Rope – A	ATV WARN Winches	715006256	
	<ul> <li>Play it safe, always carry a replacement wire rope.</li> <li>3,500 lb (1,588 kg) pulling strength.</li> <li>50 ft. of <sup>7</sup>/<sub>82</sub>" (15.2 m of 5.5 mm) aircraft grade steel wire.</li> </ul>		
Synthetic Winch Cable	ATV WARN Winches	715004254	
	<ul> <li>Easier to manipulate than steel cable.</li> <li>Replaces the original cable on any factory installed WARN winc</li> <li>Kit includes synthetic rope and rock guard sleeve.</li> <li>Always use with the new Hawse Fairlead (715007698).</li> <li>50 ft. (15.2 m) of ¾e" (15.2 m of 4.8 mm) synthetic rope.</li> <li>3,500 lb (1,588 kg) pulling strength.</li> </ul>	h or sold as an accessory by BRP.	
Winch Mounting Plate	G2S 2022 & prior	715000927	
Ŕ	<ul> <li>Adds functionality to your Renegade.</li> <li>Fits Can-Am winches by WARN.</li> </ul>	· · · · · ·	

Winch Wire Harness (Not illustrated)	G2 2021 & up, G2S 2021 & up and G2L	715002453
Required plug-and-go wirin     Not required for Can-Am HI	g to install WARN winch only. D winches.	

### HITCHES

#### Hitches

Rear Hitch		G2, G2L (except 6x6 models), G2S	715001925
	E-coat finish.		
	Fixed hitch ball mounting bracket.		
	<ul> <li>Provides fixed mounting poi</li> </ul>	nt for trailer ball to provide vehicle with towing	capabilities

- ng point for trailer ba II to provide vehicle with towing o ар
- This hitch offers 1,300 lb (590 kg) of towing capacity.
  - Hitch ball not included.

Standard on 2" (5 cm) receiver hitch.	Front and Rear Hitch Drawba	r	G2, G2L, G2S	715008350
		Standard on 2" (5 cm) received the second seco	ver hitch.	

- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.

Rear Receiver Hitch		G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2	715005186
6		s 1,500 lb (680 kg) of towing capacity. s 1,654 lb (750 kg) of towing capacity. regulations.	
ront Receiver Hitch		G2	715000921
8	<ul> <li>This hitch offers 1,300 lb (59</li> <li>Allows you to maneuver you</li> <li>Hitch bar sold separately.</li> </ul>	ander with or without a winch. 90 kg) of towing capacity. 1r trailer easily in tight, confined areas. ne Front Bumper, Rancher Bumper and ProMor	unt Plows.
Rubber Receiver Plug			705204503
	<ul> <li>Rubber cap for 2" (5 cm) hit</li> </ul>	ch receiver.	<u>^</u>



Rubber cap for 2" (5 cm) hitch receiver.

## **PERFORMANCE**

#### Performance

		G2S (2020 & prior)		715006000
Renegade Snorkel Kit		G2S (2021 & up)		715007083
	<ul> <li>Comprehensive kit.</li> <li>Extended air intakes and</li> <li>CVT outlet integrates in</li> <li>Ideal for muddy condition</li> </ul>	to pod cover.		
		G2S (2023 & up)		715008898
Renegade Radiator Reloca	tor Kit	G2S (2022 & prior)		715001929
	<ul> <li>Uses existing radiator.</li> <li>Includes support, hardw</li> <li>Engineered for easy cood</li> <li>Radiator not included.</li> <li>Renegade Extreme From</li> </ul>	mance loss in muddy conditions. vare and hoses. oling system bleeding and mainten		prior or X mr Front Bumper (715008198)
Mud Strap		G2, G2L, G2S		715003053
		their weight for improved traction Handlebar Protector Kit (7031003	•	onditions.
Radiator Protector		G2, G2S (except G2S with 500	) engine)	715001744
Outlander Snorkel Kit		G2 2015 & up, G2L (except X mr & 6x6 models)		715005999
	Comprehensive kit.			1000000
	<ul> <li>Extended air intakes and</li> <li>CVT outlet integrates in</li> </ul>	to pod cover. ehicle without XT Handlebar Prote ons.	ector Kit.	
Outlander Snorkel Kit		G2 (X mr models only), G2L (X mr models only)		715002518
	<ul> <li>Comprehensive kit.</li> <li>Extended air intakes and</li> <li>CVT outlet integrates in:</li> <li>Must be installed on a v Protector Kit.</li> <li>Ideal for muddy condition</li> </ul>	to pod cover. ehicle without XT Handlebar	<ul><li>Raised horn</li><li>Provides hig</li></ul>	-
Outlander Radiator Reloca	tor Kit	G2, G2L (except 6x6 models)		715001930
	<ul> <li>Uses existing radiator.</li> <li>Includes support, hardward</li> </ul>	mance loss in muddy conditions.	ance.	

X mr Traction Plates		G2 (MAX models only), G2L	715001752	
		river when riding in extreme mud conditions. iding position to maximize vehicle traction.		
Self-Clearing Footwells		G2 2015 & up, G2L	715004759	
	Made from aluminum.     Replace original footwells.     Feature large evacuation po     Aggressive design for impro     Not compatible with Body S     Sold in pairs.		twells.	
Footpeg Kit		G2, G2L	715001131	
		ed grip and more stability during vigorous riding ed grip during hard cornering.	g.	
Foam Air Filter by Twin Air <sup>†</sup>		G2, G2S, G2L	715001333	
	Maintenance-friendly, i.e., ju		ly dusty/muddy environments.	
		PS, XT & X mr with 650 engine only – except 6x6)	<b>715003200</b> · Rear	
Heavy-Duty Springs	G2 2019 & up (Base, DPS & X		715005159 · Front & Rear	
	<ul> <li>Heavy-duty springs provide</li> <li>Perfect for snow clearing an</li> <li>Improve handling.</li> <li>Standard on Outlander PRC</li> </ul>	nd hauling heavy loads.	^	
Front Shock Covers		G2, G2L, G2S		715500301
	<ul> <li>Feature ventilation holes.</li> <li>Offer added protection in ro</li> <li>Sold in pairs.</li> </ul>	bugh terrain and weather conditions.		
Yoshimura				
Yoshimura Slip-On Exhaust –	Outlander	G2 (except 6x6 models)	715005480	
E Company	Made from 304-grade stain     Better sounding, better look	king and lighter than stock muffler.		

- USDF/USDA approved spark arrester.
- Non-EPA compliant (for racing application only).

Not EC compliant.

- Fuel injection system tuning not required.
- Not compatible with CARB and T Category models 2018 and up, NRMM and 650 Engine 2022 and up.

#### Yoshimura Slip-On Exhaust - Renegade

#### G2S 2012 & up (except 570 engine and X mr models)

715005481

715006102

- Made from 304-grade stainless steel.Better sounding, better looking and lighter than stock muffler.
- USDF/USDA approved spark arrester.
- Non-EPA compliant (for racing application only).
- Not EC compliant.
- · Fuel injection system tuning not required.
- Not compatible with CARB and T Category models 2018 and up, NRMM and 650 Engine 2022 and up.

#### **Emergency Accessories**

#### **Emergency Kit**

Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations
 powersport enthusiasts may find themselves in



powersport enthusiasts may find themselves in.
Includes jumper cables, air compressor, tyre-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

### <u>COVERS, DECALS & ADD-ONS</u>

		G2 (except MAX models)	715001737
		G2 (MAX and X mr 1000R models only)	715001736
		G2L (except MAX models)	715002026
		G2L (MAX models only)	715002025
Trailering Cover		G2S (except X mr models)	715000683
	<ul> <li>Protect windshield and cold</li> <li>All high-abrasion areas are</li> <li>Opening for fuel cap access</li> <li>Weather-resistant trailering</li> <li>Quick and easy installation.</li> </ul>	reinforced with a double canvas layer. s. cover protects your vehicle during transportati	
Heavy-Duty Seat Cover		G2, G2L	715007212
( at	<ul> <li>Abrasion- and tear-resistan</li> <li>Simply installs by stretching</li> </ul>	, around the original seat; the elastic holds the	cover securely in place.
		G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr	715001720
		G2, G2L (MAX and X mr 1000R models only)	715001668
		G2 (6x6 models only)	715002492
Storage Cover		G2, G2L (except MAX models)	715001597 · Mossy Oak Break-Up Country Camo
	<ul> <li>Weather-resistant storage of For vehicle storage only.</li> <li>UV-resistant solution-dyed</li> <li>Quick and easy installation.</li> <li>Designed to perfectly fit you</li> </ul>	polyester construction.	
Flag			<b>715000277</b> · Yellow
can-am	<ul> <li>Make sure everyone knows</li> <li>Perfect for the dunes and n</li> <li>8-ft. (2.4 m) length.</li> <li>Includes Flag Mount (7150)</li> </ul>	ew riders.	

Flag Mount (Not illustrated)			715000127	
Bolt-On <sup>†</sup> Retractable Ratch	eting Tie-Downs		295100737	
	<ul> <li>Mounts easily: Bolts on any</li> <li>1" x 6' (2.5 cm x 1.8 m) tie-c</li> <li>1,500 lb (680 kg) break stree</li> <li>Convenient retractable puss tightens the strap snugly to</li> </ul>	ngth. h button automatically slackens, spo secure your vehicle or load into plac	). that delivers a 500 lb (226 kg) working ols and stores away strap, while the ra	tchet mechanism
Ratchet Tie-Downs			<b>715008309 ·</b> Black/O	Grey
	<ul> <li>400 lb (181 kg) safe workin</li> <li>1" x 10' (2.5 cm x 3 m) strap</li> <li>Deluxe ratchet with rubber</li> <li>Coated S hooks.</li> <li>Pack of 2.</li> </ul>	with Can-Am, Sea-Doo, and Ski-Doo	) logos.	
Heavy-Duty Ratchet Tie-Do	wn		715008308	
	<ul> <li>1,000 lb (454 kg) safe work</li> <li>1.5" x 6' (38 mm x 1.8 m) sti</li> <li>Deluxe ratchet with rubber</li> <li>Black-coated clip hooks.</li> <li>12" (300 mm) webbing incl</li> <li>Pack of two.</li> </ul>	rap with BRP brands. handle.		
Shifter Lock		G2, G2L		71500733
	<ul> <li>Secure the vehicle's shifter</li> <li>Prevents the vehicle from g</li> </ul>	by locking it in position. Joing into neutral without the lock key	у.	
Lockable Gas Tank Cap		G2, G2L, G2S	860200387	
	<ul> <li>Protects your fuel.</li> <li>Meets EPA requirements.</li> </ul>			
		G2L	715002498	
License Plate Bracket		G2S	715001401	
	<ul> <li>Provides specific area to in</li> <li>Mounts to rear of vehicle.</li> </ul>	stall license plate.		

### **APACHE TRACK SYSTEMS**

#### **Apache Track Systems**

Apache Backcountry Track S	ystem	G2 (except 6x6 models), G2L, G2S	715005247
	<ul> <li>Contact patch is 23% bigge</li> <li>Impressive added ground c</li> <li>Aggressive track design wit</li> </ul>	t flotation level and deep-snow performance on the market. r than the Apache 360 LT. learance of 7" (18 cm), keeps the vehicle out of deep snow. ch 2" (5 cm) lug height for maximum traction on snow. ting Kit and engine and air intake pre-filters are required.	
Idler Wheel Kit		Apache Backcountry Track System (rear tracks only)	<b>860201230</b> • 141 mm
00	<ul> <li>Reduces drag and rolling re</li> <li>Includes 2 wheels, brackets</li> <li>Add up to 2 kits per rear trac</li> <li>Can extend slider life in hard</li> </ul>	and hardware. ck.	
Sliders with Vespel <sup>†</sup> Inserts		Apache Backcountry Track System	50319481
•	Use DuPont Vespel inserts     Longer life.     Can be cut to desired lengtl     8 needed per vehicle.     Sold individually.		
Rail Ice Scratchers		Apache Backcountry Track System	860201728
HAN	<ul> <li>Provide additional lubricatio</li> <li>Rail mounted, small, light.</li> <li>Design expands on coil con</li> <li>Easily stored when not in us</li> </ul>	cept to allow reversing without damage.	

Apache 360 & 360 LI	
Apache 360 Track System	

- G2 (except 6x6 models), G2L, G2S

   Multifunctional tracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 and 360 LT Mounting Kit and engine and air intake pre-filters are required.

Apache 360 LT Track System	G2, G2L, G2S	715005103
	<ul> <li>Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.</li> <li>Extra contact patch adjustment for better performance over rough terrain.</li> <li>Contact patch is 7 to 9% bigger than the Apache 360's. Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.</li> </ul>	
Second P	EC compliant.     ATV: Anache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and CVT air intake pre-filters	

ATV: Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and CVT air intake pre-filters are required and sold separately.

#### Apache 360 LT 6x6

#### Apache 360 LT (6x6) Track System

#### G2, G2L (6x6 only)

Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.

· Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised

- or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 4.5" (11.4 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 LT Mounting Kit, Track DPS Module and Engine and Pre-Filter Kit are required.
- Reliable heavy-duty build.
- EC compliant.
- Exclusively for the Outlander 6x6.
- Recommended for use on snow only.

Apache Backcountry Mounting Kit	G2 2018 & prior, G2S 2018 & prior, G2L	71500483
(Not illustrated)	G2 2019, G2S 2019	71500479
	allation of the Apache Backcountry Track System. I pre-filter are required and sold separately.	
	G2, G2L, G2S	71500733
(Not illustrated)  • An innovative DF	G2, G2L, G2S PS module that ensures speedometer accuracy and optimized steering assist, w track control and riding ease.	
make for perfect	PS module that ensures speedometer accuracy and optimized steering assist, w	
(Not illustrated) • An innovative DF make for perfect	PS module that ensures speedometer accuracy and optimized steering assist, w track control and riding ease.	
(Not illustrated) • An innovative DF make for perfect	PS module that ensures speedometer accuracy and optimized steering assist, w track control and riding ease. all the Apache and Backcountry Track Systems.	/hich
(Not illustrated) • An innovative DF make for perfect	PS module that ensures speedometer accuracy and optimized steering assist, w track control and riding ease. all the Apache and Backcountry Track Systems. G2 2018 & prior (except 6x6 models) G2S 2018 & prior, G2L	/hich

DPS module and pre-filter not included.

#### Apache Track System Accessories

Air Intake Pre-Filter		715003483
	<ul> <li>Adds extra protection to your engine in harsh riding conditions.</li> <li>Filter blocks particles larger than 0.007" (0.19 mm).</li> <li>Easy, toolless installation.</li> <li>Necessary to maintain vehicle warranty when tracks are installed.</li> <li>Required to install the Apache and Backcountry Track Systems.</li> <li>Standard on Outlander 650, 650 X mr, 850, 1000, 1000R engines and G2L PRO.</li> <li>Not compatible with Snorkel Kits.</li> </ul>	
Engine Air Intake Pre-Filter	G2, G2L, G2S	715004729
	<ul> <li>Adds extra protection to your engine in harsh riding conditions.</li> <li>Filter blocks particles larger than 0.005" (0.13 mm).</li> <li>Necessary to maintain vehicle warranty when tracks are installed.</li> </ul>	

### **APACHE TRACK SYSTEMS FITTING GUIDE**

Apache Backcountry					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L		715004830		715004729	
2018 & Prior G2, G2S	715005247	715004830	715007338	& 715003483 (standard on G2	715004729
2019 & Up G2, G2S	-	715004796		models and G2L PRO model)	

#### Apache 360 and Apache 360 LT

Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L	715006323	745007007		715004729	
2018 & Prior G2, G2S	(Apache 360) OR <b>715005103</b>	715007207	715007338	& <b>715003483</b> (standard on G2	715004729
2019 & Up G2, G2S	(Apache 360 LT)	715007206		models and G2L PRO model)	

Apache 360 LT 6x6					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Prior G2 6x6		715004991		715004729	
2019 & Up G2L 6x6	715005104	715004991	715007338	& <b>715003483</b> (standard on G2	715004729
2019 & Up G2 6x6	-	715005105	-	models and G2L PRO model)	

### **PROMOUNT PLOWS**

### **PROMOUNT PLOW KITS**

Reference Chart							
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	60" Flex2
Blade	715004472	715005316	715004202	715005317	715006337	715006338	715004203
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752	715007752
Mounting Plate	715007751	715007751	715007751	715007751	715007751	715007751	715007751

#### **Steel Plows**

### Can-Am ProMount Steel Blades 54" (137 cm) Blade

#### Fits ProMount Push Frame



Blades available individually to create your own kit.

	- Diades available individually to create your own kit.
the second se	<ul> <li>Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).</li> </ul>
	Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
inster restances and	Clears 50" (127 cm) when plow is fully angled.
	Blade height of 14.75" (37 cm).

Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blades 60" (152 cm) Blade	Fits ProMount Push Frame	<ul> <li>715004202 · Black</li> <li>715005317 · Yellow</li> </ul>
<ul> <li>Blades available individua</li> <li>Compatible with Can-Am</li> <li>Clears 54" (137 cm) when</li> <li>Blade height of 17" (43 cm)</li> </ul>	ProMount Blade accessories to further enhance plow is fully angled.	plow versatility.

Can-Am ProMount Steel Blad 66" (168 cm) Blade	es	Fits ProMount Push Frame	<b>715006337</b> · Black <b>715006338</b> · Yellow
	<ul> <li>Blades available individually</li> </ul>	v to create your own kit.	

- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
  - Clears 60" (152 cm) when plow is fully angled.
  - Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 72" (183 cm) Blade	Fits ProMount Push Frame	<b>715004474</b> · Black 715006021 · Yellow
Blades available individually	to create your own kit	

Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.



- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

#### Angle Plows

Can-Am ProMount Angle Blac			
0" (152 cm) Steel Oneway St	tate Blade	G2, G2L, G2S	715007261
	further out of the way. <ul> <li>Wing end of plow measures</li> <li>One-way "winged" state plo</li> </ul>	e right tools, clear long alleys and make the task 25" (63 cm) high and tapers down to 17" (43 cr w designed to throw snow higher. esigned to keep snow away from the driver is of	n).
Can-Am ProMount Angle Blac 66" (168 cm) Steel Oneway St	des tate Blade	G2, G2L, G2S	715007263
		e right tools, clear long alleys and make the task	
	One-way "winged" state plo	25" (63 cm) high and tapers down to 17" (43 cr w designed to throw snow higher. esigned to keep snow away from the driver is of	
Can-Am ProMount Angle Blac 72" (183 cm) Steel Oneway St	Wing end of plow measures     One-way "winged" state plo     Rubber Flap (715007299) de     Can-Am branded.	w designed to throw snow higher.	
	Wing end of plow measures     One-way "winged" state plo     Rubber Flap (715007299) de     Can-Am branded.	w designed to throw snow higher. esigned to keep snow away from the driver is of	fered as accessory (sold separately). 715007264 ceasier by sending the snow n).
	<ul> <li>Wing end of plow measures</li> <li>One-way "winged" state plo</li> <li>Rubber Flap (715007299) de</li> <li>Can-Am branded.</li> </ul> des tate Blade <ul> <li>Make the job easier with the further out of the way.</li> <li>Wing end of plow measures</li> <li>One-way "winged" state plo</li> <li>Rubber Flap (715007299) de</li> <li>Can-Am branded.</li> </ul>	w designed to throw snow higher. esigned to keep snow away from the driver is of G2, G2L, G2S e right tools, clear long alleys and make the task 26" (67 cm) high and tapers down to 17" (43 cr w designed to throw snow higher.	fered as accessory (sold separately). 715007264 ceasier by sending the snow n).

Can-Am ProMount Flex2 60" (	152 cm) Blade	Fits ProMount Push Frame		715004203
	absorbing material preve accidental impacts occu • Replaceable wear blade	asy blade rotation to eliminate	<ul> <li>Compatible v further enha</li> <li>Clears 54" (1</li> </ul>	n provides best snow roll-off at any angle. with Can-Am ProMount Blade accessories to nce plow versatility. 37 cm) when plow is fully angled. of 17'' (43 cm).
Can-Am ProMount Flex2 66" (	168 cm) Blade	Fits ProMount Push Frame		715006265
	absorbing material preve accidental impact occur • Replaceable wear blade	asy blade rotation to eliminate	<ul> <li>Clears 60" (1</li> <li>Blade height</li> <li>Compatible v</li> </ul>	n provides best snow roll-off at any angle. 52 cm) when plow is fully angled. of 17" (43 cm). with Can-Am ProMount Blade accessories to nce plow versatility.
Can-Am ProMount Flex2 72" (	183 cm) Blade	Fits ProMount Push Frame		715004485
	absorbing material preve accidental impacts occu • Replaceable wear blade	asy blade rotation to eliminate	Compatible of further enha	n provides best snow roll-off at any angle. with Can-Am ProMount Blade accessories to nce plow versatility. 68 cm) when plow is fully angled.
Can-Am ProMount Plo	w Accessorie	S		
Can-Am ProMount Push Fram vith Quick-Attach System	e	G2, G2L, G2S		715007752
Me and	<ul><li>and traction.</li><li>Designed for maximum period</li><li>Features a self aligning of</li></ul>	vides ultimate push strength	<ul> <li>recommende</li> <li>Can-Am Prolinstallation.</li> <li>Blade swivel</li> <li>Large pin de</li> </ul>	Fairlead and Plow Limit Switch ed to extend winch cable lifespan. Mount Mounting Plate required for s left or right, 5 positions. signed for easy blade rotation to eliminate w buildup at pivot point.
Can-Am ProMount Mounting I	Plate	G2, G2L, G2S		715007751
	Required to install the Ca	an-Am ProMount Push Frame with n-designed to stay on year round v rout Can-Am Skid Plates.	-	-
Can-Am ProMount Push Fram	e Extension	G2, G2L, G2S		715006257
	<ul> <li>12" (30 cm) push frame (</li> <li>Required when plow is in</li> </ul>	extension. nstalled with Apache Track Syster	n.	
Can-Am ProMount Edge Mark	ers	G2, G2L, G2S		715004206
	<ul> <li>Help locate the edges of</li> <li>Height: 24" (60 cm).</li> <li>Sold in pairs.</li> <li>Compatible with Can-An</li> </ul>		es with or without	Blade Extensions (except for the Can-Am

Can-Am ProMount Drift Cut	ters	G2, G2L, G2S	715006258
	<ul> <li>Help keep snow in the p</li> <li>Dimensions: 17" x 13" (</li> <li>Sold in pairs.</li> <li>Compatible with Can-A ProMount Steel 54" (13)</li> </ul>	43.2 cm x 33 cm). m ProMount Steel and Flex2 Blades with	or without Blade Extensions (except for the Can-Am
Can-Am ProMount Curved V	Vear Blade	G2, G2L G2S	<b>715007791</b> · 60" (152 cm) <b>715007792</b> · 66" (168 cm)
	The increased surface	vith a folded back bottom lip. allows for less digging while plowing une gravel, grass, paver stone and other soft	
			715004480 • 54" (137 cm)         715004481 • 60" (152 cm)         715004482 • 66" (168 cm)
Can-Am ProMount Plastic W	lear Blade	G2, G2L, G2S	<b>715004483 ·</b> 72" (183 cm)
Can-Am ProMount Blade Ex	tensions	G2, G2L, G2S	<b>715004205</b> · Black <b>715005319</b> · Yellow
	Longer Wear Blade can	m ProMount Blades (except for Can-Am be installed to further extend the extra le	ProMount Steel 54" (137 cm) Blade). angth already provided by the extensions. ept for the Can-Am ProMount Steel 54" (137 cm)
Back Drag Blade		ProMount Plows (60" and more)	715007794
	<ul> <li>Increased capacity to p</li> <li>More aggressive scrap</li> <li>Lifts the blade off the g</li> <li>Adjustable in length for</li> </ul>	le is moving forward so as to not affect th ull snow.	
Plow Roller Fairlead		G2, G2L, G2S	705009222
	Can be used with all Pr	roller reduces wear on wire rope for plow oMount plows. ting Plate Kit (715007751).	application.
Pulley Kit for Alpine Super-D	outy Plow	G2, G2L	715000279
	<ul> <li>Pulley kit to be used in</li> <li>Recommended to incre</li> <li>To be used with the XT</li> </ul>	2	snow plow.

232 CAN-AM ATV ACCESSORIES

Synthetic Winch Cable f	or Plowing		715000540	
	<ul> <li>Stands up to repeated, share</li> </ul>	owing applications. ble, extra-strong synthetic rope. harp angle pulls used to lift heavy plow blades. r winch rope for plow season to save wear and tear on wire rope.		
Plow Limit Switch (Not illustrated)		G2, G2L, G2S		715006259
	<ul> <li>For controlling the cable tens</li> <li>Prevents winch, plow push fr</li> </ul>	sion when over-raising your plo rame and vehicle damage.	w system.	
Can-Am ProMount Plow	Angling System	G2, G2L, G2S		715007801
A Co	<ul> <li>Converts your plow system from the driver's seat.</li> <li>Using one hand to control a to easily concentrate and m</li> <li>Compatible with ProMount</li> </ul>	all plow motions will allow you nanage your plowing tasks.	<ul> <li>Push Frame installation w</li> </ul>	(715007752) is required. Extension (715006257) is required for vith the Front Rancher Bumper. Iow sold separately.



## **GENUINE PARTS**

Oil Filters					
on Fillers					
)il Filters	Models	Oil Filter	Sealing Ring (Oil Filter Cover)	Sealing Ring (Drain Plug)	
	Defender/Defender MAX HD10, HD9	420256188	420230923	420552280	
RITEX	Defender/Defender MAX HD7	420256188	420230922	420552280	
	Maverick X3	Maverick X3 420956123 420230923		420552280	
	Maverick R	420956747	420230922	420552280	
Har hadia	Maverick Trail & Sport	420256188	420230923	420552280	
	Commander	420256188	420230922	420552280	
	Complete En	gine Oil Change Kit als	o available — see page 2	254	
Air Filters					
Premium Air Filter	<ul> <li>Premium quality filter.</li> <li>Prevents airborne contaminants from</li> <li>Protects internal components against</li> </ul>	•• •			
	Models				
	Defender/Defender MAX			715900394	
And the second second	Maverick X3, Maverick R		715900422		
	Maverick Trail & Sport (Engines 700 & 10		715900394		
	Maverick Trail & Sport (Engine 1000R)		715900422		
	Commander (Engines 700 & 1000R)		715900394		
	Commander (Engine 1000R)			715900422	
Performance Air Filter by Twin Air†	<ul> <li>The best choice for the harshest cond</li> <li>Multiple staged oiled filtering foam fo</li> <li>Washable and reusable.</li> </ul>		pacity with high air flow.		
	Models				
States Of 2	Maverick X3, Maverick R			715002895	
- Marine	Maverick Trail & Sport			715002895	
CVT Air Filter	Models				
	Defender/Defender MAX (except X mr)			706600419	
	Maverick X3			706600416	
	Maverick Trail & Sport (except X mr)			706600417	
	Maverick Trail & Sport X mr			706600418	

Commander (2018 & Up)

#### Spark Plug

Spark Plug

g	Models	
	Defender HD10	715900244
4	Defender HD9	715900642
	Defender HD7	715900785
POPRO	Maverick X3 and Maverick X3 Turbo RR	415130363
	Maverick R	715900935
	Maverick Trail & Sport 1000R	715900244
	Maverick Trail & Sport 1000	715900642
	Maverick Trail 700	715900785
	Commander 700	715900785
	Commander 1000R	715900244

#### **Batteries**

Yuasa<sup>†</sup> Batteries

Top of the line models from the leading preferred original equipment battery supplier in North America.

- ite	Models	18 A Wet (YTX20L-BS)	30 A, Requires Battery Holder (715004431)
wanta B X PB PB	Defender/Defender MAX	296000444	515176151 Except Base and DPS models.
	Maverick X3, Maverick R	296000444	_
	Maverick Trail & Sport	296000444	_
	Commander	296000444	_

#### Axles

**Premium CV Axles** 

Premium quality design ideal for off-roading, heavy-duty and low speed torque usage.
Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.

	Models	Front Left	Front Right	Rear
	Defender MAX	705401937	705401936	705502451
	Defender XT-P	705402353	705402353	705502451
	Defender HD10	705401937	705401936	705502451
and a	Defender HD9	705401937	705401936	705502451
STILL STREET	Defender HD7	705402749	705402750	705503100
- All-all-all-	Maverick R	705402490	705402490	705502907
The state of the s	Maverick Sport (ABS)	705402443	705402443	705502756
	Maverick Sport Base, DPS	705402031	705402030	705502552
	Maverick Trail (W/O ABS)	705402008	705402007	705502541
	Maverick Trail (ABS)	705402442	705402442	705502755
	Commander	705401871	705401872	705502411
Performance CV Axles (Not illustrated)	High-performance design idea and acceleration for racing, du     Includes CVs, shaft and boots	ines, trails and desert riding.		·
	Models	Front Left	Front Right	Rear
	Defender X mr	705402420	705402420	_
	Maverick Sport X mr/X rc	705402282	705402282	705502757

#### Brakes

#### **Metallic Brake Pad Kit**



Built strong to last long – heavy-duty construction stands up to hard braking.

Designed to handle demanding riding conditions with challenging braking environments such as mud and dunes.
 Created specifically for use with Can-Am vehicles.

-	-			
I		1	1	

Models	Front Left	Front Right	Rear Left	Rear Right
Defender MAX HD9/HD10	715900379	715900380	715900386	715900387
Defender HD10	715900379	715900380	715900381	715900382
Defender HD9	715900379	715900380	715900381	715900382
Defender HD7	715900379	715900380	_	715900387
Maverick X3	715900379	715900380	715900386	715900387
Maverick R	705601795	705601795	705601797	705601797
Maverick Trail & Sport	715900379	715900380	715900386	715900387
Commander	715900379	715900380	715900386	715900387

Please contact your dealer or visit our online store at Can-Amoffroad.com for suggested fitment.

#### Parts

#### A-Arm Bushing Kit



This bushing kit includes 2 bushings, a sleeve and a wear plate, as illustrated.
All you need to renew your suspension A-Arms.

#### **Ball Joints**

· Robust

Upper	706202044
Upper (Maverick X3, Maverick R, Trail & Sport, Commander)	706203084
Lower	706202045

703500875

Robust design for off-road usage and sealed for prolonged durability.

Wheel Bearings	2020 models and prior Maverick X3	293350118 293350151
(Not illustrated)	Maverick R	<b>705402652</b> · Front <b>705503036</b> · Rear
Sealed bearings for addition	nal protection from water and dirt.	

#### CV Boot Kit

Comes with clamps and grease.

Genuine BRP CV Boot Kits ensure absolute compatibility and a perfect fit.

4
0

Models	Front Wheel Side	Front Differential Side	Rear Wheel & Differential Side
Defender	705401345	705401355	705501864
Maverick X3	705401354	705401354	715900450
Maverick R	715900450	715900450	715900929
Maverick Sport (ABS, X xc, X mr, X rc)	705401354	705401355	705501864
Maverick Sport (w/o ABS), Maverick Trail	705401345	705401355	705501864
X mr	705401354	705401355	705501864
Commander	705401345	705401355	705501864

#### **Belts**

**BRP Premium Drive Belt** 

High-performance design ideal for off-road use.

BRP-specific calibration adjusted to best suit your Can-Am vehicle.

	Models	Premium Belt	CVT Gasket Cover	Upgrades
	Defender HD10	422280652	420450400	—
and a	Defender HD9	422280656	420450400	422280652
MARCA BARY	Defender HD7	422280225	_	_
£300-000 S	Maverick X3	422280652	420450405	_
	Maverick Trail & Maverick Sport 1000	422280656	420450400	422280652
	Maverick Trail 700	422280225	_	_
	Commander 2020 & prior	422280366	420450126	_
	Commander 2021 & Up 1000 CC	422280656	420450400	422280652
	Commander 700	422280225	-	—
Driven Pulley Adapter Tool (Not illustrated)	Spreads the secondary clutch op	en for easy belt replacemer	nt.	

#### **Clutch Spreader Tool** (Not illustrated)

Allows you to spread the secondary clutch open for easy belt replacement.

Models	Driven Pulley Adapter	Spreader Tool
Defender HD10-HD9	708200720	529000088
Defender HD7	—	529036098
Maverick Trail & Sport	708200720	529000088
Maverick X3	708200720	529000088
Commander	_	529036352


420629237

#### pDrive Pulley Service Kits

**Ramp Roller Maintenance Set** 

pDrive Ramp Roller Set





All SxS pDrive



SHOP BY USAGE	GRAVEL & ROCK NUD	
XPS Trail Force		
	All-terrain radial tyre.	705402754 · 27X9R14
	8-ply rated construction.	705503103 · 27X11R14
50 -	<ul> <li>Versatile and suitable for many types of terrain.</li> <li>Aggressive tread pattern for better traction on dirt, mud and rocky terrains.</li> <li>Tread depth: 20 mm (0.78").</li> </ul>	705403026 · 26X8R14 705503322 · 26X10R14
PS Trail King		
Δ	All-terrain radial tyre.	705402825 - 28X9R14
	<ul> <li>8-ply rated construction.</li> <li>Aggressive tread pattern for tougher terrains.</li> </ul>	705403081 - 27X9R14
	<ul> <li>Aggressive tread pattern for tougher terrains.</li> <li>An almost continuous center tread offers a smoother trail ride.</li> </ul>	705503181 - 28X11R14
	Tread depth: 26 mm (1.02").	705503355 - 27X11R14 705402713 - 26X8R12
		<b>705503073</b> – 26X10R12
PS Trac Force	<ul> <li>All-terrain light truck style radial tyre.</li> <li>8-ply rated construction.</li> <li>Central tread for good grip and comfort on compact terrain.</li> <li>Tread depth: 18 mm (0.71").</li> </ul>	<b>705403080</b> – 30X9R14 <b>705503354</b> – 30X10R14 <b>705403416</b> – 32X10R16
(PS Hammer Force		
	<ul> <li>Light truck-inspired tyre.</li> <li>8-ply rated construction.</li> <li>Rock-crawling tread pattern with unique contact patch.</li> <li>Aggressive sidewall for maximum traction when faced with technical terrains.</li> <li>Tread depth: 15 mm (0.59").</li> </ul>	<b>705402918</b> – 30X10R15
XPS Swamp Force		
Acres Acres	<ul> <li>Hybrid radial tyre for mud &amp; trail.</li> <li>8-ply rated construction.</li> </ul>	705403201 - 30X9R14
	<ul> <li>8-piy rated construction.</li> <li>Unique tread pattern allowing good grip in mud and mud ejection.</li> <li>Center tread provides for comfortable trail riding.</li> <li>Tread depth: 36-38 mm (1.41"-1.49").</li> </ul>	<b>705503387</b> – 30X11R14
(PS Swamp King		
	Bias tyres for mud and trail.	<b>705403028</b> – 28X8X14
	<ul> <li>6-ply rated construction.</li> <li>Ultimate performance in mud without sacrificing good trail handling.</li> <li>Tread depth: 38 mm (1.49").</li> </ul>	<b>705503324</b> – 28X10X14

### **DEFENDER TYRES & RIMS**

TP Cryptid		Defender X mr	705402504 · Front 705502913 · Rear
	<ul> <li>Front: 30" x 9" x 14".</li> <li>Rear: 30" x 11" x 14".</li> </ul>	<ul> <li>Graduated lug height and paddle-like shoulder configuration provide maximum side bite for climbing in and out of the mu without compromising ride comfort on trails and hard pack.</li> <li>6-ply rated.</li> </ul>	
Maxxis Bighorn 2.0 Tyre			
			705402168 · Front 705400961 · CC
	• Front: 27" x 9" x 14".		705502665 · Rear
ALL SO	• Rear: 27" x 11" x 14".	Defender (XT, XT Cab)	705501295 · CE
			705402560 · Front 705401386 · €€
	• Front: 27" x 9" x 12".		705502938 · Rear
	• Rear: 27" x 11" x 12".	Defender	705501818 · CE
	<ul> <li>Front: 28" x 9" x 14".</li> <li>Rear: 28" x 11" x 14".</li> </ul>	Defender	705402080 · Front 705502603 · Rear
Maxxis M923J/M924J		Defender (Base & DPS models only)	705402107 · Front 705502626 · Rear
	<ul> <li>Front: 25" x 8" x 12".</li> <li>Rear: 25" x 10" x 12".</li> </ul>		
Rear Tyre Chains			<b>715000225</b> · 29" x 9"x 14"
	<ul> <li>Improve your traction in a</li> <li>Sold in pairs.</li> </ul>	mud and snow.	

Rims			
I <b>4" Rim</b> Not illustrated)		Defender, Defender MAX	705401594 · Front 705503191 · Rear
vot mustrateu)	<ul> <li>Front: 14" x 6.5" offset = 41 mm.</li> <li>Rear: 14" x 8" offset = 51 mm.</li> </ul>	<ul> <li>Black with clear coat aluminum rim.</li> <li>Choice of beadlock color (not included).</li> <li>Needs 16 bolts (250000787) for installing the beadlock.</li> </ul>	
14" Beadlock Rings		Defender, Defender MAX	<ul> <li>705401586 · Manta Green</li> <li>705401702 · Octane Blue</li> <li>705401837 · Can-Am Red</li> <li>705401840 · Black</li> </ul>
	<ul> <li>Cast aluminum beadloo</li> <li>Must be installed on Fr</li> </ul>	ck. ront Rim (705401594) and Rear Rim (705503191).	
	Matching Nuts - 250100184 Matching Cap - 705400928		

12" Rim			<b>705401678</b> · Black · Front		
lot illustrated)		Defender, Defender MAX	<b>705502244</b> · Black · Rear		
	• Front: 12" x 6"	Black with clear coat aluminum rim.			
	offset = 41 mm. • Rear: 12" x 7.5"	Choice of beadlock color (not included).			
	offset = 51 mm.	<ul> <li>Needs 16 bolts (250000787) for installing the beadlock.</li> </ul>			
			<b>705401816</b> · Can-Am Red		
			<b>705401815</b> · Orange Crush		
2" Beadlock Rings		Defender, Defender MAX	<b>705401814</b> · Yellow		
and a	Cast aluminum beadlock				
	<ul> <li>Must be installed on From and Rear Rim (70550224)</li> </ul>	. ,			
	Matching Nuts - 250100184				
	Matching Cap - 705400928				
			<b>205401848</b> · Black and machinged ·		
			Front <b>705502397</b> · Black and machinged ·		
			Front 705401849 · Black · Front		
Outlander X mr and Defender	Rim	Defender, Defender MAX (front wheels)	<b>705502398</b> · Black · Rear		
	Cast aluminum rim with t				
A74	<ul> <li>Cast aluminum rim with trendsetting explosive styling so you can ride—and look—like a trailblazer.</li> <li>Front: 14" x 6.5" offset = 10 mm.</li> </ul>				
	• Rear: 14" x 8.5" offset = 23 mm.				
	Matching Nuts - 250100184 Black, 250100185 Chrome Matching Cap - 705401541				
Defender Cast-Aluminum 14"	Rim	Defender, Defender MAX	<b>705402338</b> · Black · Front <b>705502778</b> · Black · Rear		
	Eront: 1/1" x 7" offect - /1				
	<ul> <li>Front: 14" x 7" offset = 41</li> <li>Rear: 14" x 8.5" offset = 5</li> </ul>				
	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184				
.one Star Cast-Aluminum 14"	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184 Matching Cap - 705401541		<b>705402334</b> · Front		
	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184 Matching Cap - 705401541		<b>705402334</b> · Front <b>705502775</b> · Rear		
	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184 Matching Cap - 705401541 • Rim • Front: 14" x 7" offset = 41	1 mm.			
	Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541      Rim      Front: 14" x 7" offset = 41     Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184	1 mm.			
	• Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541      Rim      • Front: 14" x 7" offset = 41     • Rear: 14" x 8.5" offset = 5	1 mm.			
	Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541      Rim      Front: 14" x 7" offset = 41     Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184	1 mm. Defender, Defender MAX mm. 1 mm. <b>1 mm.</b> <b>705402120</b> · Black · Front			
	Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541      Rim      Front: 14" x 7" offset = 41     Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184	1 mm. Defender, Defender MAX mm. 1 mm. 1 mm. <b>705402120</b> · Black · Front <b>705502637</b> · Black · Rear	705502775 · Rear		
	Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541      Rim      Front: 14" x 7" offset = 41     Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184	1 mm. Defender, Defender MAX mm. 1 mm. <b>1 mm.</b> <b>705402120</b> · Black · Front	705502775 · Rear		
Not illustrated)	Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541      Rim      Front: 14" x 7" offset = 41     Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184	1 mm. Defender, Defender MAX mm. 1 mm. 1 mm. <b>705402120</b> · Black · Front <b>705502637</b> · Black · Rear <b>705402118</b> · Silver and Machined · Front	705502775 · Rear		
Defender Rim	Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541      Rim      Front: 14" x 7" offset = 41     Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184	1 mm. Defender, Defender MAX mm. 1 mm. 1 mm. <b>T05402120</b> · Black · Front <b>T05502637</b> · Black · Rear <b>T05402118</b> · Silver and Machined · Front <b>T05502634</b> · Silver and Machined · Rear	705502775 · Rear		
Cone Star Cast-Aluminum 14" Not illustrated)	• Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184 Matching Cap - 705401541      Rim      • Front: 14" x 7" offset = 41     • Rear: 14" x 8.5" offset = 5 Matching Nuts - 250100184 Matching Cap - 705401541      • Front: 14" x 7" offset = 41	1 mm. Defender, Defender MAX mm. 1 mm. 1 mm. <b>705402120</b> · Black · Front <b>705502637</b> · Black · Rear <b>705402118</b> · Silver and Machined · Front <b>705502634</b> · Silver and Machined · Front <b>705502635</b> · Black and Machined · Rear <b>mm</b> .	705502775 · Rear		
Defender Rim	• Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541      Rim      • Front: 14" x 7" offset = 41     • Rear: 14" x 8.5" offset = 5     Matching Nuts - 250100184     Matching Cap - 705401541	1 mm. Defender, Defender MAX mm. 1 mm. 1 mm. <b>T05402120</b> · Black · Front <b>T05502637</b> · Black · Rear <b>T05402118</b> · Silver and Machined · Front <b>T05502634</b> · Silver and Machined · Rear <b>T05402121</b> · Black and Machined · Rear <b>T05502635</b> · Black and Machined · Rear mm. 1 mm.	705502775 · Rear		

# COMMANDER, MAVERICK TRAIL & MAVERICK SPORT TYRES & RIMS

#### Tyres – Commander 705402058 · Front Maxxis Coronado Tyre Commander, Commander MAX<sup>‡</sup> 705502576 · Rear • Front: 27" x 9" x 14". • Rear: 27" x 11" x 14". Compliant with European class T regulations. ‡Except XT-P. Tyres - Maverick Trail & Maverick Sport 705402560 · Front Maxxis Bighorn 2.0 Tyre 705502938 · Rear Maverick Sport, Maverick Sport MAX • Front · 27" x 9" x 12". • Rear · 27" x 11" x 12". · Compliant with European class T regulations. 705402563 · Front **Maxxis Liberty Tyre** 705402143 · Rear Maverick Sport X rc · Engineered for performance driving and to give you and your side-by-side freedom in a variety of terrains. · Exceeds DOT test standards. 8-plv radial construction. Specialized rubber compound for supreme traction and control. · Excellent tread wear. • Front: 28" x 10" x 14". • Rear: 30" x 10" x 14". 705402313 · Front **Carlisle ACT Tyre** 705402314 · Rear Maverick Trail Front · 26" x 8" x 12". • Rear · 26" x 9" x 12". Rims

		Maverick Trail DPS, Maverick Sport	705401417 · Front	
		Maverick Sport	705501853 · Rear	_
12" Maverick Trail DF	PS/Sport Rim	Maverick Trail DPS	705401417 · Rear	_
	Matakia a Nistan	050100101 (PL-1)		

- Matching Nuts: 250100184 (Black).
- Matching Cap: 705400928.
- Maverick Sport: Front · 12" x 6" Offset = 41 mm/Rear · 12" x 7.5" Offset = 51 mm.
- Maverick Trail DPS: Front · 12" x 6" Offset = 41 mm/Rear · 12" x 6" Offset = 41 mm.

242

SSV PARTS

		Maverick Sport X rc/X mr Maverick Sport X rc	705402338 · Front 705402338 · Rear
14" Maverick Sport X r	c/X mr Rim	Materick Sport X mr	705502778 · Rear
		<pre>K rc: Front · 14" x 7" Offset = 41 mm/Rear · 14" x K mr: Front · 14" x 7" Offset = 41 mm/Rear · 14" &gt;</pre>	

Maverick Trail

705401217

12" Maverick Trail Rim



 Matching Nuts: 250100042. • 12" x 6" – Offset = 41 mm.

### **MAVERICK X3 TYRES & RIMS**

Tyres			
			<b>705402080</b> · Front
			<b>705502603</b> · Rear
			705402168 · Front · CE
Maxxis <sup>†</sup> Bighorn 2.0 Tyre			705502665 · Rear · C€
	<ul> <li>Front · 28" x 9" x 14".</li> <li>Rear · 28" x 11" x 14".</li> <li>Compliant with European of Front · 27" x 9" x 14".</li> <li>Rear · 27" x 11" x 14".</li> </ul>	class T regulations.	
			705402143 · Front
Maxxis Liberty Tyre		Maverick X3 X rc	705402464 · Rear
		1	<b>705402960</b> · 30"
Maxxis Carnivore Tyre		Maverick X3 (except X mr, X rc & X rs models)	<b>705402961</b> · 32"
		ction.	on rocks, roots, desert terrain, and mud.
			705402081 · Front 705502604 · Rear
Maxxis Bighorn X ds Tyre (Not illustrated)	<ul> <li>Front · 29" x 9" x 14".</li> <li>Rear · 29" x 11" x 14".</li> </ul>		

• Front & Rear · 30" x 10" x 14".

4" Maverick X3 X mr Rim		Maverick X3, Maverick X3 MAX	705402256
	Black with clear coat alum	inum rim.	
4" Maverick X3 Beadlock R	lim	Maverick X3, Maverick X3 MAX	■ 705402207 • Black and machined ■ 705402173 • Black
	Choice of beadlock color	nachined face and clear coat. (not included). 93) for installing the beadlock.	
			705401965 · Front
14" Maverick X3 Rim		Maverick X3, Maverick X3 MAX	<b>705502493</b> · Rear
	<ul> <li>Front: 14" x 7" Offset = 55</li> <li>Rear: 14" x 8" Offset = 76 r</li> </ul>		
			705402393 · Front
4" Maverick X3 Beadlock R	lim	Maverick X3, Maverick X3 MAX	705502814 · Rear
		93) for installing the beadlock. mm (For X rs = Front and rear).	
14" Maverick X3 Beadlock R	ling	Maverick X3 & Maverick X3 MAX (X rs, X ds models only)	<ul> <li>705401709 · Black</li> <li>705401913 · Gold</li> <li>705402358 · Can-Am Red</li> <li>705402472 · Manta Green</li> </ul>
$\cap \cap$	<ul> <li>Cast aluminum beadlock.</li> <li>Must be installed on From</li> </ul>	t Rim (705402393) and Rear Rim (705502814).	



# **GENUINE PARTS**

<b>Oil Filters</b>	Models	Oil Filter	Sealing Ring (Oil Filter Cover)	Sealing Ring (Drain Plug)			
	G2S, G2 & G2L	420256188	420230923	420552280			
	G3L	420256188	420230922	420552280			
	Complete En	gine Oil Change Kit also	o available — see page 1	22			
Air Filters							
	<ul> <li>Premium quality filter.</li> <li>Prevents airborne contaminants from</li> </ul>	reaching your engine					
Premium Air Filter	Protects internal components agains						
	Models						
	G2S, G2 & G2L 707800371						
	G3L 707800846						
Performance Air Filter by Twin Air†	<ul> <li>The best choice for the harshest cont</li> <li>Multiple staged oiled filtering foam fo</li> <li>Washable and reusable.</li> </ul>		pacity with high air flow.				
	Models						
12004SE	G2S, G2 & G2L		71500	01333			
CVT Air Filter Not illustrated)	Models						
	G2, G2L		71500	3483			
	G2S		70700	01786			
	G3L		70700	2886			
Spark Plug							
Spark Plug	Models						

opark ring	Widdels	
	ATV 450/850/1000R	715900352
	ATV 570/650/1000	715900642
	ATV 500/700	715900785

Batteries				
<i>l</i> uasa <sup>†</sup> Batteries	Top of the line models f	rom the leading preferred original ec	uipment battery suppliers in N	orth America.
	Models	3 A Wet (YTX4 L-BS)	10 A Wet (YTX12-BS)	18 A Wet (YTX20 L-BS)
	G2S, G2 & G2L	-	_	296000444
	G3L	_	_	296000444
	DS 50, 70 & 90	V31500MAA020	_	_
	Renegade 70, 110	V31500MAA020	_	_
	DS 250	_	715900031	_

Axles							
Axies	• Premium quality o	lesian ideal	for off-roadir	ng, heavy-duty and low spe	ed torque usage		
Premium CV Axle		-		st suited geometry for your			
	Models	Fron	t Left	Front Right	Rear Left	Rear Right	
Black and	G2, G2S (except X mr)	7054	02235	705402236	705502710	705502711	
Sec. In	G2, G2S X mr	7054	03009	705402238	705503025	705503024	
	G2L (except 570 X mr)	7054	01429	705401428	705501898	705501897	
	G2L 570 X mr	7054	01115	705401116	705501485	705501486	
	G3L (non ABS models)	7054	02251	705402250	705502928	705502928	
	G3L	7054	02612	705402613	705502928	705503078	
	(ABS models)						
letallic Brake Pad Kit	-	le demandi dunes.	ng riding con	truction stands up to hard b ditions with challenging br	•		
	Models		t Left	Front Right	Rear Left	Rear Right	
	G2S, G2 & G2L	715900248		715900249	715900248	715900249	
	G3L		02070	705602071	N/A	705602071	
				e store at canamoffroad.com	•	700002071	
Parts							
-Arm Bushing Kit			G2, G2L, G2S	3	703500875		
	This bushing kit includes 2 All you need to renew your	-		a wear plate, as illustrated.			
66							
69			Upper		706202044		
Ball Joints			Upper Lower		706202044 706202045		
Ball Joints	Robust design for off-road (		Lower	longed durability.			
· F	Robust design for off-road t		Lower sealed for pro		706202045		
• F • F • F • F • F • F • F • F	Robust design for off-road r	usage and s	G2, G2L, G2S	; G3L			
• F • F • F • F • F • F • F • F	Sealed bearings for additio	usage and s	G2, G2L, G2S on from wate	; G3L	293350150		
• F • F • F • F • F • F • F • F	Sealed bearings for additio	usage and s nal protecti ps and grea Boot Kits en	G2, G2L, G2S on from wate	i, G3L r and dirt.	293350150	Rear Differential Sid	
• F • F • F • F • F • F • F • F	Sealed bearings for additio • Comes with clam • Genuine BRP CV I Models G2, G2L, G2S	usage and s nal protecti ps and grea Boot Kits en Fr Whee	G2, G2L, G2S on from wate se. isure absolut	; G3L r and dirt. e compatibility and a perfe	293350150	Rear Differential Sid 705501864	
• F • F • F • F • F • F • F • F	Sealed bearings for additio • Comes with clam • Genuine BRP CV I Models	usage and s nal protecti ps and grea Boot Kits en Fr Whee 7054	G2, G2L, G2S on from wate se. isure absolut ont al Side	; G3L r and dirt. e compatibility and a perfer Front Differential Side	293350150 293350150 ot fit. Rear Wheel Side	Differential Sid	

RP Premium Drive Belt	<ul> <li>High-performance design ideal for off-road use.</li> <li>BRP-specific calibration adjusted to best suit your Can-Am vehicle.</li> </ul>					
J	Models		Premium Belt		CVT Gasket Cover	
	G2, G2S 450 cc & less		422280283		420430126	
	G2, G2S 500 cc & more		422280366		420430126	
	G2L Outlander 450 & Outlande	r MAX 450	422280283		420630292	
Driven Clutch Spreader Tool (Not illustrated)		G2, G2L, G2S, G3L		529036098		

pDrive Ramp Roller Set



Torque Roller Maintenance Set	G3L	420629224
pDrive Torque Roller Set		

420629237

G3L



SHOP BY USAGE	GRAVEL & ROCK DE MUD	
XPS Trail Force		
	All-terrain radial tyre.	705402754 · 27X9R14
	<ul> <li>8-ply rated construction.</li> <li>Versatile and suitable for many types of terrain.</li> </ul>	705503103 · 27X11R14
<b>SU</b> -	<ul> <li>Aggressive tread pattern for better traction on dirt, mud and rocky terrains.</li> <li>Tread depth: 20 mm (0.78").</li> </ul>	705403026 · 26X8R14 705503322 · 26X10R14
KPS Trail King		
Δ.	All-terrain radial tyre.	705402825 - 28X9R14
s s	<ul> <li>8-ply rated construction.</li> <li>Aggressive tread pattern for tougher terrains.</li> </ul>	705403081 - 27X9R14
	<ul> <li>Aggressive tread pattern for tougher terrains.</li> <li>An almost continuous center tread offers a smoother trail ride.</li> </ul>	705503181 - 28X11R14
	<ul> <li>Tread depth: 26 mm (1.02").</li> </ul>	<b>705503355</b> – 27X11R14 <b>705402713</b> – 26X8R12
		705503073 - 26X10R12
	<ul> <li>All-terrain light truck style radial tyre.</li> <li>8-ply rated construction.</li> <li>Central tread for good grip and comfort on compact terrain.</li> <li>Tread depth: 18 mm (0.71").</li> </ul>	705403080 - 30X9R14 705503354 - 30X10R14 705403416 - 32X10R16
KPS Hammer Force		
	<ul> <li>Light truck-inspired tyre.</li> <li>8-ply rated construction.</li> <li>Rock-crawling tread pattern with unique contact patch.</li> <li>Aggressive sidewall for maximum traction when faced with technical terrains.</li> <li>Tread depth: 15 mm (0.59").</li> </ul>	705402918 - 30X10R15
XPS Swamp Force		
A<1	<ul> <li>Hybrid radial tyre for mud and trail.</li> <li>8-ply rated construction.</li> </ul>	705403201 - 30X9R14
	<ul> <li>Style and the construction.</li> <li>Unique tread pattern allowing good grip in mud and mud ejection.</li> <li>Center tread provides for comfortable trail riding.</li> <li>Tread depth: 36-38 mm (1.41"-1.49").</li> </ul>	<b>705503387</b> - 30X11R14
XPS Swamp King		
	Bias tyres for mud and trail.	<b>705403028</b> – 28X8X14
	<ul> <li>6-ply rated construction.</li> <li>Ultimate performance in mud without sacrificing good trail handling.</li> <li>Tread depth: 38 mm (1.49").</li> </ul>	<b>705503324</b> – 28X10X14

### **TYRES & RIMS**

Tyres			
			705401333 · Front 705401334 · (€
Carlisle ACT Tyre		G2 (500-1000 XT models only)	705501769 · Rear 705501770 · €€
00	<ul> <li>Front - 26" x 8" x 12".</li> <li>Rear - 26" x 10" x 12".</li> </ul>		
			<b>705400606</b> · Front <b>705400326</b> · (€)
Carlisle ACT Tyre		G2 (400 XT models only)	705500598 · Rear CC
	<ul> <li>Front - 25" x 8" x 12".</li> <li>Rear - 25" x 11" x 12".</li> </ul>		
			705402562 · Front
Carlisle ACT HD Tyre	<ul> <li>Front - 26" x 8" x 12".</li> </ul>		705502940 · Rear
	• Rear - 26" x 10" x 12".		
			705401331 · Front 705401332 · (€
Carlisle Badlands A/R Tyre		G2 (500-1000 Base models only)	705501767 · Rear 705501768 · C€
60	<ul> <li>Front - 26" x 8" x 12".</li> <li>Rear - 26" x 10" x 12".</li> </ul>	1	1
		G2 (400 Base models only)	705402890 · Front 705503225 · Rear
Carlisle Trail Wolf Tyre		G2 (400 Base models only) G2L (450/570)	705502165 · CE
0	<ul> <li>Front - 25" x 8" x 12".</li> <li>Rear - 25" x 11" x 12".</li> </ul>		
			705402973 · Front
ITP TerraCross Tyre	This are attached to a	G2 XTP, G2Limited	<b>705502858</b> · Rear
60	snow, sand and mud. • Features extreme-duty co	ill command every bit of traction from the grou onstruction for improved puncture protection a g tread pattern and wide footprint make it one o	nd extra-tough rubber compound for increased

					<b>705400600</b> · Front <b>705400475</b> · CE	
ITP Holeshot ATR Tyre		G2	S		705500926 · Rear 705500820 · C€	
		OR12 - 25" x 8" x 12 DR12 - 25" x 10" x 12	2".			
ITP Mega Mayhem		G2 20	2 X mr 570 8 18 & up	k 650 2018 & up G2S X mr 570	<b>705402131</b> · Front <b>705502645</b> · Rear	
60	<ul> <li>Surprisingly s</li> <li>6-ply rated.</li> <li>Front - 28" x 9</li> </ul>	<ul> <li>1.5" tread depth mud thrower tyres.</li> <li>Surprisingly smooth ride on hard pack surfaces.</li> <li>6-ply rated.</li> <li>Front - 28" x 9" x 12".</li> <li>Rear - 28" x 11" x 12".</li> </ul>				
ITP Cryptid Tyre		G2 G2	. X mr 850 8 S X mr 100	k 1000R 2018 & up 0R 2018 & up	705402671	
ØD		compromising ride		lder configuration provide max n trails and hard pack.	imum side bite for climbing in and out of the	
Maxxis Mudzilla Tyre		G2	(X mr 570	& 650 models only)	705501836 · Rear	
	Not EC comp     Rear - 28" x 1	0" x 12".			V42711DGF01HLL • Front	
Kenda Klaw MXR Tyre		-	3 90 X		V42712DGF01HLL · Rear	
Rims	• Front - 20" x 6					
				705401853 · Front 705401852 · Front 705401851 · Front	<ul> <li>Black and machined</li> <li>Black with clear coat</li> <li>Silver with clear coat</li> </ul>	
14" Rim		G2 DPS, G2 XT, G2 650, G2 MAX XT, G Limited	2 MAX 32 MAX	705401852 · Front	Black with clear coat	
14" Rim	<ul> <li>Center hole: 7</li> <li>Bolt circle particular of the second se</li></ul>	650, G2 MAX XT, G Limited t aluminum black p 72 mm. ttern: 4/36 mm. 5.5" offset = 40 mm. .5" offset = 50 mm.	32 MAX painted with	705401852 · Front           705401851 · Front           705502402 · Rear           705502401 · Rear	<ul> <li>Black with clear coat</li> <li>Silver with clear coat</li> <li>Black and machined</li> <li>Black with clear coat</li> <li>Silver with clear coat</li> </ul>	
14" Rim	<ul> <li>Center hole: 7</li> <li>Bolt circle particular of the second se</li></ul>	650, G2 MAX XT, G Limited t aluminum black p 72 mm. ttern: ¼ <sub>36</sub> mm. 5.5" offset = 40 mm. 5.5" offset = 50 mm. <i>Nuts - 250100100 Blac</i>	32 MAX aainted with . <i>k, 25010008</i>	705401852 · Front           705401851 · Front           705502402 · Rear           705502401 · Rear           705502400 · Rear           705502400 · Rear           70machining and clear coat rime           2 Chrome/Matching Cap - 7054000           705402309 · Front           705402309 · Front           705402307 · Front           705402307 · Front	Black with clear coat     Silver with clear coat     Black and machined     Black with clear coat     Silver with clear coat      Black and machined     Black and machined     Black with clear coat     Silver with clear coat	
14" Rim	<ul> <li>Center hole: 7</li> <li>Bolt circle particular of the second se</li></ul>	650, G2 MAX XT, G Limited t aluminum black p 72 mm. ttern: 4/36 mm. 5.5" offset = 40 mm. .5" offset = 50 mm.	ainted with	705401852 · Front           705401851 · Front           705502402 · Rear           705502401 · Rear           705502400 · Rear           n machining and clear coat rime           2 Chrome/Matching Cap - 7054000           705402309 · Front           705402222 · Front	Black with clear coat Silver with clear coat Black and machined Silver with clear coat Silver with clear coat Black and machined Black and machined Black with clear coat	

14" Rim	Limited, G2 North Edition, G2 MAX North Edition	705502702 · Rear 705502768 · Rear	<ul> <li>Black with clear coat</li> <li>Silver with clear coat</li> </ul>
	G2 DPS, G2 XT, G2 MAX	705502770 · Rear	Black and machined
		705402307 · Front	Silver with clear coat
		705402222 · Front	Black with clear coat
		705402309 · Front	Black and machined



Front - 14" x 6.5" offset = 40 mm.

• Rear - 14" x 8.5" offset = 50 mm.

	X mr models	705401848 · Front	Black and machined
Outlander X mr and Defender Rim	front and rear wheels	705401849 · Front	Black

Cast aluminum rim with trend setting explosive styling so you can ride—and look—like a trailblazer.

Black Black

Note: Matching Nuts - 250100100 Black, 250100082 Chrome/Matching Cap - 705401541

		705401127 · Front	Black with clear coat
Outlander Rim (Camo Model)	G2, G2L, G2S	705501493 · Rear	Black with clear coat

Black with clear coat aluminum rim.



• Front - 12" x 6" offset = 41 mm.

• Front - 14" x 6.5" offset = 10 mm.

• Rear - 12" x 7.5" offset = 51 mm.

		705401678 · Front
12" Beadlock Rim	G2, G2L, G2S	705502244 · Rear

12" Beadlock Ring		G2, G2L, G2S	705401763 · Can-Am Red 705401810 · Yellow 705401811 · Orange Crush
1 Star	<ul> <li>Cast aluminu</li> </ul>	ım beadlock.	



Must be installed on Front Rim (705401678) and Rear Rim (705502244).

Note: Matching Nuts - 250100184 Black, 250100185 Chrome/Matching Cap - 705400928

<ul> <li>Front - 14" x 6.5" offset = 4</li> </ul>	(not included). 87) for installing the beadlock.	Black
<ul> <li>Choice of beadlock color (</li> <li>Needs 16 bolts (25000078</li> <li>Front - 14" x 6.5" offset = 4</li> </ul>	(not included). 87) for installing the beadlock.	
<ul> <li>Rear - 14" x 8" offset = 51 r</li> </ul>	mm.	
G2	<b>705401586</b> · Manta Green <b>705401702</b> · Octane Blue	
	G2 • Cast aluminum beadlock.	705401586 · Manta Greer           G2         705401702 · Octane Blue



Must be installed on Front Rim (705401594) and Rear Rim (705503191).

Note: Matching Nuts - 250100184 Black, 250100185 Chrome/Matching Cap - 705400928

# LUBRICANT, DIL CHANGE KIT, MAINTENANCE & CARE PRODUCTS

an-am

### **LUBRICANT & OIL CHANGE KIT**

#### Lubricant

#### XPS 4T 10 W-50 Synthetic Oil 9779234 · 1 qt / 946 ml 9779235 · 1 US gal / 3.785 L



· Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines.

· Formulated using carefully selected and strenuously tested base stocks and custom additives.

· Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine.

XPS 4T 0W-40 Synthetic Oil		<b>9779139</b> · 1 qt / 946 ml	<b>9779140</b> · 1 US gal / 3.785 L
• Powersport formula with premium anti-wear and anti-corrosion additives.		es.	

\*40°C +104°F -45° C -49° F ж

The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.

- · Provides superior engine and transmission protection against heat, rust and corrosion.
- · Delivers optimal performance in high and low temperatures.

#### XPS 4T 5W-40 Synthetic Blend Oil

9779133 · 1 qt / 946 ml

- Off-road formula with premium anti-wear and anti-corrosion additives.
- · Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged powersports engines.
- · Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

9779134 · 1 US gal / 3.785 L

9779261



Engine Oil Change Kit		Models	
	<ul> <li>Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money.</li> </ul>	5W-40 Synthetic Blend Oil / 450 cc or less	9779256
1 XDS ALL	<ul> <li>Includes XPS Synthetic or Synthetic Blend Oil, oil filter, O-rings and washer.</li> </ul>	0W-40 Synthetic Oil / 450 cc or less	9779257
PAGENT ER CARANE NT 310W-50		5W-40 Synthetic Blend Oil / 500 cc or more V-twin engine	9779258
		0W-40 Synthetic Oil / 500 cc or more V-twin engine	9779259
		10W-50 Synthetic Oil / 500 cc or more V-twin engine	9779252
		0W-40 Synthetic Oil / 650 ACE	9779481
		5W-40 Synthetic Blend Oil / 900 ACE	9779260


10W-50 Synthetic Oil / 900 ACE

### **MAINTENANCE PRODUCTS**

#### • Uses custom additives to provide the best performance in Visco-Lok™ and Smart-Lok™ differentials. · Allows higher loads, superior shear stability and reduced oxidation. · Exceptional wear protection and superior performance at all operating temperatures. **XPS Synthetic Dct Fluid** 9779710 · 1 qt / 946 ml (Not illustrated) · Meets or exceeds API GL-4 industry specifications. Formulated for dual clutch system. · Enhanced cooling capabilities for optimal clutch functionality. · Anti foaming agents for smooth hydraulic function. Extended Life Pre-Mixed Coolant 9779150 · 1 qt / 946 ml Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems. · Long-life, 5-year formula specially formulated for BRP vehicles. Superior heat transfer. · Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green). • 5 years (orange). 9779166 · US 12 oz / 340 g **Anti-Corrosive Lubricant** 9779167 · CDN 12 oz / 340 g · Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion. It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

75W-90

75W-140



DOT 4 Brake Fluid

Synthetic Gear Oil

· Meets or exceeds all DOT3 and DOT4 brake fluid requirements.

· High-temperature formula resists fade and also conditions seals and O-rings in braking system.



9779151 · 12 fl. oz. / 355 ml

9779158 · 1 qt / 946 ml

9779160 · 1 qt / 946 ml

#### **Racing Brake Fluid RS600**

9779152 · 12 fl. oz. / 355 ml



- · Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.
- Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.
- · Will not harm seals or braking system components.
- · Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- · Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

#### **Fuel Stabilizer**

9779171 · 8 fl. oz. / 236 ml

- · Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- · Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- · Prevents problems associated with E10 fuels.

### **CARE PRODUCTS**

		<b>9779328</b> · 22 fl. oz. / 650 ml
Cleaner and Degrea	ser, All Purpose	9779329 · 2 qt / 1.89 L
	<ul> <li>Ready-to-use formula.</li> <li>Cleans toughest dirt and grime.</li> <li>Phosphate free eco-friendly formula.</li> <li>Low-foam easy rinse formula.</li> </ul>	

#### Matte Finish Waterless Cleaner

9779330 · 22 fl. oz. / 650 ml

9779331 · 22 fl. oz. / 650 ml

ī

- Easy waterless use. · Perfect for matte, flat and denim surfaces.
- Contains no wax or silicone.
- · Leaves no unwanted streaks or marks.

#### **Multi-Surface and Glass Cleaner**

• Easy waterless spray and wipe use.	

- · Polymer formula cleans and protects.
- · Contains no wax or silicone.
- · Leaves no unwanted streaks or marks.

	<b>9779340</b> · 33 fl. oz. / 946 ml
Mud and Dust Off-Road Wash	<b>9779341</b> · 2 qt / 1.89 L

· Specially formulated for off-road vehicles, it breaks the bond holding grime and dirt to your vehicle's finish. The formula is biodegradable, eco-friendly with no phosphates or corrosive chemicals and is low foam for easy, quick rinsing.

- Effective on oil, grease and other stubborn grime.
- · Safe for use on all surfaces.


#### **Black Plastic and Rubber Restorer**



- Restores plastic, rubber and vinyl.
- Long-lasting formula.
- Protects against UV rays.

		<b>9779337</b> · 16 fl. oz. / 473 ml
Foaming Wash		<b>9779338</b> · 2 qt / 1.89 L
	Concentrated formula for off-road vehicles, it produces a thick foam to lift dirt and prevent scratching.	
	<ul> <li>The pH neutral formula is safe for wax and paint sealants.</li> </ul>	

Works in pressure washers or by hand.



- T
- Nanotechnology polymer formula.Repels dirt.

Leaves a high gloss finish at every wipe.



No water needed.



### **HOW TO USE XPS CARE PRODUCTS**



#### **Spray the All Purpose Cleaner & Degreaser**

product directly on dirt and grime, leave for 30 seconds, then rub lightly with a clean microfiber cloth, wet cleaning mitt or a soft brush. Rinse immediately with plenty of water.

(9779328 - 22 fl. oz. / 650 ml, 9779329 - 2 qt. / 1.89 L)





#### Spray the Mud & Dust Wash

product directly on the surface, leave on for 3 or 4 minutes, then rinse thoroughly with water. If tough stain persists, spray the product again and scrub with a clean microfiber cloth, wet cleaning mitt or soft brush and rinse again.

product. Mix 30 ml (1 oz) of cleaner for every 4 L (1 gallon) of water used. Foam cannon or gun work best for larger vehicles. Wash with a clean mitt or

(9779340 - 33 fl. oz. / 946 ml, 9779341 - 2 qt. / 1.89 L)

**Mix the Foaming Wash** 

soft brush and rinse thoroughly with water. (9779337 - 16 fl. oz. / 473 ml, 9779338 - 2 qt. / 1.89 L)











#### Pour Black Plastic & Rubber Restorer

product on wax applicator pad or clean cloth and apply evenly over surfaces that need to be treated. Keep away from water for a 24-hour period to allow product to dry.

(9779335 - 7.6 fl. oz. / 225 ml)



#### Spray Multi-Surface & Glass Cleaner

product directly on surface and wipe off excess with a clean, soft cloth until the light haze disappears. (9779331 - 22 fl. oz. / 650 ml)







### **BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD**

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you. Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-DOD LYNX SEN-200 CAN-AM ROTAX ALUMACraft MANITOL QUINTREX.

www.brp.com







